

Baseline Monitoring Report
for
Contract No. ED/2018/01 –
Kai Tak Development – Stage 4 infrastructure at the
former runway and south apron

Contract No.: EDO 15/2018

25 March 2020
(Version 1.7)

Certified By: _____

(Environmental Team Leader)

26 March 2020

AECOM Asia Company Limited
8/F, Grand Central Plaza, Tower 2
138 Shatin Rural Committee Road
Shatin, Hong Kong

By Post and E-mail

Attention: Mr. Clive Cheng

Dear Sir,

**Re: Agreement No. EDO 14/2018
Independent Environmental Checker for
Contract No. ED/2018/01 – Kai Tak Development
Stage 4 Infrastructure at the Former Runway and South Apron
Baseline Monitoring Report (Version 1.7)**

Reference is made to the Environmental Team's submission of the captioned Baseline Monitoring Report dated 25 March 2020 received by e-mail on 25 March 2020.

Please be informed that we have no adverse comments on the captioned report. We hereby verify the captioned submission according to Condition 3.2 of EP-337/2009.

For upcoming impact monitoring, the ET and the ET Leader are reminded to strictly follow the requirements as stipulated in the EM&A manuals being applicable to the corresponding EPs, and ensure that all the environmental monitoring and audit data be true, valid and correct as per Condition 3.4 of EP-337/2009, Condition 3.3 of EP-445/2013 and Condition 3.3 of EP-445/2013/A, during the course of impact monitoring periods.

Thank you for your attention. Please do not hesitate to contact the undersigned should you have any queries.

Yours faithfully,

For and on behalf of

Ramboll Hong Kong Limited



Ray Yan

Independent Environmental Checker

c.c.

CEDD

Ka Shing

Penta-Ocean

Attn.: Mr. Ronald Siu

Attn.: Mr. Chan Pang

Attn.: Mr. Daniel Ho

Fax: 2739 0076

By e-mail

Fax: 2572 4080

Table of Content	Page
EXECUTIVE SUMMARY	1
1. INTRODUCTION.....	3
Project Background	3
Purpose of the Baseline Monitoring Report	4
Structure of the Baseline Monitoring Report	4
2. AIR QUALITY MONITORING	5
Monitoring Requirements.....	5
Monitoring Locations	5
Monitoring Parameters, Frequency and Duration	8
Monitoring Equipment	8
Monitoring Methodology and QA/QC Procedure	9
Wind Data Monitoring.....	11
Summary of Baseline Monitoring results and Observations	12
Action and Limit Levels	13
Event and Action Plan	14
3. NOISE MONITORING	17
Monitoring Requirements.....	17
Monitoring Locations	17
Monitoring Parameters, Frequency and Duration	20
Monitoring Equipment	21
Monitoring Methodology and QA/QC Procedure	21
Maintenance and Calibration.....	22
Summary of Baseline Monitoring results and Observations	22

Action and Limit Levels	24
Event and Action Plan	24
4. REVISIONS FOR INCLUSION IN THE EM&A MANUAL	27
5. CONCLUSIONS	28

List of Tables

Table 1	Summary of 24-hour average TSP Monitoring Data and Action and Limit Level
Table 2	Summary of 1-hour average TSP Monitoring Data and Action and Limit Level
Table 3	Summary of Daytime noise levels and Action and Limit Level
Table 4	Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels
Table 5	Summary of Night-time (all days) noise levels
Table 2.1	Air Quality Monitoring Stations Listed in EM&A Manual
Table 2.2	Air Quality Monitoring Stations
Table 2.3	Air Quality Monitoring Parameters, Frequency and Duration
Table 2.4	Air Quality Monitoring Equipment
Table 2.5	Summary of Construction Sites nearby Air Monitoring Stations
Table 2.6	Summary of 24-hour average TSP Monitoring Data
Table 2.7	Summary of 1-hour average TSP Monitoring Data
Table 2.8	Action and Limit Levels for Construction Dust Monitoring
Table 2.9	Action and Limit Levels of 24-hour average TSP for Construction Dust Monitoring
Table 2.10	Action and Limit Levels of 1-hour average TSP for Construction Dust Monitoring
Table 2.11	Event and Action Plan for Construction Dust Monitoring
Table 3.1	Noise Monitoring Stations listed in EM&A manual
Table 3.2	Noise Monitoring Stations
Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Noise Monitoring Equipment
Table 3.5	Summary of Construction Sites nearby Noise Monitoring Stations
Table 3.6	Summary of Day-time (weekdays) noise levels

Table 3.7	Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels
Table 3.8	Summary of Night-time (all days) noise levels
Table 3.9	Action and Limit Levels for Construction Noise Monitoring
Table 3.10	Event and Action Plan for Construction Noise Monitoring
Table 4.1	Air Quality Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)
Table 4.2	Noise Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)

List of Figure

Figure 1	– Proposed works of Contract No. ED/2018/01
Figure 2	– Proposed Bus Stop And Associated Noise Barrier At Road D3A
Figure 3	– Future Pedestrian Connection Between Landscaped Deck And Private Developments
Figure 4	– Site Layout Plan
Figure 5	– Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)
Figure 6	– Air Quality Monitoring Stations
Figure 7	– Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)
Figure 8	– Noise Monitoring Stations

List of Appendices

Appendix A	– Construction Programme
Appendix B	– Baseline monitoring schedule
Appendix C	– Email to Grand Waterfront
Appendix D	– Approval for Baseline Monitoring Programme
Appendix E	– Photographic records
Appendix F	– Cal cert, catalogue of air quality monitoring equipment

Appendix G – Graphical presentation of baseline air quality monitoring data

Appendix H – 24-hr TSP monitoring data

Appendix I – 1-hr TSP monitoring data

Appendix J – Weather information during baseline monitoring period

Appendix K – Cal cert, catalogue of noise monitoring equipment

Appendix L – Graphical presentation of baseline noise monitoring data

Appendix M – Day-time (weekdays) noise monitoring data

Appendix N – Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise monitoring data

Appendix O – Night-time (all days) noise monitoring data

EXECUTIVE SUMMARY

1. Ka Shing Management Consultant Limited was commissioned by Civil Engineering and Development Department to undertake the role of the Environmental Team for Contract No. ED/2018/01 - Kai Tak Development – stage 4 infrastructure at the former runway and south apron (The Project).
2. Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 for 14 consecutive days. The baseline monitoring results form the basis for determining the Action and Limit Levels for the impact monitoring during construction phase.

Air quality monitoring

3. Baseline air quality monitoring (24-hr TSP and 1-hr TSP) was conducted at 3 monitoring locations (AM3, AM4(A) and AM7).
4. The recorded baseline air quality results and Action and Limit Levels for 24-hr TSP and 1-hr TSP are summarized in Table 1 and Table 2 respectively.

Table 1 Summary of 24-hour average TSP Monitoring Data and Action and Limit Level

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	79	45 – 105	182	260
AM4(A)	87	42 – 149	187	260
AM7	79	31 - 125	181	260

Table 2 Summary of 1-hour average TSP Monitoring Data and Action and Limit Level

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	72	38 – 104	297	500
AM4(A)	117	72 – 167	326	500
AM7	99	71 - 137	315	500

Noise monitoring

5. Baseline noise monitoring was conducted at 2 monitoring locations (M11 and M12) with 24 hours continuously monitoring. Monitoring data was analyzed under the following periods:
 - Day-time (0700-1900 hrs) on weekdays

- Evening-time (1900-2300 hrs) on weekdays and Day-time (0700-1900 hrs) and Evening-time (1900-2300 hrs) on weekends / holidays
- Night time (2300-0700 hrs) on all days

6. The recorded baseline noise levels and Action and Limit Levels is summarized in Table 3, Table 4 and Table 5 respectively.

Table 3 Summary of Daytime noise levels and Action and Limit Level

Time Period	Noise Monitoring Station	Average $L_{Aeq, 30-min}$ during 0700 – 1900 on normal weekdays, dB(A)	Range of $L_{Aeq, 30-min}$ during 0700 – 1900 on normal weekdays, dB(A)	Action Level	Limit Level, dB(A)
$L_{Aeq, 30-min}$ 0700 – 1900 on normal weekdays	M11	68.3	61.8 – 72.6	When one documented complaint is received.	75
	M12	61.9	44.8 – 74.6		

Table 4 Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels

Evening-time (1900-2300 hrs) on weekdays Day-time (0700-1900 hrs) & Evening-time (1900-2300 hrs) on holidays	Sound Pressure Level, dB(A)		
	$L_{Aeq, 5-min}$		
Noise Monitoring Station	Average	Max.	Min.
M11	66.5	78.2	56.9
M12	57.3	75.2	46.9

Table 5 Summary of Night-time (all days) noise levels

Night-time (2300-0700 hrs next day)	Sound Pressure Level, dB(A)		
	$L_{Aeq, 5-min}$		
Noise Monitoring Station	Average	Max.	Min.
M11	63.1	77.6	51.7
M12	54.4	74.6	46.3

1. INTRODUCTION

Project Background

- 1.1 The Kai Tak Development (KTD) is located in the southern part of Kowloon Peninsula of the HKSAR, comprising the apron and runway areas of the former Kai Tak Airport and existing waterfront areas at To Kwa Wan, Ma Tau Kok, Kowloon Bay, Kwun Tong and Cha Kwo Ling.
- 1.2 Contract No. ED/2018/01 - Kai Tak Development – stage 4 infrastructure at the former runway and south apron (The Project), comprises mainly the design and construction of a dual two- lane Road D3 (Metro Park Section), a single 2-lane Road L12d, a salt water pumping station, a sewage pumping station, landscaped deck and promenade above and adjoining Road D3 (Metro Park Section) respectively, some remaining road works at Road L14, noise barrier at Road D3A, and other associated works at the former runway and south apron. The proposed works are shown in Figure 1 and Figure 2. During the course of the Contract No. ED/2018/01, there may be modification of noise barriers in association with the construction of footbridges connecting to the landscaped deck of Road D3A by developers of adjacent lands (Figure 3). The proposed works and site boundary are shown in Figure 4. The construction programme of the Project is given in Appendix A. Civil Engineering and Development Department (CEDD) had completed an Environmental Impact Assessment (EIA) and is the Permit Holder.
- 1.3 In accordance with the approved EIA Reports, Environmental Monitoring and Audit (EM&A) programmes are recommended to ensure compliance with the EIA study recommendations. The project proponent was the Civil Engineering and Development Department (CEDD). AECOM Asia Co. Ltd. (AECOM) was commissioned by CEDD as Supervisor (act as Engineers' Representative (ER) listed in EM&A Manual). Ramboll Hong Kong Limited (Ramboll) was commissioned as the Independent Environmental Checker (IEC). Penta-Ocean Construction Co., Ltd. (Penta-Ocean) was appointed as the main Contractor for the construction works of Contract No. ED/2018/01. Ka Shing Management Consultant Limited (KS) was commissioned by CEDD to undertake the role of the Environmental Team (ET) to implement the EM&A programme for The Project.
- 1.4 The construction work under ED/2018/01 comprises the EM&A Manuals (EIA Register Nos. AEIAR-130/2009 for Kai Tak Development and EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A) and Environmental Permit Nos. EP-337/2009, EP-445/2013 and Variation to the EP (VEP) No. EP-445/2013/A.

- 1.5 Air quality and noise monitoring has been proposed in the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development while no air quality and noise monitoring are proposed in EM&A Manual with EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A.

Purpose of the Baseline Monitoring Report

- 1.6 Baseline air quality and noise monitoring has been proposed in the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development under EP-337/2009 while no air quality and noise monitoring are proposed in EM&A Manual with EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A under EP-445/2013 and VEP No. EP-445/2013/A.
- 1.7 Baseline air quality and noise monitoring was conducted according to the approved Baseline Monitoring Programme from 28 October 2019 to 10 November 2019 at 3 air quality monitoring locations (AM3, AM4(A) and AM7) and 2 noise monitoring locations (M11 and M12). The measurement schedule is given in Appendix B.
- 1.8 This report presents the methodology of the required monitoring parameters, location and frequency for baseline air quality and noise monitoring at monitoring stations and also established the Action and Limit Levels for impact monitoring during construction phase of the Project.

Structure of the Baseline Monitoring Report

- 1.9 The structure of the report is as follows:

- Section 1 Introduction
- Section 2 Air Quality Monitoring
- Section 3 Noise Monitoring
- Section 4 Revisions for inclusion in the EM&A Manual
- Section 5 Conclusions

2. AIR QUALITY MONITORING

Monitoring Requirements

2.1 In accordance with the EM&A Manual with EIA Register Nos. AEIAR-130/2009, baseline monitoring shall be carried out at all of the designated monitoring locations for at least 14 consecutive days prior to the commissioning of the construction works to obtain daily 24-hour TSP samples. 1-hour TSP sampling shall also be done at least 3 times per day prior to the commencement of the construction works.

Monitoring Locations

Air Quality Monitoring Stations Listed in EM&A Manual

2.2 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development, 6 designated locations, AM1 to AM6, are selected as air quality monitoring stations which are shown in Table 2.1 and details refer to Figure 5.

Table 2.1 Air Quality Monitoring Stations Listed in EM&A Manual

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 500m away from the Project site boundary^	Existing Air Quality Monitoring Stations under EM&A Programme
AM1 - Rhythm Garden	Residential	Outside	AM1(C) – Contractor's Site Office of KL/2015/03 under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM2 - Lee Kau Yan Memorial School	School	Outside	AM2 – Lee Kau Yan Memorial School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM3 - Sky Tower	Residential	Within	AM3(A) – Holy Trinity Bradbury Centre under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM4 - Grand Waterfront	Residential	Within	AM4(C) – NFS Pump Room

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 500m away from the Project site boundary^	Existing Air Quality Monitoring Stations under EM&A Programme
			under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM5 - CCC Kei To Secondary School	School	Outside	AM5(B) – CCC Kei To Secondary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM6 - Site 1B4 (Planned)	Vacant Land	Within	NA

NOTE:

^ Detailed locations refer to Figure 5.

2.3 All air quality monitoring parameter, frequency and period are identical to those as set out under the respective approved EM&A Manual with EIA Register Nos. AEIAR-130/2009, and they are applicable to all concerned air monitoring locations. With reference to the same principle of EIA report of the Project, air quality monitoring station will only be provided at Air Sensitive Receivers (ASRs) within 500 m from the boundary of the Project. AM1, AM2, AM5 are not located within 500m site boundary of the Project and thus these 3 ASRs are not covered in this baseline monitoring report.

2.4 AM6 is now vacant land which is planning as primary school. According to the Baseline Environmental Monitoring Report (Part II) dated December 2010, baseline air quality monitoring was not conducted at AM6. Baseline and impact monitoring will be sought once development is completed and occupied and thus this ASR is not covered in this baseline monitoring report.

Alternative and additional air quality monitoring stations

2.5 ET have conducted the site visit with the representative of the Property Management of Grand Waterfront on 21 August 2019 for selecting the monitoring station location. Only 44/F refuge floor (R2/F) was allowed for installation. ET explained the purpose of environmental monitoring and sent the installation proposal to Property Management during August 2019 (refer to Appendix C). No permission of setup and entry was received until the date of preparation of this baseline monitoring report. Baseline air quality monitoring was conducted at the alternative monitoring station of AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop.

2.6 Hong Kong Children's Hospital was opened on 21 June 2019, the hospital is considered as air sensitive receivers located within 500m of site boundary and in vicinity of the construction site. Baseline air quality monitoring was conducted at the additional monitoring station of AM7 - Hong Kong Children's Hospital.

2.7 The alternative and additional monitoring location proposal was approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details please refer to Appendix D. The air quality monitoring locations are listed in Table 2.2.

Table 2.2 Air Quality Monitoring Stations

Air Quality Monitoring Locations for the Project	Status of Air Quality Monitoring Locations	Within / Outside 500m away from the Project site boundary^	Land Used	Fulfill the selection criteria of alternative and additional monitoring location	Location of Measurement
AM3 - Sky Tower	Listed in EM&A Manual	Within	Residential	NA	Podium floor near T7
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop	Alternative of AM4 Grand Waterfront	Within	Workshop	1. Within 500m of site boundary; 2. Located in vicinity of the construction site.	Rooftop
AM7 – Hong Kong Children's Hospital	Additional	Within	Hospital	1. Hong Kong Children's Hospital was opened on 21 June 2019, the hospital is considered as air sensitive receivers located within 500m of site boundary; 2. Located in vicinity of the construction site.	Rooftop

NOTE:

^ Detailed locations refer to Figure 6.

Monitoring Parameters, Frequency and Duration

2.8 The air quality monitoring locations and monitoring frequency are listed in Table 2.3.

Table 2.3 Air Quality Monitoring Parameters, Frequency and Duration

Air Monitoring Station	Location for Measurement	Parameter	Time Period	Frequency
AM3 - Sky Tower (Original)	Podium floor near T7	- 24-hour average TSP - 1-hour average TSP	At least 14 consecutive days prior to the commissioning of the construction works.	- Daily - 3 times / day
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Alternative of AM4)	Rooftop		- 24 hours	
AM7 - Hong Kong Children's Hospital (Additional)	Rooftop		- 0700-1900 hrs	

2.9 Photographic records of the baseline monitoring setup are shown in Appendix E.

Monitoring Equipment

2.10 24-hour average TSP and 1-hour average TSP levels were measured for Baseline monitoring. 24-hour average TSP levels were measured by the High Volume Samplers (HVS) and 1-hour average TSP levels were measured by direct reading method to indicate short-term impacts. Wind data monitoring equipment was set up at conspicuous locations for logging wind speed and wind direction near to the dust monitoring locations. Table 2.4 summarizes the equipment to be used in the air quality monitoring.

Table 2.4 Air Quality Monitoring Equipment

Equipment	Model	Quantity
HVS Sampler	TE-5170 X c/w of TSP sampling inlet	3
Calibrator	TISCH TE-5025A	1
1-hour TSP Dust Meter	TSI Model AM510 SidePak Personal Aerosol Monitor	2
Wind Anemometer	Davis Vantage Pro2 Weather Station	1

2.11 High volume samplers (HVS) (TE-5170 X c/w of TSP sampling inlet) comprising with

appropriate sampling inlets were employed for 24-hour TSP monitoring. The sampler was composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complied with that required by USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50).

2.12 Calibration certificates, catalogue of used equipment are given in Appendix F.

Monitoring Methodology and QA/QC Procedure

24-hour TSP Monitoring

Operating/Analytical Procedures

2.13 Operating/analytical procedures for the operation of HVS are shown as follows:

- A horizontal platform with appropriate support to secure the samplers against gusty wind was provided.
- No two samplers were placed less than 2m apart.
- The distance between the sampler and an obstacle, such as buildings, was at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2m of separation from walls, parapets and penthouses was set for the rooftop samples.
- A minimum of 2m separation from any supporting structure, measured horizontally was set.
- No furnaces or incineration flues was nearby.
- Airflow around the sampler was unrestricted.
- The sampler was more than 20m from the dripline.
- Any wire fence and gate, to protect the samplers, was not caused any obstruction during monitoring.
- Permission were obtained to setup the samplers and to obtain access to the monitoring stations.
- A secured supply of electricity was provided to operate the samplers.

2.14 Prior to the commencement of the dust sampling, the flow rate of the HVS was properly set (between 1.1 m³/min. and 1.4 m³/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.

- 2.15 For TSP sampling, Glass Fiber Filter Media 8" x 10" have a collection efficiency of > 99 % for particles of 0.3 µm diameter were used.
- 2.16 The power supply was checked to ensure the sampler worked properly. On sampling, the sampler was operated for 5 minutes to establish thermal equilibrium before placing any filter media at the designated air monitoring station.
- 2.17 The filter holding frame was removed by loosening the four nuts and a weighted and conditioned filter was carefully centered with the stamped number upwards, on a supporting screen.
- 2.18 The filter was aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter. Then the filter holding frame was tightened to the filter holder with swing bolts. The applied pressure was sufficient to avoid air leakage at the edges.
- 2.19 The shelter lid was closed and secured with the aluminium strip.
- 2.20 The timer was programmed. Information was recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number).
- 2.21 After sampling, the filter was removed from the HVS and put into a clean and labeled seal plastic bag to avoid cross contamination. The elapsed time was also be recorded. The sampled filters were sent to the Castco Testing Centre Limited for weighting.
- 2.22 Before weighing, all filters were equilibrated in a conditioning environment for 24 hours. The conditioning environment temperature was between 25°C and 30°C and not vary by more than ±3°C; the relative humidity (RH) was less than 50% and not vary by more than ±5%. A convenient working RH is 40%.

Maintenance/Calibration

2.23 The following maintenance/calibration are required for the HVS:

- The HVS and their accessories were properly maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking were made to ensure that the equipment and necessary power supply are in good working condition.
- High volume samplers were calibrated with at bi-monthly intervals using TE-5025A

Calibration Kit throughout all stages of the air quality monitoring.

1-hour TSP Monitoring

Measurement Procedures

2.24 The measurement procedures of the 1-hour TSP were conducted in accordance with the Manufacturer's Instruction Manual as follows:

- Set up the dust meter on a tripod at 1.2m level.
- Turned on the dust meter and check the battery, if too low, change new ones. Pointed the meter to the source area or the planned measurement area.
- The zero calibration of the instrument was conducted before and after each sampling.
- TSP levels were recorded for 1-hour with 5-minute data logging interval.
- Recorded down the general meteorological conditions, Test ID no., start/end time, initial/final reading at each sampling location for data processing.
- Recorded any activities that may generate dust during measurement period.

Maintenance/Calibration

2.25 The following maintenance/calibration are required for the direct dust meters:

- To validity the accuracy of dust meter, compare the results measured by dust meter and HVS by direct reading method every 12 months throughout all stages of the air quality monitoring.

Wind Data Monitoring

2.26 Wind Anemometer was installed at the roof-top of AM7 - Hong Kong Children's Hospital with 10m above ground and clear of constructions or turbulence caused by the buildings.

2.27 The wind data was captured by a data logger. The data was downloaded for analysis after the completion of baseline monitoring.

2.28 The wind data monitoring equipment will be re-calibrated at least once every six months.

2.29 Wind direction is divided into 16 sectors of 22.5 degrees each.

Summary of Baseline Monitoring results and Observations

2.30 Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 at 3 monitoring locations (AM3, AM4(A) and AM7).

2.31 No construction activities inside the Project site boundary were observed during baseline monitoring.

2.32 Non-project related construction activities near the air monitoring stations were observed. Construction activities are summarized in Table 2.5.

Table 2.5 Summary of Construction Sites nearby Air Monitoring Stations

Air Monitoring Station	Construction Site nearby	Project Proponent	Construction Activities Observed
AM3	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	1) Ground Investigation 2) Piling works (Percussive piling, Socket H piling and Bored piling) 3) Setting up of temporary site office 4) Mobilization 5) Concreting and excavation
AM4(A)	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	1) Ground Investigation 2) Piling works (Percussive piling, Socket H piling and Bored piling) 3) Setting up of temporary site office 4) Mobilization 5) Concreting and excavation
	Central Kowloon Route - Kai Tak West (HY/2014/07)	Highways Department	1) Temporary working platform installation at underpass and depressed road 2) Base slab and wall construction at underpass 3) Backfilling works at ventilation adit 4) Excavation and ELS installation at cut & cover tunnel, depressed road and underpass 5) Temporary Grouting
AM7	New Acute Hospital	Hospital Authority	1) Piling Works

2.33 Graphical presentation and all monitoring data of 24-hour average TSP and 1-hour average TSP levels are shown in Appendix G, Appendix H and Appendix I respectively.

2.34 Monitoring data of 24-hour average TSP and 1-hour average TSP are summarized in Table 2.6 and Table 2.7 respectively.

Table 2.6 Summary of 24-hour average TSP Monitoring Data

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$
AM3	79	45 – 105
AM4(A)	87	42 - 149
AM7	79	31 - 125

Table 2.7 Summary of 1-hour average TSP Monitoring Data

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$
AM3	72	38 – 104
AM4(A)	117	72 – 167
AM7	99	71 - 137

2.35 The weather was general sunny during the baseline monitoring period. Details of weather information during the baseline monitoring period are shown in Appendix J.

Action and Limit Levels

2.36 The baseline monitoring results form the basis for determining the Action and Limit Levels for the impact monitoring. Table 2.8 shows the required Action and Limit Levels.

Table 2.8 Action and Limit Levels for Construction Dust Monitoring

Parameter	Action Level ⁽¹⁾	Limit Level
24-hour average TSP	$\text{BL} \leq 200 \mu\text{g}/\text{m}^3$, $\text{AL} = (\text{BL} * 1.3 + \text{LL}) / 2$ $\text{BL} > 200 \mu\text{g}/\text{m}^3$, $\text{AL} = \text{LL}$	$260 \mu\text{g}/\text{m}^3$
1-hour average TSP	$\text{BL} \leq 384 \mu\text{g}/\text{m}^3$, $\text{AL} = (\text{BL} * 1.3 + \text{LL}) / 2$ $\text{BL} > 384 \mu\text{g}/\text{m}^3$, $\text{AL} = \text{LL}$	$500 \mu\text{g}/\text{m}^3$

Note: (1) BL = Baseline level, AL = Action Level, LL = Limit Level.

2.37 The Action and Limit Levels of 24-hour average TSP and 1-hour average TSP are summarized in Table 2.9 and Table 2.10 respectively.

Table 2.9 Action and Limit Levels of 24-hour average TSP for Construction Dust Monitoring

Air Monitoring Station	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	182	260
AM4(A)	187	260
AM7	181	260

Table 2.10 Action and Limit Levels of 1-hour average TSP for Construction Dust Monitoring

Air Monitoring Station	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	297	500
AM4(A)	326	500
AM7	315	500

Event and Action Plan

2.38 ET will compare the impact monitoring results with Action and Limit Levels for 24-hour average and 1-hour average TSP. If non-compliance of the Action and Limit Levels occur, action in accordance with Event and action in EM&A Manual shall be carried out. Details refer to Table 2.11.

Table 2.11 Event and Action Plan for Construction Dust Monitoring

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Action Level being exceeded by one sampling	- Identify source and investigate the causes of exceedance; - Inform Contractor, IEC and Supervisor /ER; - Repeat measurement to confirm finding.	- Check monitoring data submitted by ET; - Check Contractor's working method.	Notify Contractor.	- Rectify any unacceptable practice; - Amend working methods if appropriate.
Action	Identify source	Check	Confirm	Discuss with

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Level being exceeded by two or more consecutive sampling	and investigate the causes of exceedance; 2. Inform Contractor, IEC and Supervisor /ER; 3. Increase monitoring frequency to daily; 4. Discuss with IEC and Contractor on remedial actions required; 5. Assess the effectiveness of Contractor's remedial actions; 6. If exceedance continues, arrange meeting with IEC and Supervisor /ER; 7. If exceedance stops, cease additional monitoring.	monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the Supervisor /ER on the effectiveness of the proposed remedial measures.	receipt of notification of exceedance in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise implementation of remedial measures; 5. Conduct meeting with ET and IEC if exceedance continues.	ET and IEC on proper remedial actions; 2. Submit proposals for remedial actions to Supervisor /ER and IEC within three working day of notification; 3. Implement the agreed proposals; 4. Amend proposal if appropriate.
Limit Level being exceeded by one sampling	1. Identify source and investigate the causes of exceedance; 2. Inform Contractor, IEC, Supervisor /ER, and EPD; 3. Repeat measurement to confirm finding; 4. Assess effectiveness of Contractor's remedial actions and keep EPD, IEC	1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss possible remedial measures with ET and Contractor; 4. Advise the Supervisor /ER on the effectiveness of the proposed	1. Confirm receipt of notification of exceedance in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise implementation of remedial measures;	1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on proper remedial actions; 3. Submit proposal for remedial actions to Supervisor /ER and IEC within three working days of notification;

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
	and Supervisor /ER informed of the results.	remedial measures.	5. Conduct meeting with ET and IEC if exceedance continues.	4. Implement the agreed proposals.
Limit Level being exceeded by two or more consecutive sampling	1. Notify IEC, Supervisor /ER, Contractor and EPD; 2. Repeat measurement to confirm findings; 3. Carry out analysis of Contractor's working procedures to identify source and investigate the causes of exceedance; 4. Increase monitoring frequency to daily; 5. Arrange meeting with IEC, Supervisor /ER and Contractor to discuss the remedial action to be taken; 6. Assess effectiveness of Contractor's remedial actions and keep EPD, IEC and Supervisor /ER informed of the results; 7. If exceedance stop, cease additional monitoring.	1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with Supervisor /ER, ET, and Contractor on the potential remedial actions; 4. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the Supervisor /ER accordingly.	1. Confirm receipt of notification of exceedance in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise implementation of remedial measures; 5. If exceedance continues, consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated.	1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on proper remedial actions; 3. Submit proposal for remedial actions to Supervisor /ER and IEC within three working days of notification; 4. Implement the agreed proposals; 5. Submit further remedial actions if problem still not under control; 6. Stop the relevant portion of works as instructed by the Supervisor /ER until the exceedance is abated.

3. NOISE MONITORING

Monitoring Requirements

- 3.1 In accordance with the EM&A Manual with EIA Register Nos. AEIAR-130/2009, baseline noise monitoring should be carried out prior to the commencement of the construction works.
- 3.2 The baseline noise levels should be measured at least 14 consecutive days throughout the day (Day-time: 0700-1900 hrs, Evening-time: 1900-2300 hrs and Night-time: 2300-0700 hrs) including weekdays and weekends.

Monitoring Locations

Noise Monitoring Stations Listed in EM&A Manual

- 3.3 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development, 10 designated noise monitoring stations, M1 to M10, are selected as noise monitoring stations which are shown in Table 3.1 and details refer to Figure 7.

Table 3.1 Noise Monitoring Stations listed in EM&A manual

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 300m away from the Project site boundary^	Existing Noise Monitoring Stations under EM&A Programme
M1 - Buddhist Chi King Primary School	School	Outside	M1 - Buddhist Chi King Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M2 - S.K.H Kowloon Bay Kei Lok Primary School	School	Outside	M2 - S.K.H. Kowloon Bay Kei Lok Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 300m away from the Project site boundary^	Existing Noise Monitoring Stations under EM&A Programme
M3 - Cognitio College	School	Outside	M4 - Congnitio College under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M4 - Lee Kau Yan Memorial School	School	Outside	M5 - Lee Kau Yan Memorial School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M5 - Nam Yuen	Residential	Outside	M6(C) - Mercy Grace's Home under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M6 - Holly Carpenter Primary School	School	Outside	M7(A) - Oblate Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M7 - CCC Kei To Secondary School	School	Outside	M8 - CCC Kei To Secondary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M8 - Po Leung Kuk Ngan Po Ling College	School	Outside	M9(Temporary) - Near Chi Yun School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M9 - Tak Long Estate (Site 1B1)	Residential	Outside	M10 - Tak Long Estate Carpark under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M10 - Site 1B4 (Planned)	Vacant Land	Outside	NA

NOTE:

^ Detailed locations refer to Figure 7.

3.4 All noise monitoring parameter, frequency and period are identical to those as set out under the respective approved EM&A Manual with EIA Register Nos. AEIAR-130/2009, and they are applicable to all concerned noise monitoring locations. With reference to the same principle of EIA report of the Project, noise monitoring station will only be provided at Noise Sensitive Receivers (NSRs) within 300 m from the boundary of the Project. All 10 points are not located within 300m site boundary of the Project and thus they are not covered in this

baseline monitoring report.

Additional noise monitoring stations

- 3.5 ET Leader additionally complemented 2 noise monitoring locations, M11 and M12, which are representative and within 300m of the project site boundary.
- 3.6 The Hong Kong Society for the Blind's Factory cum Sheltered Workshop was within 300m of site boundary and close to the major site activities. Baseline noise monitoring was conducted at the additional monitoring station of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop.
- 3.7 Hong Kong Children's Hospital was opened on 21 June 2019, the hospital is considered as noise sensitive receivers located within 300m of site boundary and in vicinity of the construction site. Baseline noise monitoring was conducted at the additional monitoring station of M12 - Hong Kong Children's Hospital.
- 3.8 The additional monitoring location proposal was approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details please refer to Appendix D. The noise monitoring locations are listed in Table 3.2.

Table 3.2 Noise Monitoring Stations

Noise Monitoring Locations for the Project	Status of Noise Monitoring Locations	Within / Outside 300m away from the Project site boundary^	Land Used	Fulfill the selection criteria of additional monitoring location	Location of Measurement
M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop	Additional	Within	Workshop	1. Within 300m of site boundary. 2. Close to the major site activities. 3. Assurance of minimal disturbance to the occupants during monitoring.	Rooftop (Façade)
M12 - Hong Kong Children's Hospital	Additional	Within	Hospital	1. Hong Kong Children's Hospital was opened on 21 June 2019, the hospital is considered as noise	Rooftop (Façade)

Noise Monitoring Locations for the Project	Status of Noise Monitoring Locations	Within / Outside 300m away from the Project site boundary^	Land Used	Fulfill the selection criteria of additional monitoring location	Location of Measurement
				sensitive receivers located within 300m of site boundary. 2. Close to the major site activities. 3. Assurance of minimal disturbance to the occupants during monitoring.	

NOTE:

^ Detailed locations refer to Figure 8.

Monitoring Parameters, Frequency and Duration

3.9 The noise monitoring locations and monitoring frequency are listed in Table 3.3.

Table 3.3 Noise Monitoring Parameters, Frequency and Duration

Noise Monitoring Station	Location for Measurement	Parameter	Time Period	Duration, minute
M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Additional)	Rooftop (Façade)	L _{Aeq} , L _{A10} and L _{A90}	At least 14 consecutive days prior to the commissioning of the construction works.	
			- Daytime (0700-1900 hrs) Weekdays	- 30 minutes with average of 6 consecutive L _{eq, 5-min}
M12 - Hong Kong Children's Hospital (Additional)	Rooftop (Façade)		- Daytime (0700-1900 hrs) Weekends / Holidays	- 5 minutes
			- Evening time (1900-2300 hrs) All days	- 5 minutes
			- Night time (2300-0700 hrs) All days	- 5 minutes

3.10 Photographic records of the baseline monitoring setup are shown in Appendix E.

Monitoring Equipment

3.11 As referred to in the Technical Memorandum (TM) issued under the Noise Control Ordinance (NCO), sound level meters in compliance with the IEC 61672-1 (Type 1) standard [this standard replaced the International Electrotechnical Commission Publications 60651:1979 (Type 1) and 60804:1985 (Type 1)] were used for noise monitoring. Table 3.4 summarizes the equipment to be used in the noise monitoring.

Table 3.4 Noise Monitoring Equipment

Equipment	Model	Quantity
Sound Level Meter	RION NL52	2
Sound Level Calibrator	RION NC 74	1
Air Flowmeter	TSI TA440 Air Velocity	1

3.12 Calibration certificates, catalogue of used equipment are given in Appendix K.

Monitoring Methodology and QA/QC Procedure

3.13 The noise level measurement was conducted at 1m from the exterior of the nearby noise sensitive receivers building façade and at 1.2m above the ground and facing to the source area or the planned measurement area.

3.14 No noise measurement was conducted in the presence of fog, rain, wind with a steady speed exceeding 5 m/s or wind with gusts exceeding 10 m/s. Air flow was measured by air flow meter.

3.15 Turned on the sound level meter and check the battery, if too low, change new ones.

3.16 Calibration was conducted immediately prior to and after each noise measurement, the accuracy of the sound level meters was checked by using sound calibrator generating 1,000 Hz with 94dB. Measurement data was found to be valid only if the calibration level from before and after the noise measurement agreed to within 1.0 dB.

3.17 Noise level was recorded.

3.18 Recorded any activities that may generate noise during measurement period.

Maintenance and Calibration

3.19 The microphone head of the sound level meter and calibrator was cleaned with a soft cloth at quarterly intervals.

3.20 The sound level meter and sound calibrator were calibrated annually.

3.21 Calibration for sound level meter was conducted immediately prior to and following each noise measurement by using sound calibrator generating a known sound pressure level at a known frequency (1,000 Hz with 94dB). Measurements may be accepted as valid only if the calibration levels from before and after the noise measurement agree to within 1.0 dB.

Summary of Baseline Monitoring results and Observations

3.22 Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 at 2 monitoring locations (M11 and M12).

3.23 The weather was general sunny during the baseline monitoring period. Details of weather information during the baseline monitoring period are shown in Appendix I. It is noticed that 3mm of rainfall was recorded on 28 October 2019 at Kai Tak automatic weather station. However, after reviewing those monitoring data of M11 & M12, there was no abnormal data being found. Therefore, the noise data obtained during the precipitation is not necessary to be excluded from the calculations of baseline noise levels.

3.24 No construction activities inside the Project site boundary were observed during baseline monitoring.

3.25 Non-project related construction activities near the noise monitoring stations were observed. Construction sites information are presented in Table 3.5.

Table 3.5 Summary of Construction Sites nearby Noise Monitoring Stations

Noise Monitoring Station	Construction Site nearby	Project Proponent	Construction Activities Observed
M11	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	1) Ground Investigation 2) Piling works (Percussive piling, Socket H piling and Bored piling) 3) Setting up of temporary site office 4) Mobilization 5) Concreting and excavation
	Central Kowloon Route - Kai Tak West (HY/2014/07)	Highways Department	1) Temporary working platform installation at underpass and depressed road 2) Base slab and wall construction at underpass 3) Backfilling works at ventilation adit 4) Excavation and ELS installation at cut & cover tunnel, depressed road and underpass 5) Temporary Grouting
M12	New Acute Hospital	Hospital Authority	1) Piling Works

3.26 Graphical presentations are shown in Appendix L. All monitoring data of Day-time noise levels (weekdays); Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels; and Night-time noise levels are shown in Appendix M, Appendix N and Appendix O respectively.

3.27 Monitoring data of Day-time noise levels (weekdays), Evening-time (weekdays) and Day-time & Evening-time (Holidays), and Night-time (all days) noise levels are summarized in Table 3.6, Table 3.7 and Table 3.8 respectively.

Table 3.6 Summary of Day-time (weekdays) noise levels

Day-time (0700-1900 hrs) Noise Monitoring Station	Sound Pressure Level, dB(A)		
	L _{Aeq} , 30-min		
	Average	Max.	Min.
M11	68.3	72.6	61.8
M12	61.9	74.6	44.8

Table 3.7 Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels

Evening-time (1900-2300 hrs) on weekdays Day-time (0700-1900 hrs) & Evening-time (1900-2300 hrs) on holidays	Sound Pressure Level, dB(A)		
	L _{Aeq} , 5-min		
Noise Monitoring Station	Average	Max.	Min.
M11	66.5	78.2	56.9
M12	57.3	75.2	46.9

Table 3.8 Summary of Night-time (all days) noise levels

Night-time (2300-0700 hrs next day)	Sound Pressure Level, dB(A)		
	L _{Aeq} , 5-min		
Noise Monitoring Station	Average	Max.	Min.
M11	63.1	77.6	51.7
M12	54.4	74.6	46.3

Action and Limit Levels

3.28 The Action and Limit Levels for construction noise were established in accordance with the EM&A Manual. The baseline noise level shall be referenced during the compliance check in the impact noise monitoring period. Table 3.9 presents the Action and Limit Levels for construction noise.

Table 3.9 Action and Limit Levels for Construction Noise Monitoring

Time Period	Noise Monitoring Station	Action Level	Limit Level ⁽²⁾
0700 – 1900 on normal weekdays	M11 M12	When one documented complaint is received	75 dB(A)

Note: (2) If works are to be carried out during restricted hours, the conditions stipulated in the Construction Noise Permit (CNP) issued by the Noise Control Authority have to be followed.

Event and Action Plan

3.29 ET will compare the impact monitoring results with Action and Limit Levels of construction noise. If non-compliance of the Action and Limit Levels occur, action in accordance with Event and action in EM&A Manual shall be carried out. Details refer to Table 3.10.

Table 3.10 Event and Action Plan for Construction Noise Monitoring

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Action Level being exceeded	1. Notify Supervisor / ER, IEC and Contractor; 2. Carry out investigation; 3. Report the results of investigation to the IEC, Supervisor / ER and Contractor; 4. Discuss with the IEC and Contractor on remedial measures required; 5. Increase monitoring frequency to check mitigation effectiveness. (The above actions should be taken within 2 working days after the exceedance is identified.)	1. Review the investigation results submitted by the ET; 2. Review the proposed remedial measures submitted by the Contractor and advise the ER accordingly; 3. Advise the Supervisor / ER on the proposed remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified.)	1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise the implementation of remedial measures. (The above actions should be taken within 2 working days after the exceedance is identified.)	1. Submit noise mitigation proposal to IEC and Supervisor / ER; 2. Implement noise mitigation proposals. (The above actions should be taken within 2 working days after the exceedance is identified.)
Limit Level being exceeded	1. Inform IEC, Supervisor /ER, Contractor and EPD; 2. Repeat measurement to confirm findings; 3. Increase monitoring frequency; 4. Identify source and investigate the cause of exceedance; 5. Carry out analysis of Contractor's working procedure;	1. Discuss the potential remedial actions with Supervisor /ER, ET and Contractor; 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the Supervisor /ER accordingly. (The above actions should be taken within 2 working days after the exceedance is identified.)	1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise the implementation of remedial measures; 5. If exceedance continues,	1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to IEC and Supervisor /ER within 3 working days of notification; 3. Implement the agreed proposal; 4. Submit further proposal if problem still not under control;

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
	6. Discuss remedial measures required with the IEC, Contractor and Supervisor /ER; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD, and Supervisor /ER informed of the results; 8. If exceedance stops, cease additional monitoring. (The above actions should be taken within 2 working days after the exceedance is identified.)	identified.)	consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified.)	5. Stop the relevant portion of works as instructed by the Supervisor /ER until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified.)

4. REVISIONS FOR INCLUSION IN THE EM&A MANUAL

- 4.1 The baseline monitoring was conducted according to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for air quality and noise.
- 4.2 The monitoring methodology and parameters monitored are all in line with the EM&A Manual with EIA Register Nos. AEIAR-130/2009.
- 4.3 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009, 6 designated locations, AM1 to AM6, and 10 designated noise monitoring stations, M1 to M10, are selected as air quality monitoring stations and noise monitoring stations respectively.
- 4.4 With reference to the same principle of EIA report of the Project, air quality monitoring station and noise monitoring station will only be provided at Air Sensitive Receivers (ASRs) within 500 m from the boundary of the Project and Noise Sensitive Receivers (NSRs) within 300 m from the boundary of the Project respectively. Details refer to Table 2.1 and Table 3.1.
- 4.5 Baseline monitoring was also conducted at alternative and additional environmental monitoring locations which were approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details refer to Table 2.2 and Table 3.2.
- 4.6 Air quality and noise monitoring stations listed in the EM&A Manual and actual baseline monitoring stations are summarized in Table 4.1 and Table 4.2 respectively.

Table 4.1 Air Quality Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Baseline Air Quality Monitoring Stations
AM1 - Rhythm Garden	---
AM2 - Lee Kau Yan Memorial School	---
AM3 - Sky Tower	AM3 - Sky Tower
AM4 - Grand Waterfront	AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Alternative of AM4 Grand Waterfront)
AM5 - CCC Kei To Secondary School	---
AM6 - Site 1B4 (Planned)	---
---	AM7 – Hong Kong Children's Hospital (Additional)

Table 4.2 Noise Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Baseline Noise Monitoring Stations
M1 - Buddhist Chi King Primary School	---
M2 - S.K.H Kowloon Bay Kei Lok Primary School	---
M3 - Cognito College	---
M4 - Lee Kau Yan Memorial School	---
M5 - Nam Yuen	---
M6 - Holly Carpenter Primary School	---
M7 - CCC Kei To Secondary School	---
M8 - Po Leung Kuk Ngan Po Ling College	---
M9 - Tak Long Estate (Site 1B1)	---
M10 - Site 1B4 (Planned)	---
---	M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Additional)
---	M12 - Hong Kong Children's Hospital (Additional)

4.7 Action and Limit Levels for 1-hour and 24-hour average TSP of air quality monitoring stations are established based on the baseline monitoring results and are the revisions for inclusion in the EM&A Manual with EIA Register Nos. AEIAR-130/2009.

5. CONCLUSIONS

5.1 Baseline air quality and noise monitoring were conducted from 28 October 2019 to 10 November 2019 in respect to the methodology, equipment and monitoring parameters with the EM&A Manual (EIA Register Nos. AEIAR-130/2009) of the Project at the monitoring stations specified in the Baseline Monitoring Programme approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009.

5.2 Baseline air quality monitoring was conducted at 3 locations (AM3, AM4(A) and AM7) while baseline noise monitoring was conducted at 2 locations (M11 and M12).

5.3 The baseline results are considered representative to the ambient conditions of the respective sensitive receivers.

5.4 Action and Limit Levels were derived from the baseline monitoring results and will be

adopted for impact monitoring during construction phase of the Project.

Figure




Figure 1 – Proposed works of Contract No. ED/2018/01




Figure 2 – Proposed Bus Stop And Associated Noise Barrier At Road D3A




Figure 3 – Future Pedestrian Connection Between Landscaped Deck And Private Developments




Figure 4 – Site Layout Plan




Figure 5 – Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)




Figure 6 – Air Quality Monitoring Stations




Figure 7 – Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)





Figure 8 – Noise Monitoring Stations

Appendix A – Construction Programme



22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
62	Existing Underground Utilities (UU) Model	5 days	0 days	August 26, 2019	August 30, 2019	August 26, 2019	August 30, 2019	August 26, 2019	August 30, 2019	100%	0 days		0 days			Sun September 22	Underground Utilities (UU) Model													
63	3D Digital Survey For Existing Conditions	28 days	4.8 days	September 2, 2019	NA	September 2, 2019	September 30, 2019	September 2, 2019	May 29, 2024	83%	1703 d...		1703 d...				3D Digital Survey For Existing Conditions													
64	3D Photogrammetry Model	46 days	40.02 days	September 16, 2019	NA	September 16, 2019	November 2, 2019	September 16, 2019	May 29, 2024	13%	1670.9...		1670.9...				3D Photogrammetry Model													
65	AIP Model	18 days	1.08 days	September 6, 2019	NA	September 6, 2019	September 24, 2019	September 6, 2019	May 29, 2024	94%	1709.9...		1709.9...				AIP Model													
66	Interfacing Contract Model	15 days	1.05 days	September 9, 2019	NA	September 9, 2019	September 24, 2019	September 9, 2019	May 29, 2024	93%	1709.9...		1709.9...				Interfacing Contract Model													
67	Monthly Updated BIM Model	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				Monthly Updated BIM Model													
68	4D Model Linked Up with Programme	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				4D Model Linked Up with Programme													
69	Construction Method Simulation (CMS) in 3D Model	0 days	0 days	NA	NA	November 30, 2019	November 30, 2019	November 30, 2019	November 30, 2019	0%	0 days		0 days				Construction Method Simulation (CMS) in 3D Model													
70	BIM Deliverables Schedule	77 days	77 days	August 16, 2019	NA	August 16, 2019	October 31, 2019	August 16, 2019	October 31, 2019	0%	0 days		0 days				BIM Deliverables Schedule													
71	Establish BIM Team	0 days	0 days	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	100%	0 days		0 days				Establish BIM Team													
72	BIM Execution Plan	0 days	0 days	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	100%	0 days		0 days				BIM Execution Plan													
73	BIM Submission Schedule	0 days	0 days	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	August 16, 2019	100%	0 days		0 days				BIM Submission Schedule													
74	BIM 360 License	0 days	0 days	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	100%	0 days		0 days				BIM 360 License													
75	BIM/Drawing Management Software System	0 days	0 days	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	August 31, 2019	100%	0 days		0 days				BIM/Drawing Management Software System													
76	CDE Setup	0 days	0 days	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	100%	0 days		0 days				CDE Setup													
77	Clash Report Format	0 days	0 days	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	100%	0 days		0 days				Clash Report Format													
78	Monthly Report Format	0 days	0 days	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	September 9, 2019	100%	0 days		0 days				Monthly Report Format													
79	Quality Assurance Plan for BIM	0 days	0 days	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	100%	0 days		0 days				Quality Assurance Plan for BIM													
80	BIM Training Plan	0 days	0 days	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	100%	0 days		0 days				BIM Training Plan													
81	BIM Training Schedule for CIC Training	0 days	0 days	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	September 30, 2019	100%	0 days		0 days				BIM Training Schedule for CIC Training													
82	4 Sets of BIM Software, Hardware and Server	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				4 Sets of BIM Software, Hardware and Server													
83	Monthly BIM Progress Report	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				Monthly BIM Progress Report													
84	Monthly Clash Report	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				Monthly Clash Report													
85	BIM Object Libraries	0 days	0 days	NA	NA	October 31, 2019	October 31, 2019	October 31, 2019	October 31, 2019	0%	0 days		0 days				BIM Object Libraries													
86	Temporary Traffic Management	839 days	682.35 days	May 30, 2019	NA	May 30, 2019	September 14, 20...	May 30, 2019	May 29, 2024	0%	988 days		988 days				Temporary Traffic Management													
87	Submit Traffic Engineering Consultant and TTM Team Leader (PS1.16(3))	14 days	0 days	May 30, 2019	June 12, 2019	May 30, 2019	June 12, 2019	May 30, 2019	June 12, 2019	100%	0 days	0 days	0 days				Submit Traffic Engineering Consultant and TTM Team Leader (PS1.16(3))													
88	Submit Road Closure Implementation Plan (PS1.14A(2)) within 14d after acceptance of Works Programme	14 days	14 days	NA	NA	November 1, 2019	November 14, 2019	May 16, 2024	May 29, 2024	0%	1658 days	0 days	1658 days				Submit Road Closure Implementation Plan (PS1.14A(2)) within 14d after acceptance of Works Program													
89	Submit EP Mgt System Co-ordinator (PS Cl. 1.18N(2))	7 days	0 days	May 30, 2019	June 5, 2019	May 30, 2019	June 5, 2019	May 30, 2019	June 5, 2019	100%	0 days	0 days	0 days				Submit EP Mgt System Co-ordinator (PS Cl. 1.18N(2))													
90	Approve of EP Co-ordinator by Project Manager (PS Cl. 1.18N(2))	14 days	0 days	June 6, 2019	June 19, 2019	June 6, 2019	June 19, 2019	June 6, 2019	June 19, 2019	100%	0 days	0 days	0 days				Approve of EP Co-ordinator by Project Manager (PS Cl. 1.18N(2))													
91	Submit UU detection equipment for Supervisor approval (PS Cl. 1.25A(1))	7 days	0 days	May 30, 2019	June 5, 2019	May 30, 2019	June 5, 2019	May 30, 2019	June 5, 2019	100%	0 days	0 days	0 days				Submit UU detection equipment for Supervisor approval (PS Cl. 1.25A(1))													
92	Submit & obtain approval: site office's location and layout plan (PS Cl. 1.45(11)) (7d submission + 14d approval)	31 days	10 days	May 30, 2019	NA	May 30, 2019	October 2, 2019	May 30, 2019	May 29, 2024	100%	1701 days	0 days	1701 days				Submit & obtain approval: site office's location and layout plan (PS Cl. 1.45(11)) (7d submission + 14d ap													
93	Submit Site survey record (PS Cl.1.47(7))	34 days	0 days	May 30, 2019	July 2, 2019	May 30, 2019	July 2, 2019	May 30, 2019	July 2, 2019	100%	0 days	0 days	0 days				Submit Site survey record (PS Cl.1.47(7))													
94	Submit & obtain approval: fencing & hoarding plan (PS Cl. 1.48(10))	5 days	5 days	NA	NA	October 2, 2019	October 6, 2019	November 4, 2019	November 8, 2019	0%	1 day	0.5 days	33 days				Submit & obtain approval: fencing & hoarding plan (PS Cl. 1.48(10))													
95	Submit site facilities (PS Cl. 1.50S)	65 days	0 days	May 30, 2019	August 2, 2019	May 30, 2019	August 2, 2019	May 30, 2019	August 2, 2019	100%	0 days	0 days	0 days				Submit site facilities (PS Cl. 1.50S)													
96	Submit security system (PS Cl. 1.53A(5))	36 days	0 days	May 30, 2019	July 4, 2019	May 30, 2019	July 4, 2019	May 30, 2019	July 4, 2019	100%	0 days	0 days	0 days				Submit security system (PS Cl. 1.53A(5))													
97	Submit Weather Protection Scheme (PS Cl. 1.87 (1))	12 days	0 days	October 15, 2019	October 26, 2019	October 15, 2019	October 26, 2019	October 15, 2019	October 26, 2019	100%	0 days	0 days	0 days				Submit Weather Protection Scheme (PS Cl. 1.87 (1))													
98	Submit Interface Management Plan (PS Cl. 1.89(2))	47 days	0 days	May 30, 2019	July 15, 2019	May 30, 2019	July 15, 2019	May 30, 2019	July 15, 2019	100%	0 days	0 days	0 days				Submit Interface Management Plan (PS Cl. 1.89(2))													
99	Submit Subcontractor Management Plan (ACC Cl. C5(1))	13 days	0 days	May 30, 2019	June 11, 2019	May 30, 2019	June 11, 2019	May 30, 2019	June 11, 2019	100%	0 days	0 days	0 days				Submit Subcontractor Management Plan (ACC Cl. C5(1))													
100	Submit Temporary Drainage and Sewerage Management Plan (PS Cl. 1.24A(1))	45 days	33.12 days	May 30, 2019	NA	May 30, 2019	October 26, 2019	May 30, 2019	August 7, 2020	32%	33.88 days	0 days	286.88 days				Submit Temporary Drainage and Sewerage Management Plan (PS Cl. 1.24A(1))													
101	Submit Piling Programme (PS Cl. 8.35D)	12 days	12 days	NA	NA	January 2, 2020	January 13, 2020	February 1, 2020	February 12, 2020	0%	18 days	0 days	30 days				Submit Piling Programme (PS Cl. 8.35D)													
102	Submit EM&A Manual (ER Part 8, Cl. 8.2)	6 days	0 days	May 30, 2019	June 4, 2019	May 30, 2019	June 4, 2019	May 30, 2019	June 4, 2019	100%	0 days	0 days	0 days				Submit EM&A Manual (ER Part 8, Cl. 8.2)													
103	Submit Proposal of selection of suppliers of Plant and Materials (ACC Cl. C11(1))	80 days	0 days	May 30, 2019	August 17, 2019	May 30, 2019	August 17, 2019	May 30, 2019	August 17, 2019	100%	0 days	0 days	0 days				Submit Proposal of selection of suppliers of Plant and Materials (ACC Cl. C11(1))													
104	Submit Contractor's Management Team (ACC Cl. D1(3))	50 days	0 days	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	100%	0 days	0 days	0 days				Submit Contractor's Management Team (ACC Cl. D1(3))													
105	Permanent Works Design Submission	839 days	705.7 days	May 30, 2019	NA	May 30, 2019	September 14, 20...	May 30, 2019	November 15, 2022	0%	427 days		427 days				Permanent Works Design Submission													
106	General Design Submission	192 days	43.98 days	May 30, 2019	NA	May 30, 2019	December 7, 2019	May 30, 2019	December 10, 2019	0%	3 days		3 days				General Design Submission													
107	Project Design Plan (Draft)	16 days	0 days	May 30, 2019	June 14, 2019	May 30, 2019	June 14, 2019	May 30, 2019	June 14, 2019	100%	0 days	0 days	0 days				Project Design Plan (Draft)													
108	Project Design Plan (Draft) Comment by PM	14 days	0 days	June 15, 2019	June 28, 2019	June 15, 2019	June 28, 2019	June 15, 2019	June 28, 2019	100%	0 days	0 days	0 days				Project Design Plan (Draft) Comment by PM													
109	Address Comments	66 days	0 days	July 2, 2019	September 5, 2019	July 2, 2019	September 5, 2019	July 2, 2019	September 5, 2019	100%	0 days	1 days	0 days				Address Comments													
110	Project Design Plan (Final)	19 days	15.2 days	September 5, 2019	NA	September 5, 2019	October 8, 2019	September 5, 2019	December 10, 2019	20%	63.8 days	0 days	63.8 days				Project Design Plan (Final)													
111	Design Memorandum (Draft)	26 days	0 days	June 4, 2019	June 29, 2019	June 4, 2019	June 29, 2019	June 4, 2019	June 29, 2019	100%	0 days	0 days	0 days				Design Memorandum (Draft)													
112	Address Comments	15 days	0 days	August 1, 2019	August 15, 2019	August 1, 2019	August 15, 2019	August 1, 2019	August 15, 2019	100%	0 days	1 days	0 days				Address Comments													
113	Design Memorandum (Final)	5 days	5 days	July 23, 2019	NA	July 23, 2019	September 27, 2019	July 23, 2019	December 10, 2019	0%	74 days																			

22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack																	
120	VCAB (Draft)	45 days	0 days	September 4, 2019	October 18, 2019	September 4, 2019	October 18, 2019	September 4, 2019	October 18, 2019	100%	0 days	2 days	0 days	2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
121	Address Committee's comments	15 days	15 days	NA	NA	October 19, 2019	November 2, 2019	October 22, 2019	November 5, 2019	0%	0 days	2 days	3 days																	
122	VCAB (Final)	15 days	15 days	NA	NA	November 3, 2019	November 17, 2019	November 6, 2019	November 20, 2019	0%	0 days	2 days	3 days																	
123	Durability Assessment Report (Draft)	60 days	0 days	May 30, 2019	July 28, 2019	May 30, 2019	July 28, 2019	May 30, 2019	July 28, 2019	0%	0 days	3 days	0 days																	
124	Address Comments	30 days	0 days	July 29, 2019	August 27, 2019	July 29, 2019	August 27, 2019	July 29, 2019	August 27, 2019	0%	0 days	2 days	0 days																	
125	Durability Assessment Report (Final)	30 days	4 days	August 28, 2019	NA	August 28, 2019	September 26, 2019	August 28, 2019	November 20, 2019	0%	52 days	2 days	55 days																	
126	Landscape Mitigation Plan	20 days	20 days	NA	NA	November 18, 2019	December 7, 2019	November 21, 2019	December 10, 2019	0%	3 days	3 days	3 days																	
127	Site Investigation	209 days	116.69 days	June 1, 2019	NA	June 1, 2019	December 26, 2019	June 1, 2019	January 10, 2020	0%	15 days		15 days																	
128	Ground Investigation Proposal (Draft)	56 days	0 days	June 1, 2019	July 26, 2019	June 1, 2019	July 26, 2019	June 1, 2019	July 26, 2019	100%	0 days	1 days	0 days																	
129	Submit & endorse by Gov. Depts and PM	6 days	0 days	July 27, 2019	August 1, 2019	July 27, 2019	August 1, 2019	July 27, 2019	August 1, 2019	100%	0 days	1 days	0 days																	
130	Ground Investigation Proposal (Final)	25 days	25 days	August 2, 2019	NA	August 2, 2019	October 17, 2019	August 2, 2019	November 29, 2019	0%	0 days	1 days	43 days																	
131	Submit and endorse by Gov. Depts and PM	14 days	14 days	NA	NA	October 18, 2019	October 31, 2019	November 30, 2019	December 13, 2019	0%	28 days	1 days	43 days																	
132	Supervise the SI Carry Out on Site	90 days	46 days	August 10, 2019	NA	August 10, 2019	November 7, 2019	August 10, 2019	November 22, 2019	49%	0 days	4 days	15 days																	
133	Submit SI Report(Draft) for Comment	21 days	21 days	NA	NA	November 8, 2019	November 28, 2019	November 23, 2019	December 13, 2019	0%	0 days	1 days	15 days																	
134	Submit and endorse SI Report(Final) by Project Manager	28 days	28 days	NA	NA	November 29, 2019	December 26, 2019	December 14, 2019	January 10, 2020	0%	15 days	1 days	15 days																	
135	Lifts (LT1 to LT4), Staircase and Associated Works	278 days	269.21 days	September 12, 20...	NA	September 12, 20...	September 12, 20...	June 15, 2020	September 12, 2019	June 19, 2020	0%	0 days	4 days																	
136	Prepare AIP and ICE certification (Draft)	60 days	49 days	September 12, 2019	NA	September 12, 2019	November 10, 2019	September 12, 2019	November 14, 2019	18%	0 days	3 days	4 days																	
137	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	November 11, 2019	January 9, 2020	December 5, 2019	February 2, 2020	0%	0 days	0.5 days	24 days																	
138	Prepare AIP and ICE certification (Final)	10 days	10 days	NA	NA	January 10, 2020	January 19, 2020	February 3, 2020	February 12, 2020	0%	20 days	0 days	24 days																	
139	Prepare DDA and ICE certification (Draft)	90 days	90 days	NA	NA	November 11, 2019	February 8, 2020	November 15, 2019	February 12, 2020	0%	0 days	4 days	4 days																	
140	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 9, 2020	April 8, 2020	February 13, 2020	April 12, 2020	0%	0 days	3 days	4 days																	
141	Prepare DDA for and ICE certification (Final)	15 days	15 days	NA	NA	April 9, 2020	April 23, 2020	April 13, 2020	April 27, 2020	0%	0 days	1 days	4 days																	
142	Submit & endorse by PM and Statutory Authorities/Gov. Dept	53 days	53 days	NA	NA	April 24, 2020	June 15, 2020	April 28, 2020	June 19, 2020	0%	0 days	3 days	4 days																	
143	Noise barrier fronting to 4B5 at Rd D3A & Bus Lay By	222 days	222 days	NA	NA	November 11, 2019	June 19, 2020	November 18, 2019	June 26, 2020	0%	0 days		7 days																	
144	Prepare AIP and ICE certification (Draft)	50 days	50 days	NA	NA	November 11, 2019	December 30, 2019	November 18, 2019	January 6, 2020	0%	0 days	2 days	7 days																	
145	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	December 31, 2019	February 28, 2020	January 11, 2020	March 10, 2020	0%	0 days	0.5 days	11 days																	
146	Prepare AIP and ICE certification (Final)	14 days	14 days	NA	NA	February 29, 2020	March 13, 2020	March 11, 2020	March 24, 2020	0%	4 days	0 days	11 days																	
147	Prepare DDA and ICE certification (Draft)	78 days	78 days	NA	NA	December 31, 2019	March 17, 2020	January 7, 2020	March 24, 2020	0%	0 days	4 days	7 days																	
148	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	March 18, 2020	April 26, 2020	March 25, 2020	May 3, 2020	0%	0 days	2 days	7 days																	
149	Prepare DDA for and ICE certification (Final)	14 days	14 days	NA	NA	April 27, 2020	May 10, 2020	May 4, 2020	May 17, 2020	0%	0 days	1 days	7 days																	
150	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	May 11, 2020	June 19, 2020	May 18, 2020	June 26, 2020	0%	0 days	1 days	7 days																	
151	Decking for Underpass (Rd L14)	390 days	390 days	NA	NA	May 11, 2020	June 4, 2021	May 23, 2020	June 16, 2021	0%	0 days		12 days																	
152	Prepare AIP and ICE certification (Draft)	60 days	60 days	NA	NA	May 11, 2020	July 9, 2020	May 23, 2020	July 21, 2020	0%	0 days	3 days	12 days																	
153	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 10, 2020	September 7, 2020	August 23, 2020	October 21, 2020	0%	0 days	0.5 days	44 days																	
154	Prepare AIP and ICE certification (Final)	14 days	14 days	NA	NA	September 8, 2020	September 21, 2020	October 22, 2020	November 4, 2020	0%	0 days	0 days	44 days																	
155	Prepare DDA and ICE certification (Draft)	90 days	90 days	NA	NA	September 22, 2020	December 20, 2020	November 5, 2020	February 2, 2021	0%	0 days	1 day	44 days																	
156	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	December 21, 2020	February 18, 2021	February 3, 2021	April 3, 2021	0%	0 days	0.5 days	44 days																	
157	Prepare DDA for and ICE certification (Final)	14 days	14 days	NA	NA	February 19, 2021	March 4, 2021	April 4, 2021	April 17, 2021	0%	0 days	0 days	44 days																	
158	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	March 5, 2021	May 3, 2021	April 18, 2021	June 16, 2021	0%	32 days	0 days	44 days																	
159	AIP for E&M Works and Architectural Finishes of Underpass and ICE certification (Draft)	60 days	60 days	NA	NA	July 10, 2020	September 7, 2020	July 22, 2020	September 19, 2020	0%	0 days	3 day	12 days																	
160	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	September 8, 2020	November 6, 2020	September 20, 2020	November 18, 2020	0%	0 days	3 days	12 days																	
161	Prepare AIP for E&M Works and Architectural Finishes of Underpass and ICE certification (Final)	10 days	10 days	NA	NA	November 7, 2020	November 16, 2020	November 19, 2020	November 28, 2020	0%	0 days	0 days	12 days																	
162	Prepare DDA for E&M Works and Architectural Finishes of Underpass certification (Draft)	90 days	90 days	NA	NA	November 17, 2020	February 14, 2021	November 29, 2020	February 26, 2021	0%	0 days	3 days	12 days																	
163	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 15, 2021	April 15, 2021	February 27, 2021	April 27, 2021	0%	0 days	3 days	12 days																	
164	Prepare DDA for E&M Works and Architectural Finishes of Underpass and ICE certification (Final)	10 days	10 days	NA	NA	April 16, 2021	April 25, 2021	April 28, 2021	May 7, 2021	0%	0 days	0 days	12 days																	
165	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	April 26, 2021	June 4, 2021	May 8, 2021	June 16, 2021	0%	12 days	2 days	12 days																	
166	Road D3 Bridge & Approach Ramps	226 days	98.71 days	May 30, 2019	NA	May 30, 2019	January 10, 2020	May 30, 2019	January 10, 2020	0%	0 days		0 days																	
167	D3 Bridge	226 days	106.5 days	May 30, 2019	NA	May 30, 2019	January 10, 2020	May 30, 2019	January 10, 2020	0%	0 days		0 days																	
168	Prepare AIP and ICE certification (Draft)	66 days	0 days	May 30, 2019	August 3, 2019	May 30, 2019	August 3, 2019	May 30, 2019	August 3, 2019	100%	0 days	3 days	0 days																	
169	Submit & endorse by PM and Statutory Authorities/Gov. Dept	15 days	0 days	August 5, 2019	August 19, 2019	August 5, 2019	August 19, 2019	August 5, 2019	August 19, 2019	100%	0 days	1 days	0 days																	
170	Prepare AIP and ICE certification (Final)	21 days	21 days	August 20, 2019	NA	August 20, 2019	October 13, 2019	August 20, 2019	October 16, 2019	0%	3 days	0 days	3 days																	
171	Prepare DDA and ICE certification (Draft)	90 days	24 days	July 19, 2019	NA	July 19, 2019	October 16, 2019	July 19, 2019	October 16, 2019	73%	0 days	5 days	0 days																	
Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19		Critical		Task		Manual Task		Duration-only		Baseline Milestone		Summary		External Tasks		Inactive Milestone		Baseline Summary												
Critical Split		Split		Start-only		Baseline		Milestone		Manual Summary		External Milestone		Inactive Milestone		Inactive Summary														
Critical Progress		Task Progress		Finish-only		Baseline Split		Summary Progress		Project Summary		Inactive Task		Deadline																
Page 3																														

22092019_Revised Programme with Progress Update as of 22-Sep-19

ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024					
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1
172	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	October 17, 2019	November 25, 2019	October 17, 2019	November 25, 2019	0%	0 days	3 days	0 days		Sun September 22									
173	Prepare DDA for and ICE certification (Final)	15 days	15 days	NA	NA	November 26, 2019	December 10, 2019	November 26, 2019	December 10, 2019	0%	0 days	1 days	0 days											
174	Submit & endorse by PM and Statutory Authorities/Gov. Dept	31 days	31 days	NA	NA	December 11, 2019	January 10, 2020	December 11, 2019	January 10, 2020	0%	0 days	1 days	0 days											
175	D3 North Approach Ramp	226 days	103.48 days	May 30, 2019	NA	May 30, 2019	January 10, 2020	May 30, 2019	January 10, 2020	0%	0 days		0 days											
176	Prepare AIP and ICE certification (Draft)	56 days	0 days	May 30, 2019	July 24, 2019	May 30, 2019	July 24, 2019	May 30, 2019	July 24, 2019	100%	0 days	3 days	0 days											
177	Submit & endorse by PM and Statutory Authorities/Gov. Dept	12 days	0 days	July 25, 2019	August 5, 2019	July 25, 2019	August 5, 2019	July 25, 2019	August 5, 2019	100%	0 days	1 days	0 days											
178	Prepare AIP and ICE certification (Final)	29 days	15 days	August 6, 2019	NA	August 6, 2019	October 7, 2019	August 6, 2019	October 16, 2019	48%	9 days	0 days	9 days											
179	Prepare DDA and ICE certification (Draft)	90 days	24 days	July 19, 2019	NA	July 19, 2019	October 16, 2019	July 19, 2019	October 16, 2019	73%	0 days	5 days	0 days											
180	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	October 17, 2019	November 25, 2019	October 17, 2019	November 25, 2019	0%	0 days	3 days	0 days											
181	Prepare DDA for and ICE certification (Final)	15 days	15 days	NA	NA	November 26, 2019	December 10, 2019	November 26, 2019	December 10, 2019	0%	0 days	1 days	0 days											
182	Submit & endorse by PM and Statutory Authorities/Gov. Dept	31 days	31 days	NA	NA	December 11, 2019	January 10, 2020	December 11, 2019	January 10, 2020	0%	0 days	1 days	0 days											
183	D3 South Approach Ramp	226 days	86.62 days	May 30, 2019	NA	May 30, 2019	January 10, 2020	May 30, 2019	January 10, 2020	0%	0 days		0 days											
184	Prepare AIP and ICE certification (Draft)	50 days	0 days	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	100%	0 days	3 days	0 days											
185	Submit & endorse by PM and Statutory Authorities/Gov. Dept	46 days	0 days	July 19, 2019	September 2, 2019	July 19, 2019	September 2, 2019	July 19, 2019	September 2, 2019	100%	0 days	1 days	0 days											
186	Prepare AIP and ICE certification (Final)	15 days	0 days	August 18, 2019	September 1, 2019	August 18, 2019	September 1, 2019	August 18, 2019	September 1, 2019	100%	0 days	0 days	0 days											
187	Prepare DDA and ICE certification (Draft)	90 days	24 days	July 19, 2019	NA	July 19, 2019	October 16, 2019	July 19, 2019	October 16, 2019	73%	0 days	5 days	0 days											
188	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	October 17, 2019	November 25, 2019	October 17, 2019	November 25, 2019	0%	0 days	3 days	0 days											
189	Prepare DDA for and ICE certification (Final)	15 days	15 days	NA	NA	November 26, 2019	December 10, 2019	November 26, 2019	December 10, 2019	0%	0 days	1 days	0 days											
190	Submit & endorse by PM and Statutory Authorities/Gov. Dept	31 days	31 days	NA	NA	December 11, 2019	January 10, 2020	December 11, 2019	January 10, 2020	0%	0 days	1 days	0 days											
191	Road D3 Underpass and Depressed Road	412 days	213.27 days	May 30, 2019	NA	May 30, 2019	July 14, 2020	May 30, 2019	December 1, 2020	0%	140 days		140 days											
192	Underpass	412 days	296 days	May 30, 2019	NA	May 30, 2019	July 14, 2020	May 30, 2019	December 1, 2020	0%	100 days		140 days											
193	Prepare AIP and ICE certification (Draft)	50 days	0 days	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	May 30, 2019	July 18, 2019	100%	0 days	3 days	0 days											
194	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	0 days	July 19, 2019	August 27, 2019	July 19, 2019	August 27, 2019	July 19, 2019	August 27, 2019	100%	0 days	1 days	0 days											
195	Prepare AIP and ICE certification (Final)	38 days	12 days	August 28, 2019	NA	August 28, 2019	October 4, 2019	August 28, 2019	October 4, 2019	68%	0 days	2 days	0 days											
196	Prepare DDA and ICE certification (Draft)	64 days	64 days	NA	NA	October 5, 2019	December 7, 2019	October 5, 2019	December 7, 2019	0%	0 days	3 days	0 days											
197	Submit & endorse by PM and Statutory Authorities/Gov. Dept	90 days	90 days	NA	NA	December 8, 2019	March 6, 2020	April 26, 2020	July 24, 2020	0%	0 days	0.5 days	140 days											
198	Prepare DDA for and ICE certification (Final)	40 days	40 days	NA	NA	March 7, 2020	April 15, 2020	July 25, 2020	September 2, 2020	0%	0 days	0 days	140 days											
199	Submit & endorse by PM and Statutory Authorities/Gov. Dept	90 days	90 days	NA	NA	April 16, 2020	July 14, 2020	September 3, 2020	December 1, 2020	0%	100 days	0 days	140 days											
200	Depressed Road (North and South)	162 days	33.85 days	May 30, 2019	NA	May 30, 2019	November 7, 2019	May 30, 2019	April 15, 2020	0%	46 days		160 days											
201	Prepare AIP and ICE certification (Draft)	66 days	0 days	May 30, 2019	August 3, 2019	May 30, 2019	August 3, 2019	May 30, 2019	August 3, 2019	100%	0 days	1 days	0 days											
202	Submit & endorse by PM and Statutory Authorities/Gov. Dept	30 days	0 days	August 6, 2019	September 4, 2019	August 6, 2019	September 4, 2019	August 6, 2019	September 4, 2019	100%	0 days	2 days	0 days											
203	Prepare AIP and ICE certification (Final)	10 days	10 days	NA	NA	September 23, 2019	October 2, 2019	April 6, 2020	April 15, 2020	0%	196 days	0 days	196 days											
204	Prepare DDA and ICE certification (Draft)	71 days	0 days	May 30, 2019	August 8, 2019	May 30, 2019	August 8, 2019	May 30, 2019	August 8, 2019	100%	0 days	5 days	0 days											
205	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	0 days	August 9, 2019	September 17, 2019	August 9, 2019	September 17, 2019	August 9, 2019	September 17, 2019	100%	0 days	1 days	0 days											
206	Prepare DDA for and ICE certification (Final)	11 days	6 days	September 18, 2019	NA	September 18, 2019	September 28, 2019	September 18, 2019	March 6, 2020	45%	0 days	1 days	160 days											
207	Submit & endorse by PM and Statutory Authorities/Gov. Dept	40 days	40 days	NA	NA	September 29, 2019	November 7, 2019	March 7, 2020	April 15, 2020	0%	160 days	1 days	160 days											
208	Remaining Road Works	332 days	316.32 days	August 13, 2019	NA	August 13, 2019	July 9, 2020	August 13, 2019	November 21, 2021	0%	500 days		500 days											
209	Prepare AIP for At-grade Road D3 and ICE certification (Draft)	60 days	19 days	August 13, 2019	NA	August 13, 2019	October 11, 2019	August 13, 2019	May 16, 2020	68%	0 days	1 day	218 days											
210	Submit & endorse by PM and Statutory Authorities/Gov. Dept	28 days	28 days	NA	NA	October 12, 2019	November 8, 2019	April 30, 2021	May 27, 2021	0%	0 days	0.5 days	566 days											
211	Prepare AIP for At-grade Road D3 and ICE certification (Final)	14 days	14 days	NA	NA	November 9, 2019	November 22, 2019	May 28, 2021	June 10, 2021	0%	48 days	0 days	566 days											
212	Prepare DDA for At-grade Road D3 and ICE certification (Draft)	90 days	90 days	NA	NA	October 12, 2019	January 9, 2020	March 13, 2021	June 10, 2021	0%	0 days	1 day	518 days											
213	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	January 10, 2020	March 9, 2020	June 11, 2021	August 9, 2021	0%	0 days	0.5 days	518 days											
214	Prepare DDA for At-grade Road D3 and ICE certification (Final)	14 days	14 days	NA	NA	March 10, 2020	March 23, 2020	August 10, 2021	August 23, 2021	0%	0 days	0 days	518 days											
215	Submit & endorse by PM and Statutory Authorities/Gov. Dept	90 days	90 days	NA	NA	March 24, 2020	June 21, 2020	August 24, 2021	November 21, 2021	0%	518 days	0 days	518 days											
216	Prepare AIP for Road L12d and ICE certification (Draft)	60 days	60 days	NA	NA	October 12, 2019	December 10, 2019	May 17, 2020	July 15, 2020	0%	0 days	1 day	218 days											
217	Submit & endorse by PM and Statutory Authorities/Gov. Dept	28 days	28 days	NA	NA	December 11, 2019	January 7, 2020	April 24, 2021	May 21, 2021	0%	0 days	0.5 days	500 days											
218	Prepare AIP for Road L12d and ICE certification (Final)	10 days	10 days	NA	NA	January 8, 2020	January 17, 2020	May 22, 2021	May 31, 2021	0%	0 days	0 days	500 days											
219	Prepare DDA for Road L12d and ICE certification (Draft)	90 days	90 days	NA	NA	January 18, 2020	April 16, 2020	June 1, 2021	August 29, 2021	0%	0 days	1 day	500 days											
220	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	April 17, 2020	June 15, 2020	August 30, 2021	October 28, 2021	0%	0 days	0.5 days	500 days											
221	Prepare DDA for Road L12d and ICE certification (Final)	10 days	10 days	NA	NA	June 16, 2020	June 25, 2020	October 29, 2021	November 7, 2021	0%	0 days	0 days	500 days											

Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19

Critical

Critical Split

Critical Progress

Task

Split

Task Progress

Manual Task

Start-only

Finish-only

Duration-only

Baseline

Baseline Split

Baseline Milestone

Milestone

Summary Progress

Summary

Manual Summary

Project Summary

External Tasks

External Milestone

Inactive Task

Inactive Milestone

Inactive Summary

Deadline


Baseline Summary

Page 4

T2092019_Revised Programme with Progress Update as of 22-Sep-19																									
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack												
222	Submit & endorse by PM and Statutory Authorities/Gov. Dept	14 days	14 days	NA	NA	June 26, 2020	July 9, 2020	November 8, 2021	November 21, 2021	0%	500 days	0 days	500 days	2019 H1	H2	2020 H1	H2	2021 H1	H2	2022 H1	H2	2023 H1	H2	2024 H1	
223	AIP for Roadworks - Roadworks other than at-grade Road D3 and Road L12d (Draft)	60 days	60 days	NA	NA	December 11, 2019	February 8, 2020	July 16, 2020	September 13, 2020	0%	0 days	1 day	218 days												
224	AIP for Roadworks - Roadworks other than at-grade Road D3 and Road L12d (Final)	38 days	38 days	NA	NA	February 9, 2020	March 17, 2020	August 24, 2021	September 30, 2021	0%	52 days	0.5 days	562 days												
225	DDA for Roadworks - Roadworks other than at-grade Road D3 and Road L12d (Draft)	90 days	90 days	NA	NA	February 9, 2020	May 8, 2020	July 3, 2021	September 30, 2021	0%	0 days	1 day	510 days												
226	DDA for Roadworks - Roadworks other than at-grade Road D3 and Road L12d (Final)	52 days	52 days	NA	NA	May 9, 2020	June 29, 2020	October 1, 2021	November 21, 2021	0%	510 days	0.5 days	510 days												
227	Seawater & DCS Intake Box Culverts	253 days	199.53 days	August 13, 2019	NA	August 13, 2019	April 21, 2020	August 13, 2019	April 21, 2020	0%	0 days	0 days	0 days												
228	Prepare AIP and ICE certification (Draft)	60 days	19 days	August 13, 2019	NA	August 13, 2019	October 11, 2019	August 13, 2019	October 11, 2019	68%	0 days	3 days	0 days												
229	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 12, 2019	December 10, 2019	October 12, 2019	December 10, 2019	0%	0 days	3 days	0 days												
230	Prepare AIP and ICE certification (Final)	15 days	15 days	NA	NA	December 11, 2019	December 25, 2019	December 11, 2019	December 25, 2019	0%	0 days	1 days	0 days												
231	Prepare DDA and ICE certification (Draft)	135 days	94 days	August 13, 2019	NA	August 13, 2019	December 25, 2019	August 13, 2019	December 25, 2019	30%	0 days	1 days	0 days												
232	Submit & endorse by PM and Statutory Authorities/Gov. Dept	66 days	66 days	NA	NA	December 26, 2019	February 29, 2020	December 26, 2019	February 29, 2020	0%	0 days	3 days	0 days												
233	Prepare DDA for and ICE certification (Final)	14 days	14 days	NA	NA	March 1, 2020	March 14, 2020	March 1, 2020	March 14, 2020	0%	0 days	0 days	0 days												
234	Submit & endorse by PM and Statutory Authorities/Gov. Dept	38 days	38 days	NA	NA	March 15, 2020	April 21, 2020	March 15, 2020	April 21, 2020	0%	0 days	2 days	0 days												
235	Rising Main	215 days	215 days	NA	NA	December 8, 2019	July 9, 2020	December 8, 2019	July 9, 2020	0%	0 days	0 days	0 days												
236	Prepare AIP and ICE certification (Draft)	60 days	60 days	NA	NA	December 8, 2019	February 5, 2020	December 8, 2019	February 5, 2020	0%	0 days	3 days	0 days												
237	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 6, 2020	April 5, 2020	February 21, 2020	April 20, 2020	0%	0 days	0.5 days	15 days												
238	Prepare AIP and ICE certification (Final)	20 days	20 days	NA	NA	April 6, 2020	April 25, 2020	April 21, 2020	May 10, 2020	0%	15 days	0 days	15 days												
239	Prepare DDA and ICE certification (Draft)	90 days	90 days	NA	NA	December 8, 2019	March 6, 2020	December 8, 2019	March 6, 2020	0%	0 days	4 days	0 days												
240	Submit & endorse by PM and Statutory Authorities/Gov. Dept	55 days	55 days	NA	NA	March 7, 2020	April 30, 2020	March 7, 2020	April 30, 2020	0%	0 days	3 days	0 days												
241	Prepare DDA and ICE certification (Final)	10 days	10 days	NA	NA	May 1, 2020	May 10, 2020	May 1, 2020	May 10, 2020	0%	0 days	0 days	0 days												
242	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	May 11, 2020	July 9, 2020	May 11, 2020	July 9, 2020	0%	0 days	3 days	0 days												
243	Stormwater and Sewage Drainage Works	442 days	442 days	NA	NA	December 8, 2019	February 21, 2021	March 18, 2020	June 2, 2021	0%	84 days	0 days	101 days												
244	Prepare AIP for Bidge D3 and ICE certification (Draft)	60 days	60 days	NA	NA	December 8, 2019	February 5, 2020	March 18, 2020	May 16, 2020	0%	0 days	1 day	101 days												
245	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 6, 2020	April 5, 2020	August 17, 2020	October 15, 2020	0%	0 days	0.5 days	193 days												
246	Prepare AIP for Bidge D3 and ICE certification (Final)	10 days	10 days	NA	NA	April 6, 2020	April 15, 2020	October 16, 2020	October 25, 2020	0%	0 days	0 days	193 days												
247	Prepare DDA for Bidge D3 and ICE certification (Draft)	90 days	90 days	NA	NA	April 16, 2020	July 14, 2020	October 26, 2020	January 23, 2021	0%	0 days	1 day	193 days												
248	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 15, 2020	September 12, 2020	January 24, 2021	March 24, 2021	0%	0 days	0.5 days	193 days												
249	Prepare DDA for Bidge D3 and ICE certification (Final)	10 days	10 days	NA	NA	September 13, 2020	September 22, 2020	March 25, 2021	April 3, 2021	0%	0 days	0 days	193 days												
250	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	September 23, 2020	November 21, 2020	April 4, 2021	June 2, 2021	0%	176 days	0 days	193 days												
251	Prepare AIP for Underpass, Depressed Road and ICE certification (Draft)	60 days	60 days	NA	NA	February 6, 2020	April 5, 2020	May 17, 2020	July 15, 2020	0%	0 days	1 day	101 days												
252	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	April 6, 2020	June 4, 2020	August 17, 2020	October 15, 2020	0%	0 days	0.5 days	133 days												
253	Prepare AIP for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	June 5, 2020	June 14, 2020	October 16, 2020	October 25, 2020	0%	0 days	0 days	133 days												
254	Prepare DDA for Underpass, Depressed Road and ICE certification (Draft)	90 days	90 days	NA	NA	June 15, 2020	September 12, 2020	October 26, 2020	January 23, 2021	0%	0 days	1 day	133 days												
255	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	September 13, 2020	November 11, 2020	January 24, 2021	March 24, 2021	0%	0 days	0.5 days	133 days												
256	Prepare DDA for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	November 12, 2020	November 21, 2020	March 25, 2021	April 3, 2021	0%	0 days	0 days	133 days												
257	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	November 22, 2020	January 20, 2021	April 4, 2021	June 2, 2021	0%	116 days	0 days	133 days												
258	AIP for Water Works - Road L12d (Draft)	60 days	60 days	NA	NA	April 6, 2020	June 4, 2020	July 16, 2020	September 13, 2020	0%	0 days	1 day	101 days												
259	AIP for Water Works - Road L12d (Final)	38 days	38 days	NA	NA	June 5, 2020	July 12, 2020	March 5, 2021	April 11, 2021	0%	52 days	0.5 days	273 days												
260	DDA for Water Works - Road L12d (Draft)	90 days	90 days	NA	NA	June 5, 2020	September 2, 2020	January 12, 2021	April 11, 2021	0%	0 days	1 day	221 days												
261	DDA for Water Works - Road L12d (Final)	52 days	52 days	NA	NA	September 3, 2020	October 24, 2020	April 12, 2021	June 2, 2021	0%	204 days	1 day	221 days												
262	AIP for Water Works - Waterfront Promenade and at grade Open Space (Draft)	60 days	60 days	NA	NA	June 5, 2020	August 3, 2020	September 14, 2020	November 12, 2020	0%	0 days	1 day	101 days												
263	AIP for Water Works - Waterfront Promenade and at grade Open Space (Final)	38 days	38 days	NA	NA	August 4, 2020	September 10, 2020	March 5, 2021	April 11, 2021	0%	52 days	0.5 days	213 days												
264	DDA for Water Works - Waterfront Promenade and at grade Open Space (Draft)	90 days	90 days	NA	NA	August 4, 2020	November 1, 2020	January 12, 2021	April 11, 2021	0%	0 days	1 day	161 days												
265	DDA for Water Works - Waterfront Promenade and at grade Open Space (Final)	52 days	52 days	NA	NA	November 2, 2020	December 23, 2020	April 12, 2021	June 2, 2021	0%	144 days	1 day	161 days												
266	AIP for Water Works - Remaining water works (Draft)	60 days	60 days	NA	NA	August 4, 2020	October 2, 2020	November 13, 2020	January 11, 2021	0%	0 days	1 day	101 days												
267	AIP for Water Works - Remaining water works (Final)	38 days	38 days	NA	NA	October 3, 2020	November 9, 2020	March 5, 2021	April 11, 2021	0%	52 days	0.5 days	153 days												
Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19		Critical	Task	Manual Task	Duration-only	Baseline Milestone	Summary	External Tasks	Inactive Milestone	Baseline Summary															
		Critical Split	Split	Start-only	Baseline	Milestone	Manual Summary	External Milestone	Inactive Summary																
		Critical Progress	Task Progress	Finish-only	Baseline Split	Summary Progress	Project Summary	Inactive Task	Deadline																
Page 5																									

22092019_Revised Programme with Progress Update as of 22-Sep-19																												
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024									
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1		
268	DDA for Water Works - Remaining water works (Draft)	90 days	90 days	NA	NA	October 3, 2020	December 31, 2020	January 12, 2021	April 11, 2021	0%	0 days	1 day	101 days		Sun September 22													
269	DDA for Water Works - Remaining water works (Final)	52 days	52 days	NA	NA	January 1, 2021	February 21, 2021	April 12, 2021	June 2, 2021	0%	84 days	1 day	101 days															
270	Water Works	442 days	442 days	NA	NA	October 17, 2019	December 31, 2020	May 1, 2020	July 16, 2021	0%	197 days		197 days															
271	Prepare AIP for Bridge D3 and ICE certification (Draft)	60 days	60 days	NA	NA	October 17, 2019	December 15, 2019	May 1, 2020	June 29, 2020	0%	0 days	1 day	197 days															
272	Submit & endorse by PM and Statutory Authorities/Gov. Dept	28 days	28 days	NA	NA	December 16, 2019	January 12, 2020	October 28, 2020	November 24, 2020	0%	0 days	0.5 days	317 days															
273	Prepare AIP for Bridge D3 and ICE certification (Final)	14 days	14 days	NA	NA	January 13, 2020	January 26, 2020	November 25, 2020	December 8, 2020	0%	0 days	0 days	317 days															
274	Prepare DDA for Bridge D3 and ICE certification (Draft)	90 days	90 days	NA	NA	January 27, 2020	April 25, 2020	December 9, 2020	March 8, 2021	0%	0 days	1 day	317 days															
275	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	April 26, 2020	June 24, 2020	March 9, 2021	May 7, 2021	0%	0 days	0.5 days	317 days															
276	Prepare DDA for Dridge D3 and ICE certification (Final)	10 days	10 days	NA	NA	June 25, 2020	July 4, 2020	May 8, 2021	May 17, 2021	0%	0 days	0 days	317 days															
277	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 5, 2020	September 2, 2020	May 18, 2021	July 16, 2021	0%	268 days	0 days	317 days															
278	Prepare AIP for Underpass, Depressed Road and ICE certification (Draft)	60 days	60 days	NA	NA	December 16, 2019	February 13, 2020	June 30, 2020	August 28, 2020	0%	0 days	1 day	197 days															
279	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 14, 2020	April 13, 2020	September 30, 2020	November 28, 2020	0%	0 days	0.5 days	229 days															
280	Prepare AIP for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	April 14, 2020	April 23, 2020	November 29, 2020	December 8, 2020	0%	0 days	0	229 days															
281	Prepare DDA for Underpass, Depressed Road and ICE certification (Draft)	90 days	90 days	NA	NA	April 24, 2020	July 22, 2020	December 9, 2020	March 8, 2021	0%	0 days	1 day	229 days															
282	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 23, 2020	September 20, 2020	March 9, 2021	May 7, 2021	0%	0 days	0.5 days	229 days															
283	Prepare DDA for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	September 21, 2020	September 30, 2020	May 8, 2021	May 17, 2021	0%	0 days	0 days	229 days															
284	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 1, 2020	November 29, 2020	May 18, 2021	July 16, 2021	0%	180 days	0 days	229 days															
285	AIP for Water Works - Road L12d (Draft)	60 days	60 days	NA	NA	February 14, 2020	April 13, 2020	August 29, 2020	October 27, 2020	0%	0 days	1 day	197 days															
286	AIP for Water Works - Road L12d (Final)	38 days	38 days	NA	NA	April 14, 2020	May 21, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	369 days															
287	DDA for Water Works - Road L12d (Draft)	90 days	90 days	NA	NA	April 14, 2020	July 12, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	317 days															
288	DDA for Water Works - Road L12d (Final)	52 days	52 days	NA	NA	July 13, 2020	September 2, 2020	May 26, 2021	July 16, 2021	0%	268 days	1 day	317 days															
289	AIP for Water Works - Waterfront Promenade and at grade Open Space (Draft)	60 days	60 days	NA	NA	April 14, 2020	June 12, 2020	October 28, 2020	December 26, 2020	0%	0 days	1 day	197 days															
290	AIP for Water Works - Waterfront Promenade and at grade Open Space (Final)	38 days	38 days	NA	NA	June 13, 2020	July 20, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	309 days															
291	DDA for Water Works - Waterfront Promenade and at grade Open Space (Draft)	90 days	90 days	NA	NA	June 13, 2020	September 10, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	257 days															
292	DDA for Water Works - Waterfront Promenade and at grade Open Space (Final)	52 days	52 days	NA	NA	September 11, 2020	November 1, 2020	May 26, 2021	July 16, 2021	0%	208 days	1 day	257 days															
293	AIP for Water Works - Remaining water works (Draft)	60 days	60 days	NA	NA	June 13, 2020	August 11, 2020	December 27, 2020	February 24, 2021	0%	0 days	1 day	197 days															
294	AIP for Water Works - Remaining water works (Final)	38 days	38 days	NA	NA	August 12, 2020	September 18, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	249 days															
295	DDA for Water Works - Remaining water works (Draft)	90 days	90 days	NA	NA	August 12, 2020	November 9, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	197 days															
296	DDA for Water Works - Remaining water works (Final)	52 days	52 days	NA	NA	November 10, 2020	December 31, 2020	May 26, 2021	July 16, 2021	0%	148 days	1 day	197 days															
297	Pumping Stations, Box Culverts and Intake Structures	505 days	409.17 days	May 30, 2019	NA	May 30, 2019	October 15, 2020	May 30, 2019	February 10, 2022	0%	340 days		483 days															
298	Prepare AIP for Structures and ICE certification (Draft)	61 days	0 days	May 30, 2019	July 29, 2019	May 30, 2019	July 29, 2019	May 30, 2019	July 29, 2019	100%	0 days	1 day	0 days															
299	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	5 days	July 30, 2019	NA	July 30, 2019	September 27, 2019	July 30, 2019	September 15, 2021	92%	0 days	0.5 days	719 days															
300	Prepare AIP for Structures and ICE certification (Final)	14 days	14 days	NA	NA	September 28, 2019	October 11, 2019	September 16, 2021	September 29, 2021	0%	18 days	0 days	719 days															
301	Prepare DDA for Structures and ICE certification (Draft)	92 days	37 days	July 30, 2019	NA	July 30, 2019	October 29, 2019	July 30, 2019	May 30, 2020	0%	0 days	1 day	214 days															
302	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 30, 2019	December 28, 2019	September 30, 2021	November 28, 2021	0%	0 days	0.5 days	701 days															
303	Prepare DDA for Structures and ICE certification (Final)	14 days	14 days	NA	NA	December 29, 2019	January 11, 2020	November 29, 2021	December 12, 2021	0%	0 days	0 days	701 days															
304	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	January 12, 2020	March 11, 2020	December 13, 2021	February 10, 2022	0%	558 days	0 days	701 days															
305	Prepare AIP for E&M and ICE certification (Draft)	60 days	5 days	July 30, 2019	NA	July 30, 2019	September 27, 2019	July 30, 2019	May 30, 2020	0%	0 days	1 day	246 days															
306	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	September 28, 2019	November 26, 2019	April 27, 2021	June 25, 2021	0%	0 days	0.5 days	577 days															
307	Prepare AIP for E&M and ICE certification (Final)	10 days	10 days	NA	NA	November 27, 2019	December 6, 2019	June 26, 2021	July 5, 2021	0%	0 days	0 days	577 days															
308	Prepare DDA for E&M and ICE certification (Draft)	90 days	90 days	NA	NA	December 7, 2019	March 5, 2020	July 6, 2021	October 3, 2021	0%	0 days	1 day	577 days															
309	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	March 6, 2020	May 4, 2020	October 4, 2021	December 2, 2021	0%	0 days	0.5 days	577 days															
310	Prepare DDA for E&M and ICE certification (Final)	10 days	10 days	NA	NA	May 5, 2020	May 14, 2020	December 3, 2021	December 12, 2021	0%	0 days	0 days	577 days															
Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19		Critical	Task	Manual Task	Duration-only	Baseline Milestone	Summary	External Tasks	Inactive Milestone	Baseline Summary																		
		Critical Split	Split	Start-only	Baseline	Milestone	Manual Summary	External Milestone	Inactive Summary																			
		Critical Progress	Task Progress	Finish-only	Baseline Split	Summary Progress	Project Summary	Inactive Task	Deadline																			

22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack																	
311	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	May 15, 2020	July 13, 2020	December 13, 2021	February 10, 2022	0%	434 days	0 days	577 days	2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
312	AIP for Box Culvert and Intake Structures (Draft)	60 days	60 days	NA	NA	October 30, 2019	December 28, 2019	May 31, 2020	July 29, 2020	0%	0 days	1 day	214 days	Sun September 22																
313	AIP for Box Culvert and Intake Structures (Final)	38 days	38 days	NA	NA	December 29, 2019	February 4, 2020	November 13, 2021	December 20, 2021	0%	52 days	0.5 days	685 days																	
314	DDA for Box Culvert and Intake Structures (Draft)	90 days	90 days	NA	NA	December 29, 2019	March 27, 2020	July 30, 2020	October 27, 2020	0%	0 days	1 day	214 days																	
315	DDA for Box Culvert and Intake Structures (Final)	52 days	52 days	NA	NA	March 28, 2020	May 18, 2020	December 21, 2021	February 10, 2022	0%	490 days	1 day	633 days																	
316	AIP for Remaining Works (Draft)	60 days	60 days	NA	NA	March 28, 2020	May 26, 2020	October 28, 2020	December 26, 2020	0%	0 days	1 day	214 days																	
317	AIP for Remaining Works (Final)	38 days	38 days	NA	NA	May 27, 2020	July 3, 2020	November 13, 2021	December 20, 2021	0%	52 days	0.5 days	535 days																	
318	DDA for Remaining Works (Draft)	90 days	90 days	NA	NA	May 27, 2020	August 24, 2020	September 22, 2021	December 20, 2021	0%	0 days	1 day	483 days																	
319	DDA for Remaining Works (Final)	52 days	52 days	NA	NA	August 25, 2020	October 15, 2020	December 21, 2021	February 10, 2022	0%	340 days	1 day	483 days																	
320	Elevated Landscape Deck Staircase & Associated Work	302 days	173.99 days	May 30, 2019	NA	May 30, 2019	March 26, 2020	May 30, 2019	May 5, 2020	0%	40 days		40 days																	
321	Prepare AIP and ICE certification (Draft)	96 days	0 days	May 30, 2019	September 2, 2019	May 30, 2019	September 2, 2019	May 30, 2019	September 2, 2019	100%	0 days	3 days	0 days																	
322	Submit & endorse by PM and Statutory Authorities/Gov. Dept	18 days	0 days	September 3, 2019	September 20, 2019	September 3, 2019	September 20, 2019	September 3, 2019	September 20, 2019	100%	0 days	1 days	0 days																	
323	Prepare AIP and ICE certification (Final)	14 days	0 days	August 29, 2019	September 11, 2019	August 29, 2019	September 11, 2019	August 29, 2019	September 11, 2019	100%	0 days	0 days	0 days																	
324	Prepare DDA and ICE certification (Draft)	52 days	46.9 days	September 14, 2019	NA	September 14, 2019	November 13, 2019	September 14, 2019	December 9, 2019	10%	0 days	1 day	26 days																	
325	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	November 14, 2019	January 12, 2020	December 24, 2019	February 21, 2020	0%	0 days	0.5 days	40 days																	
326	Prepare DDA for and ICE certification (Final)	14 days	14 days	NA	NA	January 13, 2020	January 26, 2020	February 22, 2020	March 6, 2020	0%	0 days	0 days	40 days																	
327	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	January 27, 2020	March 26, 2020	March 7, 2020	May 5, 2020	0%	0 days	0 days	40 days																	
328	Waterfront Promenade and At-grade Open Space	671 days	671 days	NA	NA	November 14, 2019	September 14, 2020	December 10, 2019	October 10, 2021	0%	0 days		26 days																	
329	Prepare AIP for Observation Deck with Lift and Staircase and ICE certification (Draft)	61 days	61 days	NA	NA	November 14, 2019	January 13, 2020	December 10, 2019	February 8, 2020	0%	0 days	1 day	26 days																	
330	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	January 14, 2020	March 13, 2020	March 17, 2021	May 15, 2021	0%	0 days	0.5 days	428 days																	
331	Prepare AIP for Observation Deck with Lift and Staircaseand ICE certification (Final)	14 days	14 days	NA	NA	March 14, 2020	March 27, 2020	May 16, 2021	May 29, 2021	0%	18 days	0 days	428 days																	
332	Prepare DDA for Observation Deck with Lift and Staircase and ICE certification (Draft)	92 days	92 days	NA	NA	January 14, 2020	April 14, 2020	February 9, 2020	May 10, 2020	0%	0 days	1 day	26 days																	
333	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	April 15, 2020	June 13, 2020	May 30, 2021	July 28, 2021	0%	0 days	0.5 days	410 days																	
334	Prepare DDA for Observation Deck with Lift and Staircase and ICE certification (Final)	14 days	14 days	NA	NA	June 14, 2020	June 27, 2020	July 29, 2021	August 11, 2021	0%	0 days	0 days	410 days																	
335	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	June 28, 2020	August 26, 2020	August 12, 2021	October 10, 2021	0%	384 days	0 days	410 days																	
336	Prepare AIP for Remaining Works at Waterfront Promenade and ICE certification (Draft)	60 days	60 days	NA	NA	January 14, 2020	March 13, 2020	September 24, 2020	November 22, 2020	0%	0 days	1 day	254 days																	
337	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	March 14, 2020	May 12, 2020	December 25, 2020	February 22, 2021	0%	0 days	0.5 days	286 days																	
338	Prepare AIP for Remaining Works at Waterfront Promenade and ICE certification (Final)	10 days	10 days	NA	NA	May 13, 2020	May 22, 2020	February 23, 2021	March 4, 2021	0%	0 days	0 days	286 days																	
339	Prepare DDA for Remaining Works at Waterfront Promenade and ICE certification (Draft)	90 days	90 days	NA	NA	May 23, 2020	August 20, 2020	March 5, 2021	June 2, 2021	0%	0 days	1 day	286 days																	
340	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	August 21, 2020	October 19, 2020	June 3, 2021	August 1, 2021	0%	0 days	0.5 days	286 days																	
341	Prepare DDA for Remaining Works at Waterfront Promenade and ICE certification (Final)	10 days	10 days	NA	NA	October 20, 2020	October 29, 2020	August 2, 2021	August 11, 2021	0%	0 days	0 days	286 days																	
342	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 30, 2020	December 28, 2020	August 12, 2021	October 10, 2021	0%	260 days	0 days	286 days																	
343	AIP for Cladding Desing of Landscape Deck, Lifts and associated Works (Draft)	60 days	60 days	NA	NA	October 28, 2020	December 26, 2020	November 23, 2020	January 21, 2021	0%	0 days	1 day	26 days																	
344	AIP for Cladding Desing of Landscape Deck, Lifts and associated Works (Final)	38 days	38 days	NA	NA	December 27, 2020	February 2, 2021	July 13, 2021	August 19, 2021	0%	52 days	0.5 days	198 days																	
345	DDA for Cladding Desing of Landscape Deck, Lifts and associated Works (Draft)	90 days	90 days	NA	NA	December 27, 2020	March 26, 2021	May 22, 2021	August 19, 2021	0%	0 days	1 day	146 days																	
346	DDA for Cladding Desing of Landscape Deck, Lifts and associated Works (Final)	52 days	52 days	NA	NA	March 27, 2021	May 17, 2021	August 20, 2021	October 10, 2021	0%	120 days	1 day	146 days																	
347	AIP for Water Works - Waterfront Promenade and at grade Open Space (Draft)	60 days	60 days	NA	NA	December 27, 2020	February 24, 2021	January 22, 2021	March 22, 2021	0%	0 days	1 day	26 days																	
348	AIP for Water Works - Waterfront Promenade and at grade Open Space (Final)	38 days	38 days	NA	NA	February 25, 2021	April 3, 2021	July 13, 2021	August 19, 2021	0%	52 days	0.5 days	138 days																	
349	DDA for Water Works - Waterfront Promenade and at grade Open Space (Draft)	90 days	90 days	NA	NA	February 25, 2021	May 25, 2021	May 22, 2021	August 19, 2021	0%	0 days	1 day	86 days																	
350	DDA for Water Works - Waterfront Promenade and at grade Open Space (Final)	52 days	52 days	NA	NA	May 26, 2021	July 16, 2021	August 20, 2021	October 10, 2021	0%	60 days	1 day	86 days																	
351	AIP for Balustrade and Railing of Promenade, Open Space and Associated Works (Draft)	60 days	60 days	NA	NA	February 25, 2021	April 25, 2021	March 23, 2021	May 21, 2021	0%	0 days	1 day	26 days																	
352	AIP for Balustrade and Railing of Promenade, Open Space and Associated Works (Final)	38 days	38 days	NA	NA	April 26, 2021	June 2, 2021	July 13, 2021	August 19, 2021	0%	52 days	0.5 days	78 days																	
Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19															Critical Task Manual Task Start-only Finish-only Baseline Milestone Summary External Tasks Inactive Milestone Baseline Summary															
Critical Split Critical Progress															Split Task Progress Baseline Milestone Summary Progress External Milestone Inactive Task Deadline															



22092019_Revised Programme with Progress Update as of 22-Sep-19																								
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024					
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1
416	Allow Access between CH1000 and CH1087 for EMSD Thied District Cooling System for Associated Pipeline Laying (Assume the DCS Pipeline Lay within CH1010 and Ch1087 Area)	0 days	0 days	NA	NA	January 5, 2021	January 5, 2021	February 25, 2021	February 25, 2021	0%	26 days		51 days		Sun September 22									
417	Between CH1000 and CH1087 Area Handover Back from EMSD third District Cooling System Contractor	0 days	0 days	NA	NA	July 30, 2021	July 30, 2021	August 24, 2021	August 24, 2021	0%	25 days		25 days											
418	Utility ducting laying (by others)	26 days	26 days	NA	NA	August 24, 2021	September 23, 2021	August 24, 2021	September 23, 2021	0%	0 days	2 days	0 days											
419	Trim road formation	3 days	3 days	NA	NA	September 24, 2021	September 27, 2021	September 24, 2021	September 27, 2021	0%	0 days	0 days	0 days											
420	Lay sub base	7 days	7 days	NA	NA	September 28, 2021	October 6, 2021	September 28, 2021	October 6, 2021	0%	0 days	0 days	0 days											
421	Lay kerb	12 days	12 days	NA	NA	October 7, 2021	October 21, 2021	October 7, 2021	October 21, 2021	0%	0 days	0 days	0 days											
422	Construct pedestrian street/ footpath	7 days	7 days	NA	NA	October 22, 2021	October 29, 2021	October 22, 2021	October 29, 2021	0%	0 days	0 days	0 days											
423	Install central median	10 days	10 days	NA	NA	October 30, 2021	November 10, 2021	October 30, 2021	November 10, 2021	0%	0 days	0 days	0 days											
424	Concrete infill between profile barrier	4 days	4 days	NA	NA	November 11, 2021	November 15, 2021	November 11, 2021	November 15, 2021	0%	0 days	0 days	0 days											
425	Road pavement	5 days	5 days	NA	NA	November 16, 2021	November 20, 2021	November 16, 2021	November 20, 2021	0%	0 days	0 days	0 days											
426	Install street furniture	7 days	7 days	NA	NA	November 22, 2021	November 29, 2021	February 22, 2022	March 1, 2022	0%	73 days	0 days	73 days											
427	Bridge D3 (Approach Ramp and Bridge) CH1087-1444.7	812 days	812 days	NA	NA	May 16, 2019	February 7, 2022	December 28, 2019	March 1, 2022	0%	19 days		19 days											
428	North Approach Ramp (Fronting CKR) CH1087-1189.4 - 7 bays	306 days	306 days	NA	NA	September 23, 2019	October 3, 2020	December 28, 2019	April 17, 2021	0%	79 days		79 days											
429	Procurement of Movement Joints for Bridge Works	90 days	90 days	NA	NA	January 11, 2020	April 9, 2020	March 4, 2020	June 1, 2020	0%	49 days		53 days											
430	Ground Monitoring Works	14 days	14 days	NA	NA	September 23, 2019	October 6, 2019	December 28, 2019	January 10, 2020	0%	0 days	0 days	96 days											
431	Mobilization of plant and material	10 days	10 days	NA	NA	January 11, 2020	January 22, 2020	January 11, 2020	January 22, 2020	0%	0 days	0 days	0 days											
432	Foundation Construction	64 days	64 days	NA	NA	January 23, 2020	April 14, 2020	January 23, 2020	April 14, 2020	0%	0 days	3 days	0 days											
433	Drive sheetpile (~200m) Prod. Rate: 10m/d/team	20 days	20 days	NA	NA	April 15, 2020	May 10, 2020	April 18, 2020	May 13, 2020	0%	0 days	1 days	3 days											
434	Excavation ~1,876m3 & lateral support. Prod. Rate: 160m3/day/team (Bay 1 to 7)	12 days	12 days	NA	NA	May 11, 2020	May 24, 2020	May 14, 2020	May 27, 2020	0%	0 days	1 days	3 days											
435	Blinding layer. Prod. Rate: 2bays/day	4 days	4 days	NA	NA	May 25, 2020	May 28, 2020	May 28, 2020	June 1, 2020	0%	0 days	0 days	3 days											
436	Base slab Prod. Rate: 8d/bay/team	56 days	56 days	NA	NA	May 29, 2020	August 4, 2020	June 2, 2020	March 15, 2021	0%	3 days	3 days	3 days											
437	Base slab (Bay 2 & 4) -1 team	16 days	16 days	NA	NA	May 29, 2020	June 16, 2020	June 2, 2020	June 19, 2020	0%	0 days	1 days	3 days											
438	Base slab (Bay 1 & 3) - 1 team	16 days	16 days	NA	NA	June 17, 2020	July 7, 2020	June 20, 2020	July 10, 2020	0%	0 days	1 days	3 days											
439	Base slab (Bay 5 & 7) - 1 team	16 days	16 days	NA	NA	July 8, 2020	July 25, 2020	January 25, 2021	February 11, 2021	0%	0 days	0 days	166 days											
440	Base slab (Bay 6) - 1 team	8 days	8 days	NA	NA	July 27, 2020	August 4, 2020	March 6, 2021	March 15, 2021	0%	24 days	0 days	182 days											
441	Wall. Prod. Rate: 12d/bay/team	74 days	74 days	NA	NA	July 8, 2020	October 3, 2020	July 11, 2020	April 17, 2021	0%	3 days	3 days	3 days											
442	Wall (Bay 2 & 4) - 2 teams	12 days	12 days	NA	NA	July 8, 2020	July 21, 2020	July 11, 2020	July 24, 2020	0%	0 days	1 days	3 days											
443	Wall (Bay 1 & 3) 2 teams (KD1)	12 days	12 days	NA	NA	July 22, 2020	August 4, 2020	July 25, 2020	August 7, 2020	0%	0 days	1 days	3 days											
444	Wall (Bay 5 & 7) - 1 team	24 days	24 days	NA	NA	August 5, 2020	September 1, 2020	February 16, 2021	March 15, 2021	0%	0 days	0.5 days	158 days											
445	Wall (Bay 6) - 1 team (KD2)	12 days	12 days	NA	NA	September 2, 2020	September 15, 2020	March 16, 2021	March 29, 2021	0%	0 days	0 days	158 days											
446	Backfill and extract sheet pile	14 days	14 days	NA	NA	September 16, 2020	October 3, 2020	March 30, 2021	April 17, 2021	0%	144 days	0 days	158 days											
447	North Approach Ramp (Fronting KTSP) CH1087-1189.4 - 7 bays	608 days	608 days	NA	NA	October 7, 2019	October 23, 2021	April 1, 2020	February 21, 2022	0%	97 days		97 days											
448	Ground Monitoring Works	14 days	14 days	NA	NA	October 7, 2019	October 20, 2019	April 1, 2020	April 14, 2020	0%	0 days	0 days	177 days											
449	Mobilization of plant and materials	19 days	19 days	NA	NA	April 15, 2020	May 8, 2020	April 15, 2020	May 8, 2020	0%	0 days	1 days	0 days											
450	Foundation Construction	94 days	94 days	NA	NA	May 9, 2020	August 28, 2020	May 9, 2020	August 28, 2020	0%	0 days	4 days	0 days											
451	Drive sheetpile (~200m) Prod. Rate: 10m/d/team	24 days	24 days	NA	NA	August 29, 2020	September 25, 2020	August 29, 2020	September 25, 2020	0%	0 days	1 days	0 days											
452	Excavation ~1,996m3 & lateral support. Prod. Rate: 160m3/day/team	18 days	18 days	NA	NA	September 26, 2020	October 19, 2020	September 26, 2020	October 19, 2020	0%	0 days	1 days	0 days											
453	Blinding layer. Prod. Rate: 2bays/day	13 days	13 days	NA	NA	October 20, 2020	November 4, 2020	October 20, 2020	November 4, 2020	0%	0 days	0 days	0 days											
454	Base slab (Bay 1 to 7) Prod Rate: 8d/bay/team- 1 team	64 days	64 days																					

22092019_Revised Programme with Progress Update as of 22-Sep-19																						
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024			
														H1	H2	H1	H2	H1	H2	H1	H2	H1
475	Wall (3.85m thk). Prod. Rate: 18d/bay/team	30 days	30 days	NA	NA	November 21, 2020	December 28, 2020	December 8, 2020	January 14, 2021	0%	0 days	1 days	14 days									
476	Wall (0.5m thk). Prod. Rate: 14d/bay/team (KD2)	74 days	74 days	NA	NA	December 29, 2020	March 29, 2021	January 15, 2021	April 17, 2021	0%	0 days	0 days	14 days									
477	Backfill and extract sheet pile	7 days	7 days	NA	NA	December 29, 2020	January 6, 2021	March 27, 2021	April 7, 2021	0%	0 days	0 days	72 days									
478	Install bridge bearing	7 days	7 days	NA	NA	January 7, 2021	January 14, 2021	April 8, 2021	April 15, 2021	0%	61 days	0 days	72 days									
479	Part 3C - CH1229 to CH1279	573 days	573 days	NA	NA	January 11, 2020	December 14, 2021	January 20, 2020	December 29, 2021	0%	7 days		7 days									
480	Mobilization of plant and material	6 days	6 days	NA	NA	January 11, 2020	January 17, 2020	January 20, 2020	January 29, 2020	0%	0 days	1 days	7 days									
481	Pre-drilling Works	14 days	14 days	NA	NA	March 21, 2020	April 7, 2020	May 14, 2020	May 29, 2020	0%	0 days	0 days	40 days									
482	Bored pile (3 numbers) @ CH1229. Prod. Rate: 12d/pile/rig.	36 days	36 days	NA	NA	March 21, 2020	May 8, 2020	May 14, 2020	June 24, 2020	0%	0 days	0.5 days	40 days									
483	Pile Testing (14d curing & 14 test)	28 days	28 days	NA	NA	May 9, 2020	June 10, 2020	June 26, 2020	July 29, 2020	0%	0 days	0.5 days	40 days									
484	Proof-drilling Works	7 days	7 days	NA	NA	May 9, 2020	May 15, 2020	July 23, 2020	July 29, 2020	0%	26 days	0 days	75 days									
485	Pile Loading Test	14 days	14 days	NA	NA	June 11, 2020	June 24, 2020	July 30, 2020	August 12, 2020	0%	1 day	0 days	49 days									
486	Pile Cap @ CH1229	64 days	64 days	NA	NA	June 26, 2020	September 9, 2020	August 13, 2020	September 23, 2021	0%	12 days		12 days									
487	Drive sheetpile (~75m). Prod. Rate: 10m/day/side/team	8 days	8 days	NA	NA	June 26, 2020	July 6, 2020	August 13, 2020	August 21, 2020	0%	0 days	0 days	40 days									
488	Excavation ~755m3 & lateral support. Prod. Rate: 160m3/day/team	5 days	5 days	NA	NA	July 7, 2020	July 11, 2020	August 22, 2020	August 27, 2020	0%	0 days	0 days	40 days									
489	Blinding layer	1 day	1 day	NA	NA	July 13, 2020	July 13, 2020	August 28, 2020	August 28, 2020	0%	28 days	0 days	40 days									
490	Pilecap structure	14 days	14 days	NA	NA	August 15, 2020	August 31, 2020	August 29, 2020	September 14, 2020	0%	0 days	1 days	12 days									
491	Backfill and extract sheet pile	8 days	8 days	NA	NA	September 1, 2020	September 9, 2020	September 15, 2020	September 23, 2020	0%	0 days	0 days	12 days									
492	Pier @ CH1229	48 days	48 days	NA	NA	September 10, 2020	November 7, 2020	September 24, 2020	November 21, 2020	0%	0 days	2 days	12 days									
493	Pre-drilling Works	14 days	14 days	NA	NA	January 18, 2020	January 31, 2020	January 30, 2020	February 12, 2020	0%	0 days	1 days	12 days									
494	Bored pile (3 numbers) @ CH1269. Prod. Rate: 10d/pile/rig.	30 days	30 days	NA	NA	February 1, 2020	March 6, 2020	February 13, 2020	March 18, 2020	0%	0 days	0 days	10 days									
495	Pile Testing (14d curing & 14 test)	28 days	28 days	NA	NA	March 7, 2020	April 9, 2020	April 21, 2020	May 25, 2020	0%	0 days	0.5 days	34 days									
496	Proof-drilling Works	7 days	7 days	NA	NA	March 7, 2020	March 13, 2020	May 19, 2020	May 25, 2020	0%	27 days	0 days	73 days									
497	Pile Loading Test	14 days	14 days	NA	NA	April 10, 2020	April 23, 2020	May 26, 2020	June 8, 2020	0%	0 days	0 days	46 days									
498	Pile Cap @ CH1269	42 days	42 days	NA	NA	April 24, 2020	June 13, 2020	June 9, 2020	July 29, 2020	0%	37 days		37 days									
499	Drive sheetpile (~75m). Prod. Rate: 10m/day/side/team	8 days	8 days	NA	NA	April 24, 2020	May 5, 2020	June 9, 2020	June 17, 2020	0%	0 days	0 days	37 days									
500	Excavation ~1677m3 & lateral support. Prod. Rate: 160m3/day/team	11 days	11 days	NA	NA	May 6, 2020	May 18, 2020	June 18, 2020	July 2, 2020	0%	0 days	0 days	37 days									
501	Blinding layer	1 day	1 day	NA	NA	May 19, 2020	May 19, 2020	July 3, 2020	July 3, 2020	0%	0 days	0 days	37 days									
502	Pile Cap structure	14 days	14 days	NA	NA	May 20, 2020	June 4, 2020	July 4, 2020	July 20, 2020	0%	0 days	0 days	37 days									
503	Backfill and extract sheet pile	8 days	8 days	NA	NA	June 5, 2020	June 13, 2020	July 21, 2020	July 29, 2020	0%	0 days	0 days	37 days									
504	Pier @ CH1269	48 days	48 days	NA	NA	June 15, 2020	August 11, 2020	July 30, 2020	September 23, 2020	0%	25 days	0 days	37 days									
505	Bridge deck between CH1229-1269 [DB-SQ1]	116 days	116 days	NA	NA	November 9, 2020	March 30, 2021	January 22, 2021	April 15, 2021	0%	11 days		11 days									
506	Falsework erection	7 days	7 days	NA	NA	November 9, 2020	November 16, 2020	January 22, 2021	January 29, 2021	0%	50 days	0 days	61 days									
507	Structure deck	28 days	28 days	NA	NA	January 19, 2021	February 23, 2021	February 1, 2021	March 8, 2021	0%	0 days	1 days	11 days									
508	Prestressing	16 days	16 days	NA	NA	March 12, 2021	March 30, 2021	March 25, 2021	April 15, 2021	0%	0 days	1 days	11 days									
509	Median barrier, utility through, parapet	45 days	45 days	NA	NA	March 31, 2021	May 27, 2021	May 10, 2021	July 3, 2021	0%	0 days	0.5 days	30 days									
510	Utility ducting laying (by others)	14 days	14 days	NA	NA	May 28, 2021	June 12, 2021	September 25, 2021	October 12, 2021	0%	65 days	0 days	100 days									
511	Street furniture (KD6)	21 days	21 days	NA	NA	November 20, 2021	December 14, 2021	December 3, 2021	December 29, 2021	0%	0 days	2 days	11 days									
512	Bridge deck between CH1189-1229 [DB-T2-SQ2]	64 days	64 days	NA	NA	March 31, 2021	June 19, 2021	April 16, 2021	July 3, 2021	0%	11 days		11 days									
513	Falsework erection	7 days	7 days	NA	NA	March 31, 2021	April 10, 2021	April 16, 2021	April 23, 2021	0%	0 days	0 days	11 days									
514	Structure deck	28 days	28 days	NA	NA	April 12, 2021	May 14, 2021	April 24, 2021	May 28, 2021	0%	0 days	1 days	11 days						</			


22092019_Revised Programme with Progress Update as of 22-Sep-19																										
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024							
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1
536	Blinding layer	1 day	1 day	NA	NA	July 29, 2020	July 29, 2020	August 11, 2020	August 11, 2020	0%	0 days	0 days	11 days		Sun September 22											
537	Pilecap structure	14 days	14 days	NA	NA	July 30, 2020	August 14, 2020	August 12, 2020	August 27, 2020	0%	0 days	1 days	11 days													
538	Backfill and extract sheet pile	8 days	8 days	NA	NA	August 15, 2020	August 24, 2020	August 28, 2020	September 5, 2020	0%	0 days	1 days	11 days													
539	Agree Interface Coordination Plan with CKP-KTW (HY/2014/07)	14 days	14 days	NA	NA	May 6, 2020	May 21, 2020	August 21, 2020	September 5, 2020	0%	79 days	0 days	90 days													
540	Allow access to CKR-KTW contractor for sheet pile wall installation. PS App.1.18 2.7(A)(c)	63 days	63 days	NA	NA	August 25, 2020	November 9, 2020	September 7, 2020	November 21, 2020	0%	0 days	3 days	11 days													
541	Pier @ CH1314	49 days	49 days	NA	NA	November 10, 2020	January 8, 2021	November 23, 2020	January 21, 2021	0%	0 days	2 days	11 days													
542	Pre-drilling Works	12 days	12 days	NA	NA	August 5, 2020	August 16, 2020	August 23, 2020	September 3, 2020	0%	0 days	1 days	18 days													
543	Bore pile (3 numbers) @ CH1351. Prod. Rate: 12d/pile/rig	36 days	36 days	NA	NA	August 17, 2020	September 26, 2020	September 4, 2020	October 17, 2020	0%	0 days	1 days	16 days													
544	Pile Testing (14d curing & 14 test)	28 days	28 days	NA	NA	September 28, 2020	November 2, 2020	January 2, 2021	February 3, 2021	0%	0 days	0.5 days	77 days													
545	Proof-drilling Works	7 days	7 days	NA	NA	September 27, 2020	October 3, 2020	January 28, 2021	February 3, 2021	0%	30 days	0 days	123 days													
546	Pile Loading Test	14 days	14 days	NA	NA	November 3, 2020	November 16, 2020	February 4, 2021	February 17, 2021	0%	0 days	0 days	93 days													
547	Pile Cap @ CH1351	36 days	36 days	NA	NA	November 17, 2020	December 30, 2020	February 18, 2021	March 31, 2021	0%	74 days		74 days													
548	Drive sheetpile (~75m). Prod. Rate: 10m/day/side/team	8 days	8 days	NA	NA	November 17, 2020	November 25, 2020	February 18, 2021	February 26, 2021	0%	0 days	0 days	74 days													
549	Excavation ~755m3 & lateral support. Prod. Rate: 160m3/day/team	5 days	5 days	NA	NA	November 26, 2020	December 1, 2020	February 27, 2021	March 4, 2021	0%	0 days	0 days	74 days													
550	Blinding layer	1 day	1 day	NA	NA	December 2, 2020	December 2, 2020	March 5, 2021	March 5, 2021	0%	0 days	0 days	74 days													
551	Pile Cap structure	14 days	14 days	NA	NA	December 3, 2020	December 18, 2020	March 6, 2021	March 22, 2021	0%	0 days	0 days	74 days													
552	Backfill and extract sheet pile	8 days	8 days	NA	NA	December 19, 2020	December 30, 2020	March 23, 2021	March 31, 2021	0%	7 days	0 days	74 days													
553	Pier @ CH1351	48 days	48 days	NA	NA	January 9, 2021	March 9, 2021	April 1, 2021	June 1, 2021	0%	0 days	0.5 days	67 days													
554	Bridge deck between CH1314-1351	64 days	64 days	NA	NA	March 10, 2021	May 28, 2021	June 2, 2021	August 20, 2021	0%	67 days	1 day	67 days													
555	Falsework erection	7 days	7 days	NA	NA	March 10, 2021	March 17, 2021	June 2, 2021	June 9, 2021	0%	0 days	0 days	67 days													
556	Structure deck	28 days	28 days	NA	NA	March 18, 2021	April 22, 2021	June 10, 2021	July 14, 2021	0%	0 days	0.5 days	67 days													
557	Prestressing	15 days	15 days	NA	NA	May 11, 2021	May 28, 2021	August 4, 2021	August 20, 2021	0%	0 days	0 days	70 days													
558	Median barrier, utility through, parapet	24 days	24 days	NA	NA	May 29, 2021	June 26, 2021	August 26, 2021	September 23, 2021	0%	0 days	0.5 days	74 days													
559	Utility ducting laying (by others)	14 days	14 days	NA	NA	June 28, 2021	July 14, 2021	October 7, 2021	October 23, 2021	0%	81 days	0 days	84 days													
560	Street furniture	21 days	21 days	NA	NA	June 28, 2021	July 22, 2021	September 24, 2021	October 20, 2021	0%	74 days	0 days	74 days													
561	Part 1 - CH1372 to CH1386	102 days	102 days	NA	NA	July 7, 2021	November 5, 2021	July 7, 2021	November 9, 2021	0%	0 days		0 days													
562	Bridge deck between CH1351-1386	64 days	64 days	NA	NA	July 7, 2021	September 19, 2021	July 7, 2021	September 20, 2021	0%	0 days		0 days													
563	Falsework erection	7 days	7 days	NA	NA	July 7, 2021	July 14, 2021	July 7, 2021	July 14, 2021	0%	0 days	0 days	0 days													
564	Structure deck	28 days	28 days	NA	NA	July 15, 2021	August 16, 2021	July 15, 2021	August 16, 2021	0%	0 days	1 days	0 days													
565	Prestressing	15 days	15 days	NA	NA	September 2, 2021	September 19, 2021	September 2, 2021	September 20, 2021	0%	0 days	1 days	0 days													
566	Median barrier, utility through, parapet	24 days	24 days	NA	NA	September 20, 2021	October 20, 2021	September 20, 2021	October 20, 2021	0%	0 days	1 days	0 days													
567	Utility ducting laying (by others)	14 days	14 days	NA	NA	October 21, 2021	November 5, 2021	October 25, 2021	November 9, 2021	0%	0 days	1 days	3 days													
568	Street furniture	14 days	14 days	NA	NA	October 21, 2021	November 5, 2021	October 21, 2021	November 5, 2021	0%	0 days	1 days	0 days													
569	Part 1 - CH1386 to CH1394 South Abutment	210 days	210 days	NA	NA	October 19, 2020	July 6, 2021	October 19, 2020	July 6, 2021	0%	0 days		0 days													
570	Pre-drilling Works	14 days	14 days	NA	NA	October 19, 2020	November 1, 2020	October 19, 2020	November 1, 2020	0%	0 days	1 days	0 days													
571	Bored pile (8 numbers) @ CH1386. Prod. Rate: 12d/pile/rig.	96 days	96 days																							

22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack																	
597	Lay sub base	4 days	4 days	NA	NA	December 22, 2021	December 28, 2021	January 17, 2022	January 20, 2022	0%	0 days	0 days	19 days	2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
598	Road pavement	7 days	7 days	NA	NA	December 29, 2021	January 6, 2022	January 21, 2022	January 28, 2022	0%	0 days	0 days	19 days																	
599	Install railing on top of retaining wall	24 days	24 days	NA	NA	January 7, 2022	February 7, 2022	January 29, 2022	March 1, 2022	0%	19 days	0.5 days	19 days																	
600	Part 1 - Road D3 CH1444.7-1560	69 days	69 days	NA	NA	December 4, 2021	March 1, 2022	December 4, 2021	March 1, 2022	0%	0 days	0 days	0 days																	
601	Trim road formation	3 days	3 days	NA	NA	December 4, 2021	December 7, 2021	December 7, 2021	December 7, 2021	0%	0 days	0 days	0 days																	
602	Utility ducting laying (by others)	14 days	14 days	NA	NA	December 8, 2021	December 23, 2021	December 8, 2021	December 23, 2021	0%	0 days	1 days	0 days																	
603	Lay sub base	12 days	12 days	NA	NA	December 24, 2021	January 10, 2022	December 24, 2021	January 10, 2022	0%	0 days	0 days	0 days																	
604	Lay kerb	7 days	7 days	NA	NA	January 11, 2022	January 18, 2022	January 11, 2022	January 18, 2022	0%	0 days	0 days	0 days																	
605	Construct pedestrian street/ footpath	10 days	10 days	NA	NA	January 19, 2022	January 30, 2022	January 19, 2022	January 31, 2022	0%	0 days	0 days	0 days																	
606	Install central median	7 days	7 days	NA	NA	January 31, 2022	February 10, 2022	January 31, 2022	February 10, 2022	0%	0 days	0 days	0 days																	
607	Concrete infill between profile barrier	5 days	5 days	NA	NA	February 11, 2022	February 16, 2022	February 11, 2022	February 16, 2022	0%	0 days	0 days	0 days																	
608	Road pavement	5 days	5 days	NA	NA	February 17, 2022	February 22, 2022	February 17, 2022	February 22, 2022	0%	0 days	0 days	0 days																	
609	Install street furniture	6 days	6 days	NA	NA	February 23, 2022	March 1, 2022	February 23, 2022	March 1, 2022	0%	0 days	0 days	0 days																	
610	Underpass and Depressed Road	739 days	733.65 days	September 3, 2019	NA	September 3, 2019	March 1, 2022	September 3, 2019	May 29, 2024	0%	668 days		668 days																	
611	North Depressed Rd (CH1560-1720) - 8 bays	413 days	401.77 days	September 3, 2019	NA	September 3, 2019	January 22, 2021	September 3, 2019	March 1, 2022	0%	326 days		326 days																	
612	Ground Monitoring Works	17 days	0 days	September 3, 2019	September 19, 2019	September 3, 2019	September 19, 2019	September 3, 2019	September 19, 2019	100%	0 days	2 days	0 days																	
613	Mobilization	7 days	7 days	NA	NA	October 8, 2019	October 15, 2019	June 15, 2020	June 22, 2020	0%	0 days	0 days	203 days																	
614	Complete the Diveration of Existing Overhang Cable along the North Depressed Rd	0 days	0 days	NA	NA	October 15, 2019	October 15, 2019	June 23, 2020	June 23, 2020	0%	1 day		252 days																	
615	Drive Sheet Pile (380m) Prod. Rate 10m/team/day	38 days	38 days	NA		October 16, 2019	November 28, 2019	June 23, 2020	August 7, 2020	0%	0 days	1 days	203 days																	
616	Pumping Test	21 days	21 days	NA	NA	November 29, 2019	December 23, 2019	August 8, 2020	September 1, 2020	0%	0 days	1 days	203 days																	
617	CH1560 - CH1640	264 days	264 days	NA	NA	December 24, 2019	November 14, 2020	September 2, 2020	December 16, 2021	0%	203 days		203 days																	
618	Excavation - Prod Rate: 240m3/d/team. (~26,663m3). 1 team	112 days	112 days	NA	NA	December 24, 2019	May 15, 2020	September 2, 2020	January 16, 2021	0%	0 days	1 days	203 days																	
619	Rock fill - Prod. Rate: 160m3/d/team (1,807m3)	12 days	12 days	NA	NA	May 14, 2020	May 27, 2020	January 15, 2021	January 28, 2021	0%	0 days	1 days	203 days																	
620	Blinding	1 day	1 day	NA	NA	May 28, 2020	May 28, 2020	January 29, 2021	January 29, 2021	0%	0 days	0 days	203 days																	
621	Base Slab - 4 bays. Prod. Rate: 14d/team/bay include pipe laying. 1 team	56 days	56 days	NA	NA	May 29, 2020	August 4, 2020	January 30, 2021	April 12, 2021	0%	0 days	3 days	203 days																	
622	Wall - 4 bays. Prod. Rate: 14d/bay/team. 1 team	56 days	56 days	NA	NA	July 3, 2020	September 5, 2020	June 26, 2021	August 31, 2021	0%	0 days	3 days	292 days																	
623	Emergency walkway & median barrier installation	18 days	18 days	NA	NA	September 7, 2020	September 26, 2020	October 11, 2021	November 1, 2021	0%	0 days	0 days	324 days																	
624	Utility ducting laying (by others)	10 days	10 days	NA	NA	September 28, 2020	October 10, 2020	November 2, 2021	November 12, 2021	0%	0 days	0 days	324 days																	
625	Pavement work	5 days	5 days	NA	NA	October 12, 2020	October 16, 2020	November 13, 2021	November 18, 2021	0%	0 days	0 days	324 days																	
626	Parapet installation	24 days	24 days	NA	NA	October 17, 2020	November 14, 2020	November 19, 2021	December 16, 2021	0%	32 days	0.5 days	324 days																	
627	CH1640 - CH1720	208 days	208 days	NA	NA	May 16, 2020	January 22, 2021	January 18, 2021	March 1, 2022	0%	203 days		203 days																	
628	Excavation - Prod Rate: 240m3/d/team. 1 team (10,926m3) (Remaining)	46 days	46 days	NA	NA	May 16, 2020	July 10, 2020	January 18, 2021	March 15, 2021	0%	0 days	1 days	203 days																	
629	Rock fill - Prod. Rate: 160m3/d/team (2,203m3)	20 days	20 days	NA	NA	July 11, 2020	August 3, 2020	March 16, 2021	April 10, 2021	0%	0 days	1 days	203 days																	
630	Blinding	1 day	1 day	NA	NA	August 4, 2020	August 4, 2020	April 12, 2021	April 12, 2021	0%	0 days	0 days	203 days																	
631	Base Slab - 4 bays . Prod. Rate: 14d/team/bay include pipe laying. 1 team	56 days	56 days	NA	NA	August 5, 2020	October 10, 2020	April 13, 2021	June 19, 2021	0%	0 days	2 days	203 days																	
632	Wall - 4 bays. Prod. Rate: 14d/bay/team. 1 team	56 days	56 days	NA	NA	September 7, 2020	November 13, 2020	September 1, 2021	November 8, 2021	0%	0 days	2 days	292 days																	
633	Backfill & extract sheet pile (CH1560 to CH1720)	12 days	12 days	NA	NA	November 14, 2020	November 27, 2020	December 3, 2021	December 16, 2021	0%	21 days	1 day	313 days																	
634	Access Allow for EMSD Third District Cooling System Constructor for CH1560-CH1720 Pipe Laying	0 days	0 days	NA	NA	November 27, 2020	November 27, 2020	March 1, 2022	March 1, 2022	0%	459 days		459 days																	
635	Emergency walkway & median barrier installation	18 days	18 days	NA	NA	November 14, 2020	December 4, 2020	November 9, 2021	November 29, 2021	0%	0 days	0 days	292 days																	
636	Utility ducting laying (by others)	10 days	10 days	NA	NA	December 5, 2020	December 16, 2020	November 30, 2021	December 10, 2021	0%	0 days	0 days	292 days																	
637	Pavement work	5 days	5 days	NA	NA	December 17, 2020	December 22, 2020	December 11, 2021	December 16, 2021	0%	0 days	0 days	292 days																	
638	Parapet installation	24 days	24 days	NA	NA	December 23, 2020	January 22, 2021	December 17, 2021	January 17, 2022	0%	243 days	0.5 days	292 days																	
639	Underpass (CH1720-1850) - 7 bays	635 days	635 days	NA	NA	September 23, 20...	November 11, 2021	March 19, 2020	May 29, 2024	0%	145 days		145 days																	
640	Ground Monitoring Works	14 days	14 days	NA	NA	September 23, 2019	October 6, 2019	March 19, 2020	April 1, 2020	0%	0 days	0 days	178 days																	
641	Drive sheet pile (330m) Prod. Rate 10m/team/day	33 days	33 days	NA	NA	November 29, 2019	January 9, 2020	September 26, 2020	November 6, 2020	0%	212 days	0 days	245 days																	
642	Pumping Test	21 days	21 days	NA	NA	September 26, 2020	October 22, 2020	November 7, 2020	December 1, 2020	0%	0 days	1 days	33 days																	
643	CH1720 - CH1800	255 days	255 days	NA	NA	September 28, 20...	August 9, 2021	December 2, 2020	May 29, 2024	0%	53 days		53 days																	
644	Excavation - Prod Rate: 240m3/d/team. 1 team (27,220m3)	114 days	114 days	NA	NA	October 23, 2020	March 12, 2021	December 2, 2020	April 23, 2021	0%	0 days	5 days	33 days																	
645	Rock fill - Prod. Rate: 160m3/d/team (1,944m3)	13 days	13 days	NA	NA	March 3, 2021	March 17, 2021	June 3, 2021	June 18, 2021	0%	0 days	0 days	74 days																	
646	Blinding	1 day	1 day	NA	NA	March 18, 2021	March 18, 2021	June 19, 2021	June 19, 2021	0%	0 days	0 days	74 days																	
647	Base Slab - 4 bays. Prod. Rate: 14d/team/bay include pipe laying. 1 team	56 days	56 days	NA	NA	March 19, 2021	May 28, 2021	June 21, 2021	August 25, 2021	0%	0 days	1 day	74 days																	
648	Wall - 4 bays. Prod. Rate: 14d/bay/team. 1 team	56 days	56 days	NA	NA	April 24, 2021	July 2, 2021	August 12, 2021	October 19, 2021	0%	0 days	1 day	90 days																	
649	Top Slab - 4 bays. Prod. Rate: 10d/bay/team. 1 team	40 days	40 days	NA	NA	May 29, 2021	July 16, 2021	September 14, 2021	November 2, 2021	0%	41 days	0.5 days	90 days																	
650	Emergency walkway & median barrier installation	18 days	18 days	NA	NA	July 20, 2021	August 9, 2021	May 8, 2024	May 29, 2024	0%	834 days	0 days	834 days																	
651	Utility ducting laying (by others)	10 days	10 days	NA	NA	September 28, 2020	October 10, 2020	November 2, 2021	November 12, 2021	0%	0 days	0 days	324 days																	
652	Pavement work	5 days	5 days	NA	NA	October 12, 2020	October 16, 2020	December 2, 2021	December 7, 2021	0%	291 days	0 days	340 days																	
653	CH1800 - CH1850	199 days	199 days	NA	NA	March 13, 2021	November 11, 2021	April 24, 2021	March 1, 2022	0%	33 days		33 days																	
654	Excavation - Prod. Rate: 240m3/d/team. 1 team (19,656m3)	82 days	82 days	NA	NA	March 13, 2021	June 23, 2021	April 24, 2021	August 2, 2021	0%	0 days	1 days	33 days																	
655	Rock fill - Prod. Rate: 160m3/d/team (1,525m3)	10 days	10 days	NA	NA	June 16, 2021																								

22092019_Revised Programme with Progress Update as of 22-Sep-19																										
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024							
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1
657	Base Slab - 3 bays. Prod. Rate: 14d/team/bay include pipe laying. 1 team	42 days	42 days	NA	NA	June 29, 2021	August 17, 2021	August 26, 2021	October 16, 2021	0%	0 days	2 days	49 days		Sun September 22											
658	Wall - 3 bays. Prod. Rate: 14d/bay/team. 1 team	42 days	42 days	NA	NA	August 2, 2021	September 18, 2021	September 29, 2021	November 18, 2021	0%	0 days	1 days	49 days													
659	Top Slab - 3 bays. Prod. Rate: 10d/bay/team. 1 team	30 days	30 days	NA	NA	September 3, 2021	October 9, 2021	November 3, 2021	December 7, 2021	0%	0 days	1 days	49 days													
660	Backfill & extract sheet pile (CH1720 to CH1850)	12 days	12 days	NA	NA	October 11, 2021	October 25, 2021	December 8, 2021	December 21, 2021	0%	0 days	0 days	49 days													
661	Access Allow for EMSD Third District Cooling System Contractor for CH1720-CH1850 Pipe Laying	0 days	0 days	NA	NA	October 25, 2021	October 25, 2021	March 1, 2022	March 1, 2022	0%	127 days		127 days													
662	Utility ducting laying (by others)	10 days	10 days	NA	NA	October 26, 2021	November 5, 2021	December 22, 2021	January 5, 2022	0%	0 days	1 day	49 days													
663	Pavement work	5 days	5 days	NA	NA	November 6, 2021	November 11, 2021	January 6, 2022	January 11, 2022	0%	0 days	1 day	49 days													
664	Underpass & South Depressed Road CH1850-2000 - 7 bays	650 days	650 days	NA	NA	October 7, 2019	December 11, 2021	April 2, 2020	February 14, 2022	0%	49 days		49 days													
665	Ground Monitoring Works	14 days	14 days	NA	NA	October 7, 2019	October 20, 2019	April 2, 2020	April 15, 2020	0%	0 days	0 days	178 days													
666	Mobilization of plant and materials	15 days	15 days	NA	NA	January 29, 2020	February 14, 2020	April 16, 2020	May 5, 2020	0%	35 days	0 days	63 days													
667	Foundation Construction	90 days	90 days	NA	NA	March 27, 2020	July 18, 2020	May 6, 2020	August 20, 2020	0%	0 days	1 day	28 days													
668	Mobilization of plant and material (sheet pile)	6 days	6 days	NA	NA	July 15, 2020	July 21, 2020	August 17, 2020	August 22, 2020	0%	0 days	0 days	28 days													
669	Drive sheet pile (360m) Prod. Rate 10m/team/day	36 days	36 days	NA	NA	July 22, 2020	September 1, 2020	August 24, 2020	October 6, 2020	0%	0 days	0.5 days	28 days													
670	Pumping Test	21 days	21 days	NA	NA	September 2, 2020	September 25, 2020	October 7, 2020	October 31, 2020	0%	0 days	0 days	28 days													
671	CH1850 - CH1920	349 days	349 days	NA	NA	September 26, 2020	November 29, 2021	November 2, 2020	January 28, 2022	0%	28 days		28 days													
672	Excavation - Prod. Rate: 240m3/d/team. 1 team (23,154m3)	96 days	96 days	NA	NA	September 26, 2020	January 22, 2021	November 2, 2020	February 27, 2021	0%	0 days	1 day	28 days													
673	Rock fill - Prod. Rate: 160m3/d/team (1,745m3)	11 days	11 days	NA	NA	January 16, 2021	January 28, 2021	February 22, 2021	March 5, 2021	0%	0 days	0 days	28 days													
674	Blinding	1 day	1 day	NA	NA	January 29, 2021	January 29, 2021	March 6, 2021	March 6, 2021	0%	0 days	0 days	28 days													
675	Base Slab - 3 bays. Prod. Rate: 14d/team/bay include pipe laying. 1 team	42 days	42 days	NA	NA	January 30, 2021	March 23, 2021	March 8, 2021	April 28, 2021	0%	0 days	0.5 days	28 days													
676	Wall - 3 bays. Prod. Rate: 14d/bay/team. 1 team	42 days	42 days	NA	NA	March 8, 2021	April 28, 2021	September 29, 2021	November 18, 2021	0%	0 days	0.5 days	168 days													
677	Top Slab - 3 bays. Prod. Rate: 10d/bay/team. 1 team	30 days	30 days	NA	NA	April 13, 2021	May 18, 2021	November 3, 2021	December 7, 2021	0%	0 days	0.5 days	168 days													
678	Emergency walkway & median barrier installation	18 days	18 days	NA	NA	June 5, 2021	June 26, 2021	December 24, 2021	January 17, 2022	0%	119 days	0 days	168 days													
679	Utility ducting laying (by others)	10 days	10 days	NA	NA	September 28, 2020	October 10, 2020	November 2, 2021	November 12, 2021	0%	0 days	0 days	324 days													
680	Pavement work	5 days	5 days	NA	NA	November 12, 2021	November 17, 2021	January 12, 2022	January 17, 2022	0%	0 days	0 days	49 days													
681	Parapet installation	10 days	10 days	NA	NA	November 18, 2021	November 29, 2021	January 18, 2022	January 28, 2022	0%	0 days	0 days	49 days													
682	CH1920 - CH2000	359 days	359 days	NA	NA	September 28, 2020	December 11, 2021	April 14, 2021	February 14, 2022	0%	49 days		49 days													
683	Excavation - Prod. Rate: 240m3/d/team. 1 team (16,396m3)	68 days	68 days	NA	NA	January 23, 2021	April 19, 2021	April 14, 2021	July 6, 2021	0%	0 days	1 day	63 days													
684	Blinding	1 day	1 day	NA	NA	April 20, 2021	April 20, 2021	July 7, 2021	July 7, 2021	0%	0 days	0 days	63 days													
685	Base Slab - 4 bays. Prod. Rate: 14d/team/bay include pipe laying. 1 team	56 days	56 days	NA	NA	March 24, 2021	June 2, 2021	April 29, 2021	July 7, 2021	0%	0 days	1 day	28 days													
686	Wall - 4 bays. Prod. Rate: 14d/bay/team. 1 team	56 days	56 days	NA	NA	April 13, 2021	June 19, 2021	July 10, 2021	September 13, 2021	0%	0 days	1 day	72 days													
687	Backfill & extract sheet pile (CH1850 to CH2000)	18 days	18 days	NA	NA	June 21, 2021	July 12, 2021	September 14, 2021	October 6, 2021	0%	0 days	0 days	72 days													
688	Emergency walkway & median barrier installation	18 days	18 days	NA	NA	June 21, 2021	July 12, 2021	January 8, 2022	January 28, 2022	0%	117 days	0 days	166 days													
689	Utility ducting laying (by others)	10 days	10 days	NA	NA	September 28, 2020	October 10, 2020	November 2, 2021	November 12, 2021	0%	0 days	0 days	324 days													
690	Pavement work	5 days	5 days	NA	NA	October 12, 2020	October 16, 2020	January 24, 2022	January 28, 2022	0%	333 days	0 days	382 days													
691	Parapet installation	1																								

22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack																	
														2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
715	Concrete infill between profile barrier	2 days	2 days	NA	NA	September 11, 2021	September 13, 2021	February 19, 2022	February 21, 2022	0%	95 days	0 days	129 days			Sun September 22														
716	Road pavement	5 days	5 days	NA	NA	January 10, 2022	January 14, 2022	February 22, 2022	February 26, 2022	0%	33 days	0 days	34 days																	
717	Install street furniture	2 days	2 days	NA	NA	February 26, 2022	February 28, 2022	February 28, 2022	March 1, 2022	0%	1 day	0 days	1 day																	
718	Planned Completion for Section 1	0 days	0 days	NA	NA	March 1, 2022	March 1, 2022	March 1, 2022	March 1, 2022	0%	0 days	0 days	0 days																	
719	Section 2	325 days	325 days	NA	NA	April 22, 2020	May 26, 2021	May 14, 2020	June 2, 2021	0%	6 days		6 days																	
720	Construction of Precast Box Culvert (at fabrication yard)	130 days	130 days	NA	NA	April 22, 2020	September 24, 2020	May 14, 2020	October 16, 2020	0%	7 days	1 day	17 days																	
721	DCS Seawater Intake Box Culvert (Precast)	243 days	243 days	NA	NA	July 30, 2020	May 25, 2021	August 11, 2020	June 1, 2021	0%	6 days		6 days																	
722	Part 2A - CHB.30-83 (53m)	126 days	126 days	NA	NA	July 30, 2020	December 29, 2020	August 11, 2020	January 11, 2021	0%	10 days		10 days																	
723	Temporary ELS & Excavation	30 days	30 days	NA	NA	July 30, 2020	August 28, 2020	August 11, 2020	September 9, 2020	0%	0 days	1 days	12 days																	
724	Trim formation layer	30 days	30 days	NA	NA	August 29, 2020	October 5, 2020	September 10, 2020	October 16, 2020	0%	0 days	1 days	10 days																	
725	Lowering precast box culvert (7 cells)	44 days	44 days	NA	NA	October 6, 2020	November 26, 2020	October 17, 2020	December 8, 2020	0%	0 days	2 days	10 days																	
726	Remove struts and backfilling	26 days	26 days	NA	NA	November 27, 2020	December 29, 2020	December 9, 2020	January 11, 2021	0%	0 days	1 days	10 days																	
727	Part 1 - CHB.5-30 (25m)	117 days	117 days	NA	NA	December 30, 2020	May 25, 2021	January 12, 2021	June 1, 2021	0%	6 days		6 days																	
728	Temporary ELS & Excavation	31 days	31 days	NA	NA	December 30, 2020	February 4, 2021	January 12, 2021	February 19, 2021	0%	0 days	1 days	10 days																	
729	Trim formation layer	26 days	26 days	NA	NA	February 5, 2021	March 10, 2021	February 20, 2021	March 22, 2021	0%	0 days	1 days	10 days																	
730	Lowering precast box culvert (3 cells)	40 days	40 days	NA	NA	March 11, 2021	April 29, 2021	March 23, 2021	May 12, 2021	0%	4 days	2 days	10 days																	
731	Remove struts and backfilling	16 days	16 days	NA	NA	May 6, 2021	May 25, 2021	May 13, 2021	June 1, 2021	0%	0 days	1 days	6 days																	
732	Planned Completion for Section 2	1 day	1 day	NA	NA	May 26, 2021	May 26, 2021	June 2, 2021	June 2, 2021	0%	0 days	0 days	6 days																	
733	Section 3	408 days	408 days	NA	NA	June 16, 2020	October 28, 2021	June 20, 2020	May 29, 2024	0%	4 days		4 days																	
734	Part 2C - Lift LT3 & LT4	291 days	291 days	NA	NA	June 16, 2020	June 8, 2021	June 20, 2020	May 29, 2024	0%	4 days		4 days																	
735	Mobilization of plant and materials	22 days	22 days	NA	NA	June 16, 2020	July 13, 2020	June 20, 2020	July 17, 2020	0%	0 days	1 days	4 days																	
736	Foundation Construction	49 days	49 days	NA	NA	July 14, 2020	September 8, 2020	July 18, 2020	September 12, 2020	0%	0 days	2 days	4 days																	
737	Slab and shaft	33 days	33 days	NA	NA	September 9, 2020	October 19, 2020	September 14, 2020	October 23, 2020	0%	0 days	1 days	4 days																	
738	E & M installation	65 days	65 days	NA	NA	February 23, 2021	May 13, 2021	February 27, 2021	May 18, 2021	0%	0 days	3 days	4 days																	
739	Lift installation (LT3 & LT4)	101 days	101 days	NA	NA	October 20, 2020	February 22, 2021	October 24, 2020	February 26, 2021	0%	0 days	5 days	4 days																	
740	CLP Meter Installation	0 days	0 days	NA	NA	February 1, 2021	February 1, 2021	May 29, 2024	May 29, 2024	0%	1214 d...		1214 d...																	
741	EMSD Submission Form 5 for Lift Inspection	0 days	0 days	NA	NA	March 1, 2021	March 1, 2021	October 5, 2021	October 5, 2021	0%	0 days		218 days																	
742	EMSD Lift Inspection	0 days	0 days	NA	NA	March 14, 2021	March 14, 2021	October 19, 2021	October 19, 2021	0%	0 days		218 days																	
743	Issuance of Lift Use Permit	0 days	0 days	NA	NA	March 29, 2021	March 29, 2021	November 2, 2021	November 2, 2021	0%	213 days		218 days																	
744	Testing & commissioning	21 days	21 days	NA	NA	May 14, 2021	June 8, 2021	May 20, 2021	June 12, 2021	0%	0 days	1 days	4 days																	
745	Footpath	27 days	27 days	NA	NA	June 9, 2021	July 12, 2021	June 15, 2021	July 16, 2021	0%	0 days	1 days	4 days																	
746	Open Space within Part 2C	90 days	90 days	NA	NA	July 13, 2021	October 28, 2021	July 17, 2021	November 2, 2021	0%	0 days	4 days	4 days																	
747	Planned Completion for Section 3	0 days	0 days	NA	NA	October 28, 2021	October 28, 2021	November 2, 2021	November 2, 2021	0%	0 days	0 days	4 days													</				

22092019_Revised Programme with Progress Update as of 22-Sep-19																								
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	2020	2021	2022	2023	2024					
780	Asbesto Survey (PS Cl. 2.04(9))	8 days	0 days	August 16, 2019	August 23, 2019	August 16, 2019	August 23, 2019	August 16, 2019	August 23, 2019	100%	0 days	0 days	0 days											
781	Demolish of abandoned Fire Service Station	50 days	50 days	NA	NA	November 28, 2019	January 31, 2020	March 10, 2020	May 13, 2020	0%	65 days	1 day	82 days											
782	Ground Investigation	50 days	50 days	NA	NA	November 26, 2019	January 29, 2020	May 11, 2020	July 9, 2020	0%	131 days		131 days											
783	GI Work	50 days	50 days	NA	NA	November 26, 2019	January 29, 2020	May 11, 2020	July 9, 2020	0%	131 days	0.5 days	131 days											
784	Rising Main	765 days	765 days	NA	NA	July 10, 2020	February 1, 2023	July 10, 2020	May 30, 2023	0%	0 days		0 days											
785	Part 1 - CHA660-1097.77 - 2x160mm dia (~438m)	146 days	146 days	NA	NA	July 10, 2020	January 2, 2021	July 10, 2020	January 2, 2021	0%	0 days	7 days	0 days											
786	Part 9A - CHA32-71 - 2x160mm dia (~39m) (KD5)	211 days	211 days	NA	NA	January 4, 2021	September 17, 2021	January 4, 2021	September 17, 2021	0%	0 days	30 days	0 days											
787	Part 9B Rising Main	211 days	211 days	NA	NA	January 4, 2021	September 17, 2021	March 11, 2021	November 23, 2021	0%	49 days	30 days	54 days											
788	Part 3B - CHA418-443 - 2x160mm dia (~25m) (KD7)	365 days	365 days	NA	NA	March 5, 2021	May 27, 2022	March 11, 2021	June 2, 2022	0%	0 days	50 days	5 days											
789	Part 9 - CHA0-363 & 71-363 - 2x160mm dia. (~324m) (KD4)	126 days	126 days	NA	NA	August 31, 2021	January 31, 2022	August 31, 2021	January 31, 2022	0%	0 days	15 day	0 days											
790	Part 8 - CHA363-418&443-452 - 2x160mm dia (~64m)	150 days	150 days	NA	NA	February 4, 2022	August 4, 2022	September 2, 2022	March 3, 2023	0%	79 days	0 days	174 days											
791	Part 3A - CH452-660 - 2x160mm dia (~208m)	69 days	69 days	NA	NA	November 9, 2022	February 1, 2023	March 4, 2023	May 30, 2023	0%	0 days	1 day	95 days											
792	Allow Access for EMSD third District Cooling System Contractor for DCS Pipeline Laying at Parts 3A, 3B, 8, 9 and 9A	0 days	0 days	NA	NA	February 1, 2023	February 1, 2023	May 30, 2023	May 30, 2023	0%	118 days		118 days											
793	Underground Drainage	416 days	416 days	NA	NA	February 16, 2021	July 11, 2022	March 5, 2021	September 24, 20...	0%	15 days		15 days											
794	Procurement of Stormwater Drainage Pipes	90 days	90 days	NA	NA	February 16, 2021	May 16, 2021	March 5, 2021	June 2, 2021	0%	0 days		17 days											
795	Stormwater Drainage	308 days	308 days	NA	NA	May 17, 2021	May 28, 2022	June 3, 2021	September 24, 20...	0%	14 days		14 days											
796	CH1000 - CH1087 (~92.5m, 2 M/H)	16 days	16 days	NA	NA	November 24, 2021	December 11, 2021	November 24, 2021	December 11, 2021	0%	0 days	1 days	0 days											
797	CH1087 - CH1189.4 (~210m, 9 M/H)	24 days	24 days	NA	NA	June 3, 2021	July 2, 2021	June 3, 2021	July 2, 2021	0%	0 days	1 days	0 days											
798	CH1189.4 - CH1394 (~167m, 3 MH) - Bridge D3	24 days	24 days	NA	NA	May 29, 2021	June 26, 2021	September 11, 2021	October 11, 2021	0%	18 days	0.5 days	88 days											
799	CH1394 - CH1444.7 (~40m, 3 M/H) - S. Ramp	21 days	21 days	NA	NA	July 20, 2021	August 12, 2021	October 12, 2021	November 5, 2021	0%	70 days	0 days	70 days											
800	CH1444.7 - CH1560 (~222m, 10 M/H) - Rd D3	35 days	35 days	NA	NA	May 20, 2021	June 30, 2021	October 25, 2021	December 3, 2021	0%	130 days	0.5 days	130 days											
801	CH1560 - CH1720 (~239m, 8 M/H) - N.D. Rd	14 days	14 days	NA	NA	May 17, 2021	June 2, 2021	April 19, 2022	May 4, 2022	0%	0 days	0 days	273 days											
802	CH1720 - CH1920 (~450.7m, 13 M/H) Underpass	90 days	90 days	NA	NA	June 3, 2021	September 17, 2021	May 5, 2022	August 19, 2022	0%	0 days	1 day	273 days											
803	CH1920 - CH2000 (~160m, 6 M/H) S.D. Rd	14 days	14 days	NA	NA	September 18, 2021	October 6, 2021	August 20, 2022	September 5, 2022	0%	0 days	0 days	273 days											
804	CH2000 - CH2060 (~84m, 2 M/H) - S.D. Rd	14 days	14 days	NA	NA	October 7, 2021	October 23, 2021	September 6, 2022	September 22, 2022	0%	0 days	0 days	273 days											
805	CH2060 - CH2118.93 (~50.7m, 2 M/H) - Rd D3	14 days	14 days	NA	NA	June 19, 2021	July 6, 2021	September 8, 2022	September 24, 2022	0%	0 days	0 days	366 days											
806	CH100 - CH147 (~169m, 5 M/H) - L12 Road	35 days	35 days	NA	NA	April 19, 2022	May 28, 2022	June 25, 2022	August 5, 2022	0%	0 days	0.5 days	57 days											
807	Open Space & Promenade (~457m, 11 M/H)	70 days	70 days	NA	NA	January 19, 2022	April 14, 2022	March 30, 2022	June 24, 2022	0%	0 days	1 day	57 days											
808	Sewerage Drainage	392 days	392 days	NA	NA	March 16, 2021	July 11, 2022	April 4, 2021	September 16, 20...	0%	15 days		15 days											
809	Procurement of Sewerage Pipes	90 days	90 days	NA	NA	March 16, 2021	June 13, 2021	April 4, 2021	July 2, 2021	0%	19 days		19 days											
810	CH1000 - CH1087 (~68m, 3 M/H)	18 days	18 days	NA	NA	November 22, 2021	December 11, 2021	November 22, 2021	December 11, 2021	0%	0 days	1 days	0 days											
811	CH1087 - CH1189.4 (~47m, 1 no M/H)	12 days	12 days	NA	NA	July 3, 2021	July 16, 2021	July 3, 2021	July 16, 2021	0%	0 days	1 days	0 days											
812	CH100 - CH147 (~156m, 6 M/H) - L12 Road	35 days	35 days	NA	NA	May 30, 2022	July 11, 2022	August 6, 2022	September 16, 2022	0%	0 days	0.5 days	57 days											
813	Underground Watermain	392 days	392 days	NA	NA	May 29, 2021	September 19, 20...	July 16, 2021	October 14, 2022	0%	20 days		20 days											
814	Fresh Watermain	310 days	310 days	NA	NA	May 29, 2021	June 13, 2022	July 17, 2021	September 22, 20...	0%	40 days		40 days											
815	CH1000 - CH1087 (~191m) Rd D3	20 days	20 days	NA	NA	August 31, 2021	September 23, 2021	August 31, 2021	September 23, 2021	0%	0 days	1 days	0 days											
816	CH1087 - CH1189.4 (~212m) - N. Ramp	4 days	4 days	NA	NA	July 17, 2021	July 21, 2021	July 17, 2021	July 21, 2021	0%	0 days	0 days	0 days											
817	CH1189.4 - CH1394 (~409.2m) - Bridge D3	40 days	40 days	NA	NA	May 29, 2021	July 16, 2021	August 21, 2021	October 8, 2021	0%	0 days	0.5 days	70 days											
818	CH1394 - CH1444.7 (~101.4m) - S. Ramp	10 days	10 days	NA	NA	June 1, 2021	June 11, 2021	October 9, 2021	October 21, 2021	0%	0 days	0 days	108 days											
819	CH1444.7 - CH1560 (~165m) - Rd D3																							



22092019_Revised Programme with Progress Update as of 22-Sep-19																														
ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019	H1	H2	2020	H1	H2	2021	H1	H2	2022	H1	H2	2023	H1	H2	2024	H1
906	Deck (4 bays) & link bridge 18d/bay	72 days	72 days	NA	NA	July 9, 2021	October 2, 2021	August 11, 2021	November 5, 2021	0%	0 days	1 day	28 days																	
907	Secondary Upstand Beam	14 days	14 days	NA	NA	September 24, 2021	October 11, 2021	December 11, 2021	December 29, 2021	0%	0 days	0 days	65 days																	
908	Dismantle falsework	5 days	5 days	NA	NA	October 29, 2021	November 3, 2021	January 31, 2022	February 8, 2022	0%	49 days	0 days	77 days																	
909	Part 2A - CH2007-2060 (53m) 3 bays	136 days	136 days	NA	NA	July 22, 2021	January 3, 2022	September 8, 2021	February 8, 2022	0%	28 days		28 days																	
910	Pier (3sets x 3nos) within CH2007-2060. 1 team	45 days	45 days	NA	NA	July 22, 2021	September 11, 2021	September 8, 2021	November 2, 2021	0%	0 days	0.5 days	41 days																	
911	Falsework erection	7 days	7 days	NA	NA	September 13, 2021	September 20, 2021	November 3, 2021	November 10, 2021	0%	13 days	0 days	41 days																	
912	Deck (3 bays) 18d/bay	54 days	54 days	NA	NA	October 4, 2021	December 6, 2021	November 6, 2021	January 11, 2022	0%	0 days	1 day	28 days																	
913	Secondary Upstand Beam	12 days	12 days	NA	NA	November 25, 2021	December 8, 2021	December 30, 2021	January 13, 2022	0%	0 days	0 days	28 days																	
914	Dismantle falsework	5 days	5 days	NA	NA	December 28, 2021	January 3, 2022	January 31, 2022	February 8, 2022	0%	0 days	0 days	28 days																	
915	Part 2A - CH2060-2119 (59m) 3 bays	299 days	299 days	NA	NA	June 16, 2020	June 18, 2021	June 29, 2020	November 20, 2021	0%	10 days		10 days																	
916	Mobilization of plant and material	36 days	36 days	NA	NA	June 16, 2020	July 29, 2020	June 29, 2020	August 10, 2020	0%	0 days	2 days	10 days																	
917	Foundation Construction	90 days	90 days	NA	NA	July 30, 2020	October 27, 2020	March 11, 2021	June 8, 2021	0%	63 days	1 day	224 days																	
918	Pier (3sets x 3nos) within CH2060-2119. 1 team	45 days	45 days	NA	NA	December 30, 2020	February 24, 2021	June 9, 2021	August 2, 2021	0%	0 days	0.5 days	129 days																	
919	Falsework erection	7 days	7 days	NA	NA	February 25, 2021	March 4, 2021	August 3, 2021	August 10, 2021	0%	0 days	0 days	129 days																	
920	Deck (3 bays) 18d/bay	54 days	54 days	NA	NA	March 5, 2021	May 11, 2021	August 11, 2021	October 15, 2021	0%	0 days	1 day	129 days																	
921	Secondary Upstand Beam	12 days	12 days	NA	NA	May 12, 2021	May 26, 2021	October 16, 2021	October 29, 2021	0%	0 days	0 days	129 days																	
922	Dismantle falsework	5 days	5 days	NA	NA	June 12, 2021	June 18, 2021	November 16, 2021	November 20, 2021	0%	0 days	0 days	129 days																	
923	Installation of Glass Balustrade	42 days	42 days	NA	NA	December 9, 2021	January 29, 2022	March 2, 2022	April 23, 2022	0%	0 days	0.5 days	65 days																	
924	Part 2A - Lift LT1 & LT2	330 days	330 days	NA	NA	January 31, 2022	March 9, 2023	April 25, 2022	May 30, 2023	0%	64 days		64 days																	
925	Mobilization of plant and materials	15 days	15 days	NA	NA	January 31, 2022	February 19, 2022	April 25, 2022	May 11, 2022	0%	0 days	0 days	65 days																	
926	Foundation Construction	43 days	43 days	NA	NA	February 17, 2022	April 8, 2022	May 9, 2022	June 28, 2022	0%	0 days	0.5 days	65 days																	
927	RC Structure	28 days	28 days	NA	NA	April 9, 2022	May 14, 2022	June 29, 2022	August 1, 2022	0%	0 days	0.5 days	65 days																	
928	Lift installation (LT1 & LT2)	90 days	90 days	NA	NA	July 27, 2022	November 11, 2022	October 14, 2022	January 31, 2023	0%	0 days	1 day	65 days																	
929	E & M installation	60 days	60 days	NA	NA	November 12, 2022	January 25, 2023	February 1, 2023	April 15, 2023	0%	0 days	1 day	65 days																	
930	Testing & commissioning	12 days	12 days	NA	NA	January 26, 2023	February 8, 2023	April 17, 2023	April 29, 2023	0%	0 days	0 days	65 days																	
931	CLP Meter Installation	0 days	0 days	NA	NA	January 2, 2023	January 2, 2023	January 2, 2023	January 2, 2023	0%	0 days		0 days																	
932	EMSD Submission Form 5 for Lift Inspection	0 days	0 days	NA	NA	February 8, 2023	February 8, 2023	May 2, 2023	May 2, 2023	0%	0 days		82 days																	
933	EMSD Lift Inspection	0 days	0 days	NA	NA	February 22, 2023	February 22, 2023	May 16, 2023	May 16, 2023	0%	0 days		82 days																	
934	Issuance of Lift Use Permit	0 days	0 days	NA	NA	March 9, 2023	March 9, 2023	May 30, 2023	May 30, 2023	0%	82 days		82 days																	
935	Staircase ST1	60 days	60 days	NA	NA	May 16, 2022	July 26, 2022	August 2, 2022	October 13, 2022	0%	0 days	1 day	65 days																	
936	Open Space & Promenade	561 days	561 days	NA	NA	July 13, 2021	May 30, 2023	October 7, 2021	May 30, 2023	0%	0 days		0 days																	
937	Open Space & Promenade (From Northern End - CH1720)	506 days	506 days	NA	NA	September 15, 2021	May 30, 2023	October 11, 2021	May 30, 2023	0%	0 days		0 days																	
938	Observation Deck	210 days	210 days	NA	NA	June 4, 2022	February 13, 2023	June 4, 2022	May 30, 2023	0%	0 days		0 days																	
939	Foundation Construction	60 days	60 days	NA	NA	June 4, 2022	August 13, 2022	June 4, 2022	August 13, 2022	0%	0 days	3 days																		

22092019_Revised Programme with Progress Update as of 22-Sep-19

ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack																												
968	Trim and form formation level within Open Space & Promenade area	14 days	14 days	NA	NA	March 4, 2022	March 19, 2022	June 1, 2022	June 17, 2022	0%	0 days	0 days	72 days	2019	H1		H2	2020	H1		H2	2021	H1		H2	2022	H1		H2	2023	H1		H2	2024	H1		H2				
969	Paving work	30 days	30 days	NA	NA	March 21, 2022	April 28, 2022	June 18, 2022	July 23, 2022	0%	0 days	0.5 days	72 days																												
970	ABWF, E&M work and street furniture	50 days	50 days	NA	NA	April 29, 2022	June 27, 2022	July 28, 2022	September 24, 2022	0%	0 days	1 day	75 days																												
971	CLP Meter Installation	0 days	0 days	NA	NA	June 27, 2022	June 27, 2022	May 1, 2023	May 1, 2023	0%	163 days		307 days																												
972	FSD Form 501 Submission for FS Inspection	0 days	0 days	NA	NA	December 8, 2022	December 8, 2022	May 1, 2023	May 1, 2023	0%	0 days		144 days																												
973	FSD Inspection	0 days	0 days	NA	NA	December 22, 2022	December 22, 2022	May 16, 2023	May 16, 2023	0%	0 days		144 days																												
974	Issuance of FS Certificate	0 days	0 days	NA	NA	January 6, 2023	January 6, 2023	May 30, 2023	May 30, 2023	0%	144 days		144 days																												
975	Landscaping works	90 days	90 days	NA	NA	August 20, 2022	December 6, 2022	November 16, 2022	March 4, 2023	0%	72 days	1 day	72 days																												
976	Part 1, 2A, 2B - Road L12	238 days	238 days	NA	NA	August 11, 2022	May 30, 2023	October 6, 2022	May 30, 2023	0%	0 days		0 days																												
977	Trim road formation	3 days	3 days	NA	NA	August 11, 2022	August 13, 2022	October 6, 2022	October 8, 2022	0%	0 days	1 day	45 days																												
978	Lay sub base	7 days	7 days	NA	NA	August 15, 2022	August 22, 2022	October 10, 2022	October 17, 2022	0%	0 days	1 day	45 days																												
979	Lay kerb	12 days	12 days	NA	NA	August 23, 2022	September 5, 2022	October 18, 2022	October 31, 2022	0%	0 days	1 day	45 days																												
980	Construct pedestrian street/ footpath	14 days	14 days	NA	NA	September 6, 2022	September 22, 2022	November 1, 2022	November 16, 2022	0%	0 days	1 day	45 days																												
981	Install central median	14 days	14 days	NA	NA	September 23, 2022	October 11, 2022	November 17, 2022	December 2, 2022	0%	0 days	1 day	45 days																												
982	Concrete infill between profile barrier	7 days	7 days	NA	NA	October 12, 2022	October 19, 2022	December 3, 2022	December 10, 2022	0%	45 days	0 days	45 days																												
983	Road pavement	5 days	5 days	NA	NA	December 12, 2022	December 16, 2022	December 12, 2022	December 16, 2022	0%	0 days	0 days	0 days																												
984	Install street furniture	131 days	131 days	NA	NA	December 17, 2022	May 30, 2023	December 17, 2022	May 30, 2023	0%	0 days	6 days	0 days																												
985	Planned Completion for Section 6	0 days	0 days	NA	NA	May 30, 2023	May 30, 2023	May 30, 2023	May 30, 2023	0%	0 days	0 days	0 days																												
986	Section 7	365 days	365 days	NA	NA	March 6, 2023	May 29, 2024	March 6, 2023	May 29, 2024	0%	0 days		0 days																												
987	Establishment work for landscape softwork	365 days	365 days	NA	NA	March 6, 2023	May 29, 2024	March 6, 2023	May 29, 2024	0%	0 days	10 days	0 days																												
988	Planned Completion for Section 7	0 days	0 days	NA	NA	May 29, 2024	May 29, 2024	May 29, 2024	May 29, 2024	0%	0 days		0 days																												
989	Section 8 (Subject to Excision)	152 days	152 days	NA	NA	May 26, 2021	November 24, 2021	June 3, 2021	December 2, 2021	0%	7 days		7 days																												
990	Part 1 - DCS Intake Box Culvert - CHB. 0-5 (5m)	33 days	33 days	NA	NA	May 26, 2021	July 5, 2021	June 25, 2021	August 3, 2021	0%	0 days		25 days																												
991	Temporary ELS & Excavation	18 days	18 days	NA	NA	May 26, 2021	June 16, 2021	June 25, 2021	July 16, 2021	0%	0 days	2 days	25 days																												
992	Positioning of precast intake	5 days	5 days	NA	NA	June 17, 2021	June 22, 2021	July 17, 2021	July 22, 2021	0%	0 days	1 days	25 days																												
993	Remove struts and backfilling	10 days	10 days	NA	NA	June 23, 2021	July 5, 2021	July 23, 2021	August 3, 2021	0%	18 days	2 days	25 days																												
994	Part 2A - Diversion & abandon of extg DCS box culvert	152 days	152 days	NA	NA	May 26, 2021	November 24, 2021	June 3, 2021	December 2, 2021	0%	7 days		7 days																												
995	TTA,Temporary ELS & Excavation	51 days	51 days	NA	NA	May 26, 2021	July 26, 2021	June 3, 2021	August 3, 2021	0%	0 days	3 days	7 days																												
996	Diversion of existing DCS box culvert	26 days	26 days	NA	NA	July 27, 2021	August 25, 2021	August 4, 2021	September 2, 2021	0%	0 days	2 days	7 days																												
997	Break up existing box culvert (4 walls) + top slab	35 days	35 days	NA	NA	August 26, 2021	October 7, 2021	September 3, 2021	October 16, 2021	0%	0 days	2 days	7 days																												
998	Construct new walls at existing box culvert	20 days	20 days	NA	NA	October 8, 2021	November 1, 2021	October 18, 2021	November 9, 2021	0%	0 days	1 days	7 days																												
999	Abandon existing DCS box culvert	20 days	20 days	NA	NA	November 2, 2021	November 24, 2021	November 10, 2021	December 2, 2021	0%	0 days	1 days	7 days																												
1000	Planned Completion for Section 8	0 days	0 days	NA	NA	November 24, 2021	November 24, 2021	December 2, 2021	December 2, 2021	0%	0 days	0 days	7 days																												
1001	Section 9 (Subject to Excision)	174 days	174 days	NA	NA	November 21, 2020	June 25, 2021	November 30, 2020	July 5, 2021	0%	7 days		7 days																												
1002	Noise barrier fronting to 4B5 at Rd D3A & Bus Lay By ~80m	174 days	174 days	NA	NA	November 21, 2020	June 25, 2021	November 30, 2020	July 5, 2021	0%	7 days		7 days																												
1003	ELS & Excavation	18 days	18 days	NA	NA	November 21, 2020	December 11, 2020	November 30, 2020	December 19, 2020	0%	0 days	1 days	7 days																												
1004	Noise Barrier Foundation	75 days	75 days	NA	NA	December 12, 2020	March 16, 2021	December 21, 2020	March 24, 2021	0%	0 days	4 days	7 days																												
1005	CNP Application	28 days	28 days	NA	NA	January 16, 2021	February 12, 2021	February 25, 2021	March 24, 2021	0%	32 days		40 days																												
1006	Frame & Panel installation (Night Work)	81 days	81 days	NA	NA	March 17, 2021	June 25, 2021	March 25, 2021	July 5, 2021	0%	0 days	4 days	7 days																												
1007	Planned Completion for Section 9	0 days	0 days	NA	NA	June 25, 2021	June 25, 2021	July 5, 2021	July 5, 2021	0%	0 days	0.5 days	10 days																												
1008	Section 10 (Subject to Excision)	582 days	582 days	NA	NA	June 5, 2021	May 18, 2023	June 17, 2021	May 30, 2023	0%	9 days		9 days																												
1009	Decking for Underpass (Rd L14)	581 days	581 days	NA	NA	June 5, 2021	May 17, 2023	June 17, 2021	May 29, 2023	0%	9 days		9 days																												
1010	Support along U-through	225 days	225 days	NA	NA	June 5, 2021	March 7, 2022	June 17, 2021	March 17, 2022	0%	0 days	10 days	9 days																												
1011	Plinth installation along support	123 days	123 days	NA	NA	March 8, 2022	August 4, 2022	March 18, 2022	August 15, 2022	0%	0 days	6 days	9 days																												
1012	Placing of beam along underpass	90 days	90 days	NA	NA	September 7, 2022	December 23, 2022	September 19, 2022	January 4, 2023	0%	0 days	4 days	9 days																												
1013	Cover-up (Roof)	115 days	115 days	NA	NA	December 24, 2022	May 17, 2023	January 5, 2023	May 29, 2023	0%	0 days	5 days	9 days																												
1014	Planned Completion for Section 10	1 day	1 day	NA	NA	May 18, 2023	May 18, 2023	May 30, 2023	May 30, 2023	0%	0 days	0.5 days	12 days																												

Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19

Critical

Critical Split

Critical Progress

Task

Split

Task Progress

Manual Task

Start-only

Finish-only

Duration-only

Baseline

Baseline Split

Baseline Milestone

Milestone

Summary Progress

Summary

Manual Summary

Project Summary

External Tasks

External Milestone

Inactive Task

Inactive Milestone

Inactive Summary

Deadline

Baseline Summary

Page 18

Appendix B – Baseline monitoring schedule

Contract No. EDO 15/2018 Environmental Monitoring at Kai Tak Development Stage 4 Infrastructure at the former runway and south apron
Baseline Monitoring Schedule

October 2019

Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	29 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	30 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	31 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12		

Air Quality Monitoring Station

AM3 - Sky Tower

AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

AM7 - Hong Kong Children's Hospital

Noise Quality Monitoring Station

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

M12 - Hong Kong Children's Hospital

Contract No. EDO 15/2018 Environmental Monitoring at Kai Tak Development Stage 4 Infrastructure at the former runway and south apron
Baseline Monitoring Schedule

November 2019

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					1 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	2 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12
3 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	4 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	5 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	6 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	7 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	8 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	9 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12
10 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

Air Quality Monitoring Station

AM3 - Sky Tower

AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

AM7 - Hong Kong Children's Hospital

Noise Quality Monitoring Station

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

M12 - Hong Kong Children's Hospital

Appendix C – Apply permission for Environmental Monitoring in Grand Waterfront

E-Mail on 19 August 2019

寄件者: Monday, August 19, 2019 6:04 PM
 寄件日期: grandwaterfront@wb.com.hk
 收件者:
 副本:
 主旨: Grand Waterfront (AM4 & M11) – Apply permission for Environmental Monitoring for Stage 4 of Kai Tak Development (Contract NO. EDO 15/2018)
 附件:
 重要性: 高

Company: Well Born Real Estate Management Limited

By Email (grandwaterfront@wb.com.hk)

Dear Madam / Sir

Re: Impact Monitoring for Kai Tak Development – Stage 4 Infrastructure at the former runway and south apron

We, Ka Shing Management Consultant Limited (KS), is appointed by Civil Engineering and Development Department (CEDD), working as Environmental Team (ET) to conduct the monitoring and audit works as part of the EM&A programme of the Kai Tak Development – Stage 4 Infrastructure at the former runway and south apron (KTD Stage 4 Project) starting from July 2019 to May 2024.

KTD Stage 4 project is located in the south-eastern part of Kowloon Peninsular of the HKSAR, comprising the apron and runway areas of the former Kai Tak Airport and existing waterfront areas at To Kwa Wan, Ma Tau Kok, Kowloon Bay, Kwun Tong and Cha Kwo Ling. Your premise, Grand Waterfront, is one of the proposed sensitive receivers.

We would like to obtain your kind permission for entering the premise to carry out baseline and impact monitoring, baseline dust monitoring (1-hour and 24-hour TSP monitoring) and baseline noise monitoring (30-minute) would need to conduct continuously for 14 days, our propose baseline monitoring date is September 2019.

After baseline monitoring, impact dust monitoring (1-hour and 24-hour TSP monitoring) and impact noise monitoring (30-minute) would take place between 08:00 hrs to 18:00 hrs in normal working days once every six days.

The monitoring location will be located on the podium / roof top floor of Grand Waterfront facing to Kai Tak Development area. 220V power supply is needed for 24-hour TSP monitor with size 0.5m (L) x

1

0.5m (W) x 1.4m (H). We will pay for the electricity. Similar setup photo records are shown in attached Figure 1 and Figure 2 for your kindly reference. Our technician will stay at the measurement point for 1-hour TSP and 30-minute noise measurement.

We hope to conduct site visit in the morning of 21 August 2019 (Wed).

Should you have any enquires regarding the measurement, please do not hesitate to contact

Thank you for your kind attention and I look forward to receiving your favourable reply soon.

Yours Sincerely,

Lee Wing Hang

Ka Shing Management Consultant Limited

2

E-Mail on 28 August 2019

寄件者: Wednesday, August 28, 2019 5:43 PM
 收件者: grandwaterfront@wb.com.hk
 副本:

主旨: Grand Waterfront – Apply permission for Environmental Monitoring for Stage 4 of Kai Tak Development (Contract NO. EDO 15/2018)

附件:

重要性: 高

Company: Well Born Real Estate Management Limited

By Email (grandwaterfront@wb.com.hk)

Dear Mr. Michael Wong

Re: Impact Monitoring for Kai Tak Development – Stage 4 Infrastructure at the former runway and south apron

Thank you for arrange site visit on 21 August 2019.

We propose to conduct the environmental monitoring on the R2 of T6 of Grand Waterfront. Please refer to Figure 1a and 1b Monitoring Location.

The monitoring location will be located on the R2 of T6 of Grand Waterfront facing to Kai Tak Development area. The size of High Volume Sampler (HVS) for 24-hour TSP monitor is 0.5m (L) x 0.5m (W) x 1.4m (H). HVS needs 220V power supply with startup 12A and running 6A (details refer to Figure 2). We will pay for the electricity. Our technician will stay at the measurement point for 1-hour TSP and 30-minute noise measurement.

We would like to obtain your kind permission for entering the premise to carry out baseline and impact monitoring, baseline dust monitoring (1-hour and 24-hour TSP monitoring) and baseline noise monitoring (30-minute) would need to conduct continuously for 14 days, our propose baseline monitoring date is September 2019.

1

After baseline monitoring, impact dust monitoring (1-hour and 24-hour TSP monitoring) and impact noise monitoring (30-minute) would take place between 08:00 hrs to 18:00 hrs in normal working days once every six days.

Should you have any enquires regarding the measurement, please do not hesitate to contact

Thank you for your kind attention and I look forward to receiving your favourable reply soon.

Yours Sincerely,

Lee Wing Hang

Ka Shing Management Consultant Limited

2

Appendix D – Approval for Baseline Monitoring Programme



Your Ref:
Our Ref: KTDS4/(ED/2018/01)/M45/100(0013)

6 March 2020

By Fax (2120 7752) & Post

Mr. CHAN Pang
ET Leader
Ka Shing Management Consultant Ltd
Unit 2, 13/F,
Kai Yue Commercial Building
2C Argyle Street
Mong Kok, Kowloon

Kai Tak Development Site Office
Contract No. ED/2018/01
C/O AECOM
12/F, Grand Central Plaza, Tower 2,
138 Shatin Rural Committee Road,
Shatin, Hong Kong
+852 3911 4200 tel
+852 3911 4288 fax

Dear Sir,

Contract No. ~~EDC 15/2019~~

Environmental Monitoring Works for Contract No. ED/2018/01 –
Kai Tak development – stage 4 infrastructure at the former runway and south apron

Contract No. ED/2018/01

Kai Tak development – stage 4 infrastructure at the former runway and south apron

Environmental Permit Nos. EP-337/2009, EP-445/2013 and EP-445/2013/A

Location of Baseline Monitoring

This letter supersedes my previous letter ref. (0012) with the same series dated 26 February 2020 regarding the captioned.

I refer to your proposed baseline monitoring programme under the captioned environmental permits via email dated 15 October 2019.

It is to record that the proposed locations of baseline monitoring as listed below have been accepted on 23 September 2019 pursuant to Clause 2 in Specification, Scope of Service.

Air Quality Monitoring Station

AM3 - Sky Tower
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop
AM7 - Hong Kong Children's Hospital

Noise Quality Monitoring Station

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop
M12 - Hong Kong Children's Hospital

Yours faithfully,
For and on behalf of
AECOM Asia Co. Ltd.

Clive C H CHENG
Chief Resident Engineer
Supervisor's Representative

CC/ANML/QT/scy

Reply Required: N

cc	CEDD/EDevO	Attn: Mr. Ronald Siu	(By Fax 2739 0076)
	Ramboll (IEC)	Attn: Mr. Ray Yan	(By Fax 3465 2899)
	AECOM	Attn: Mr. Ivan Tsang	

Internal
For Info – SREs, REs
X:\E2018\01\GENERAL OFFICE\Outgoing Letter\B01187



Ref.: CEDKTDS4EM00_0_0031L.19

15 October 2019

Ka Shing Management Consultant Limited
Unit 2, 13/F Kai Yue Commercial Building
2C Argyle Street
Mong Kok, Kowloon

By E-mail and Fax (2120 7752)

Attention: Mr. Chan Pang

Dear Mr. Chan,

**Re: Agreement No. EDO 14/2018
Independent Environmental Checker for
Contract No. ED/2018/01 – Kai Tak Development
Stage 4 Infrastructure at the Former Runway and South Apron**

Baseline Monitoring Programme (Version 2.3)

Reference is made to the Environmental Team's submission of the captioned Baseline Monitoring Programme (ET's ref.: "ET-2019-10-15" dated 15 October 2019) received by e-mail on 15 October 2019.

Please be informed that we have no adverse comments on your proposed alternative monitoring locations and the baseline monitoring methodology.

Thank you for your attention. Please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,
For and on behalf of
Ramboll Hong Kong Limited

Ray Yan
Independent Environmental Checker

c.c.	CEDD	Attn.: Mr. Ronald Siu	Fax: 2739 0076
	AECOM	Attn.: Mr. Clive Cheng	Fax: 3746 1899
	Penta-Ocean	Attn.: Mr. Daniel Ho	Fax: 2572 4080

Q:\Projects\CEDKTDS4EM00\02 Proj_Mgt\02 Corr\CEDKTDS4EM00_0_0031L.19.docx

Ramboll Hong Kong Limited 英環香港有限公司
21/F, BEA Harbour View Centre, 56 Gloucester Road, Wan Chai, Hong Kong Tel: 852.3465 2888 Fax: 852.3465 2899
www.ramboll.com

2/25/2020

Roundcube Webmail :: Contract No. ED/2018/01 Kai Tak Development Stage 4 Infrastructure at the Former Runway and South Apron - ...

Subject **Contract No. ED/2018/01 Kai Tak Development Stage 4 Infrastructure at the Former Runway and South Apron - Baseline Monitoring Programme (Ver 2.3)**



From <ccchang@epd.gov.hk>

To <ronaldsiu@cedd.gov.hk>

Cc <adrian.ng@aecom-ktd.com>, <chan_pang@hotmail.com>, <mavis.law@aecom-ktd.com>, <RWONG@ramboll.com>, <ryan@ramboll.com>, <tony.tang@pentaocan.com.hk>, <et@ka-shing.net>, <ktkwok@epd.gov.hk>, <danieltai@epd.gov.hk>, <raymondlai@epd.gov.hk>

Date 2019-10-24 15:35

-
- Construcion Sites adjacent to ED-2018-01.pdf (~394 KB)
-

Dear Ronald,

I refer to the Environmental Team Leader's email dated 15 October 2019 submitting the revised proposal for baseline monitoring for Stage 4 Infrastructure at the Former Runway and South Apron and supplementary information provided via emails dated 23 and 24 October 2019.

2. Based on the information provided, please be advised that we have no further comments on the revised proposal regarding the proposed baseline monitoring program including alternative baseline monitoring stations.

3. Nevertheless, please be reminded to include justifications on the proposed changes to the monitoring programme and baseline data to be adopted in the Baseline Monitoring Report to be submitted under Condition 3.2 of Environmental Permit No. EP-337/2009.


Best Regards,
Maureen
Tel: 2835 1867

Appendix E – Photographic records


Baseline Air Quality Monitoring



Measurement setup at AM3



Measurement setup at AM4(A)



Measurement setup at AM7

Baseline Noise Monitoring



Appendix F – Calibration certificates, catalogue of air quality monitoring equipment

Catalogue of High Volume Sampler (HVS)



TSP MFC

Total Suspended Particulate, Mass Flow Controlled



MFC TSP

Ambient Air Sampler

The TE-5170 is a high volume ambient Total Suspended Particulate (TSP) air sampler featuring a mass flow controller (MFC) for accurate and consistent particulate sampling. The mass flow controller adjust the motor speed as the filter media collects particulate to maintain a constant flow rate throughout the entire sample duration. The system utilizes a stainless steel filter holder for use with standard 8" x 10" filter paper. The anodized aluminum shelter and robust electrical components allow the system to operate a continuous 24 hour sample.

ABOUT US: Tisch Environmental Inc. Tisch Environmental is the benchmark for high volume air sampling, particulate, metals, volatiles, and specialty monitoring equipment. Since the company's inception in 1953 as General Metal Works, our product line has expanded from the first high volume air sampler to include high-tech and custom samplers. Our clients are professionals from every sector of the regulatory and industrial markets.

- ✔ Meets EPA CFR, Appendix B to Part 50
- ✔ Total Suspended Particulate(TSP)
- ✔ Mass Flow Controlled
- ✔ 7-Day Mechanical Timer
- ✔ Elapsed Time Indicator
- ✔ Aluminum Outdoor Shelter
- ✔ Brush Style Motor
- ✔ Dickson Chart Recorder, 24 Hour
- ✔ Stainless Steel Filter Holder
- ✔ 36-60 CFM
- ✔ Made In USA

Copyright © 2014 Tisch International All Rights Reserved
www.tischinternational.com



www.tisch-env.com

Tisch Environmental
145 S. Miami Ave
Cleveland, OH 44102
513-467-9000
sales@tisch-env.com



TSP MFC

MFC TSP Ambient Air Sampler

General System Specifications

Particulate Size:Total Suspended Particulate (TSP)
EPA Designation: CFR 40 Part 50 Appendix B
Flow Controller: Mass Flow Controller
Motor Style:Brush Style Motor Assembly
Pressure Recorder:Dickson Chart Recorder, 24 hour
Timer:7 Day Mechanical
Elapsed Time Indicator:Mechanical, Hours and Tenths
Flow Range:39-60CFM, 1.09M³M-1.68M³M
Housing:Anodized Aluminum
Filter Holder:Stainless Steel, 8" x 10"
4" Recorder Charts: Box of 100
Filter Holder: 8" x 10" Stainless Steel with hold down frame

Applications

US EPA Reference Method Sampling, CFR
 Appendix J Part 50 Regulatory Compliance
 Institutional Studies
 Construction Sites
 Bridge and Water Tower Painting Sites
 Fence Line Monitoring
 Industrial Monitoring
 Landfill Monitoring
 Public Health Applications

Available Models

TE-5170 TSP MFC, 110 Volt 60 Hertz, 8 Amps
 TE-5170X TSP MFC, 220 Volt 50 Hertz 4 Amps
 TE-5170XZ TSP MFC, 220 Volts 60 Hertz, 4 Amps

Calibration Equipment

TE-5028 -Variable Flow Calibration Kit
 TE-HVC-V Xcalibrator HiVol Calibrator

Optional Equipment

TE-3000 Filter Holder Cartridge
 TE-G653 8" x 10" Glass Fiber Filter Media
 TE-33384 Motor Brush Set (110volt)
 TE-33378 Motor Brush Set (220volt)
 TE-116311 Replacement Motor (110volt)
 TE-116312 Replacement Motor (220volt)
 TE-106 Recorder Charts
 TE-160 Recorder Pen Points
 TE-5018 Gasket 8" x 10"

Physical Specifications

Weight: 75lbs, Shelter
Shipping Dimensions: 46"W x 23"L x 20" H, Shelter
 19"W x 19"L x 20"H, Lid
Assembled Dimensions: 28"W x 28"L x 61"H

Copyright © 2014 Tisch International All Rights Reserved
www.tischinternational.com

www.tisch-env.com



Calibration Certificate of HVS

CASTCO CASTCO TESTING CENTRE LTD.

Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101701 Date of calibration : 17/10/2019
Location : Sky Tower Sampler : TE-5170X

Calibration Data


Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)
Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

Calibration Curve

Plate No.	H ₂ O (in)	Qstd (m ³ /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.30	1.312	60.0	59.46	6.50	2.53
13	6.20	1.211	54.0	53.52	5.30	2.28
10	5.30	1.121	50.0	49.55	2.90	1.69
7	3.50	0.915	40.0	39.64	2.00	1.40
5	2.10	0.713	30.0	29.73	1.40	1.17

Subsequent calculation of sampler flow

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [(1) (\text{Sqrt} ((Pa / 760) (298 / Ta))) - b]$	48.951	-5.2339	0.9995



Calibration curve requirements : (A). $r > 0.990$; (B). At least 3 Qstd numbers are in the TSP range (1.1 - 1.7 m³/min).

Remark : $Qstd (m^3/min) = 1/m [\text{Sqrt} (H_2O (Pa / 760) (298 / Ta)) - b]$.
 $IC (corrected) = I [\text{Sqrt} ((Pa / 760) (298 / Ta))]$.
 $FLOW (corrected) = \text{Sqrt} (FLOW (mano) (Pa / 760) (298 / Ta))$.

Calibrated by : [Signature] Checked by : [Signature]
Name : (Chan Kwok Ho) Name : (Wong Yin Tong)

Form No. ENV-CAL-SAMPLER CCI 4412/12/2003

Calibration Certificate of HVS

CASTCO CASTCO TESTING CENTRE LTD.

Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101702 Date of calibration : 17/10/2019
Location : The Hong Kong Society for the Blind's
Factory cum Sheltered Workshop Sampler : TE-5170X

Calibration Data


Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)
Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

Calibration Curve

Plate No.	H ₂ O (in)	Qstd (m ³ /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.20	1.303	58.0	57.48	6.50	2.53
13	6.00	1.191	52.0	51.54	5.30	2.28
10	5.20	1.110	48.0	47.57	2.90	1.69
7	3.20	0.876	36.0	35.68	2.00	1.40
5	2.00	0.697	28.0	27.75	1.40	1.17

Subsequent calculation of sampler flow

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [(1) (\text{Sqrt} ((Pa / 760) (298 / Ta))) - b]$	49.198	-6.9359	0.9996



Calibration curve requirements : (A). $r > 0.990$; (B). At least 3 Qstd numbers are in the TSP range (1.1 - 1.7 m³/min).

Remark : $Qstd (m^3/min) = 1/m [\text{Sqrt} (H_2O (Pa / 760) (298 / Ta)) - b]$.
 $IC (corrected) = I [\text{Sqrt} ((Pa / 760) (298 / Ta))]$.
 $FLOW (corrected) = \text{Sqrt} (FLOW (mano) (Pa / 760) (298 / Ta))$.

Calibrated by : [Signature] Checked by : [Signature]
Name : (Chan Kwok Ho) Name : (Wong Yin Tong)

Form No. ENV-CAL-SAMPLER CCI 4412/12/2003

Calibration Certificate of HVS

CASTCO CASTCO TESTING CENTRE LTD.

Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101703 Date of calibration : 17/10/2019

Location : Hong Kong Children's Hospital Sampler : TE-5170X

Calibration Data

Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)


Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

Calibration Curve

Plate No.	H ₂ O (in)	Qstd (m ³ /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.50	1.330	60.0	59.46	6.50	2.53
13	6.10	1.201	52.0	51.54	5.30	2.28
10	5.40	1.131	48.0	47.57	2.90	1.69
7	3.80	0.952	38.0	37.66	2.00	1.40
5	2.70	0.806	28.0	27.75	1.40	1.17

Subsequent calculation of sampler flow

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [I \{ (1 / \sqrt{Pa / 760}) (298 / Ta) \} - b]$	59.650	-19.8651	0.9993



Calibration curve requirements : (A). $r > 0.990$; (B). At least 3 Qstd numbers are in the TSP range (1.1 - 1.7 m³/min).

Remark : $Qstd (m^3/min) = 1/m [\sqrt{H_2O (Pa / 760) (298 / Ta) } - b]$.

$IC (corrected) = I [\sqrt{Pa / 760} (298 / Ta)]$.

$FLOW (corrected) = \sqrt{FLOW (mano) (Pa / 760) (298 / Ta)}$.

Calibrated by : [Signature]
Name : (Chan Kwok Ho)

Checked by : [Signature]
Name : (Wong Yin Tong)

Form No. ENV-CAL SAMPLER CCI 4412/12/2003

Calibration Certificate for Calibrator



RECALIBRATION
DUE DATE:
July 25, 2020

Certificate of Calibration

Calibration Certification Information			
Cal. Date: July 25, 2019	Rootmeter S/N: 438320	Ta: 297 °K	
Operator: Jim Tisch		Pa: 755.7 mm Hg	
Calibration Model #: TE-5025A	Calibrator S/N: 0006		

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.4200	3.2	2.00
2	3	4	1	1.0040	6.3	4.00
3	5	6	1	0.8960	7.9	5.00
4	7	8	1	0.8480	8.8	5.50
5	9	10	1	0.7040	12.7	8.00

Data Tabulation					
Vstd (m3)	Qstd (x-axis)	$\sqrt{\Delta H \left(\frac{Pa}{Pstd} \right) \left(\frac{Tstd}{Ta} \right)}$ (y-axis)	Va	Qa (x-axis)	$\sqrt{\Delta H \left(\frac{Ta}{Pa} \right)}$ (y-axis)
0.9934	0.6996	1.4125	0.9958	0.7012	0.8866
0.9893	0.9854	1.9976	0.9917	0.9877	1.2539
0.9872	1.1018	2.2334	0.9895	1.1044	1.4019
0.9860	1.1627	2.3424	0.9884	1.1655	1.4703
0.9809	1.3933	2.8251	0.9832	1.3966	1.7732
m = 2.03067			QA		m = 1.27157
b = -0.00766					b = -0.00481
r = 0.99992					r = 0.99992

Calculations	
$Vstd = \Delta Vol / (Pa - \Delta P) / Pstd (Tstd / Ta)$	$Va = \Delta Vol / (Pa - \Delta P) / Pa$
$Qstd = Vstd / \Delta Time$	$Qa = Va / \Delta Time$
For subsequent flow rate calculations:	
$Qstd = 1/m \left(\sqrt{\Delta H \left(\frac{Pa}{Pstd} \right) \left(\frac{Tstd}{Ta} \right)} - b \right)$	$Qa = 1/m \left(\sqrt{\Delta H \left(\frac{Ta}{Pa} \right)} - b \right)$

Standard Conditions	
Tstd:	298.15 °K
Pstd:	760 mm Hg
Key	
ΔH:	calibrator manometer reading (in H2O)
ΔP:	rootsmeter manometer reading (mm Hg)
Ta:	actual absolute temperature (°K)
Pa:	actual barometric pressure (mm Hg)
b:	intercept
m:	slope

RECALIBRATION
US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

isch Environmental, Inc.
45 South Miami Avenue
Illage of Cleves, OH 45002

www.tisch-env.com
TOLL FREE: (877)263-7610
FAX: (513)467-9009

Catalogue of Dust Meter (TSI Sidepak AM510)

The SidePak AMS10 monitor's easy-to-read display shows your data as both real-time aerosol mass-concentration and 8-hour time-weighted average (TWA). With its convenient data logging and long battery life, the AMS10 is also ideal for extended sampling. The easy-to-use TrakPro Data Analysis Software lets you create effective graphs and reports.

User Friendly

- + Small, lightweight and quiet to maximize worker acceptance
- + Rugged design with secure belt clip
- + Easy-to-understand user interface with only four keys
- + Lockable keypad prevents tampering while sampling
- + User-adjustable sample flow rate
- + Define, label and store multiple calibration constants
- + Easy-to-read LCD display
- + Convenient, threaded tripod socket accommodates area sampling

Advanced Features


- + Smart Battery Management System provides precise run time information, maximizes battery capacity and speeds charging
- + Integrated pump allows use of size-selective aerosol inlet conditioners
- + Built-in impactors let you choose "none," 1.0, 2.5 or 10-micron cut off
- + 10-mm Dorr-Oliver cyclone for respirable sampling
- + Display shows real-time concentrations (mg/m³) and "on-the-fly" TWA as you data log
- + Display statistics: max, min and average readings, elapsed time and 8-hour TWA

Quick and Easy Reports

- + Convenient preprogramming for occupational exposure sampling
- + Data log for long periods and store multiple tests
- + Analyze data, print graphs and create reports with TrakPro Data Analysis Software
- + USB port lets you conveniently connect to your computer

Power to Spare

- + Long-lasting NiMH rechargeable battery packs eliminate "memory" issues
- + Choice of rechargeable NiMH smart battery packs or AA-cell pack



Model AM510 SidePak Personal Aerosol Monitor

Sensitivity	
Sensor Type	90° light scattering, 670 nm laser diode
Aerosol Concentration Range	0.001 to 20 mg/m ³ (calibrated to respirable fraction of ISO 12103-1, A1 test dust)
Particle Size Range	0.1 to 10 micrometer (µm)
Minimum Resolution	0.001 mg/m ³
Zero stability	±0.001 mg/m ³ over 24 hours using 10-second time-constant
Temperature Coefficient	Approximately +0.0005 mg/m ³ per °C (for variations from temperature at which instrument was last zeroed)

Flow Rate	
Range	User-adjustable, 0.7 to 1.8 liters/min (L/min)

Temperature Range	
Operating Range	32 to 120°F (0 to 50°C)
Storage Range	-4 to 140°F (-20 to 60°C)

Operational Humidity	
0 to 95% RH, non-condensing	

Time Constant (LCD display)	
Range	User-adjustable, 1 to 60 seconds

Data Logging	
Data Points	Approx. 31,000
Logging Interval	User-adjustable, 1 second to 1 hour

User-Select Calibration Factors	
Factory Setting	1.0 (non-adjustable)
User-defined Settings	3, with user-defined labels
Range	0.1 to 10.0, user-adjustable

Physical	
External Dimensions	4.2 x 3.7 x 2.8 in. (106 x 92 x 70 mm) with 801723, 801724, 801729 or 801743 battery 5.1 x 3.7 x 2.8 in. (130 x 92 x 70 mm) with 801708, 801722, 801728, 801735, or 801736 battery 16 oz (0.46 kg) with 801723, 801724, 801729 or 801743 battery 19 oz (0.54 kg) with 801708, 801722, 801728, 801735, or 801736 battery
Weight	2 line x 12 character LCD
Display	1/4-20 female thread
Tripod Socket	

Power Supply/Charger (P/N 2613210)	
Input Voltage Range	100 to 240 VAC, 50 to 60 Hz
Output Voltage	9 VDC @ 1.0 A

Maintenance

Factory Clear/Calibrate	Recommended annually
User Zero Calibration	Before each use
User Flow Calibration	As needed

Communications Interface

Type	USB 1.1
Connector, Instrument	USB Mini-B (socket)

Minimum Computer Requirements for TrakPro™ Data Analysis Software

Communications Port	Universal Serial Bus (USB) v 1.1 or higher
Operating System	Microsoft Windows® XP, or 7 (32-bit or 64-bit) operating systems

Battery Performance

Battery Options	Charge Time (hrs)*	Intrinsic Safety Rating	Run Time (hrs @ 1.7 L/min)
1600 mAh NiMH Pack, 4.8 V (P/N 801723)	3.0	No	7.1
1650 mAh NiMH Pack, 4.8 V (P/N 801724, 801729 or 801743)	3.5	CSA**	7.5
2700 mAh NiMH Pack, 4.8 V (P/N 801722 or 801728)	5.5	No	12.0
2700 mAh NiMH Pack, 4.8 V (P/N 801735)	5.5	No	12.0
6-Cell AA-size Alkaline Pack*** (P/N 801708 or 801736 with six user-supplied AA cells)	N/A	No	22.5

*Of a fully depleted battery

**All dust plugs and dust gaskets must be installed.

***Using Energizer AA-size, E91 alkaline batteries.

Battery Level Indicator

The Smart Battery Management System™ technology utilizes a built-in "gauge" in the SidePak™ battery packs. The gauge monitors battery capacity and calculates run time information by dividing capacity of the battery (mAh) by the instantaneous current consumed by the instrument (mA). This calculation is correct for current operating conditions and can change due to current (mA) consumption or changes in battery capacity.


Calibration Certificate of Dust Meter (TSI Sidepack AM510)


CERTIFICATE OF CALIBRATION AND TESTING
TSI Incorporated, 500 Cardigan Road, Shoreview, MN 55126 USA
Tel: 1-800-874-2811 1-651-490-2811 Fax: 1-651-490-3824 http://www.tsi.com

Environment Conditions		Model	AM510
Temperature	76.4 (24.7) °F (°C)	Serial Number	11404005
Relative Humidity	22 %RH		
Barometric Pressure	29.38 (994.9) inHg (hPa)		

☒ As Left
☐ As Found

☒ In Tolerance
☐ Out of Tolerance

Concentration Linearity Plot


○ = In Tolerance
● = Out of Tolerance

System ID: DTH01-02

CONCENTRATION				Unit: mg/m3			
#	STANDARD	MEASURED	ALLOWABLE RANGE	#	STANDARD	MEASURED	ALLOWABLE RANGE
1	1.474	1.333	1.327-1.621	3	7.284	7.276	5.099-9.469
2	0.274	0.248	0.215-0.315	4	15.067	14.961	13.560-16.574

TSI Incorporated does hereby certify that all materials, components, and workmanship used in the manufacture of this equipment are in strict accordance with the applicable specifications agreed upon by TSI and the customer and with all published specifications. All performance and acceptance tests required under this contract were successfully conducted according to required specifications. There is no NIST standard for optical mass measurements. Calibration of this instrument performed by TSI has been done using emery oil and has been nominally adjusted to respirable mass per standard ISO 12103-1, A1 test dust (Arizona dust). Our calibration ratio is greater than 4:1.

Measurement Variable	System ID	Last Cal.	Cal. Due	Measurement Variable	System ID	Last Cal.	Cal. Due
Temp/Humidity	E005657	02-28-18	02-28-19	Temp/Humidity	E005656	03-01-18	03-31-19
DC Voltage	E003314	05-02-18	05-31-19	DC Voltage	E003315	05-17-18	05-31-19
Photometer	E005612	12-19-18	06-30-19	Microbalance	M001324	10-03-18	10-31-20
Pressure	E003511	10-29-18	10-31-19	Flowmeter	E004025	06-06-18	06-30-19

JEAN, LEWIS
Calibrated

February 8, 2019
Date

Personal Aerosol Monitor Performance check with High Volume Sampler

Performance Check ref. No. : AS0190801-1 Report Issue Date: 05/08/2017
 Date of performance check : 1-3 August 2019

Objective:


A dust meter, TSI AM510 Sidepak, and a Total Suspended Particulate High Volume Air Sampler (HVS) were placed together to measure the Total Suspended Particulate (TSP) concentrations simultaneously to check the performance.

Equipment Used:

Equipment	Manufacturer and Model	Serial Number
Personal Aerosol Monitor	TSI AM510 Sidepak	11404005
Total Suspended Particulate High Volume Air Sampler (HVS)	GS2310	10346

Results:

Equipment	Measurement Result, $\mu\text{g}/\text{m}^3$			
TSI AM510 Sidepak	63	148	222	295
High Volume Air Sampler (HVS)	45	140	201	281



Tested by :

Name : (Chan Kwok Ho)

Checked by :


Name : (Wong Yin Tong)

Form No. ENV CAL SAMPLER CCT 4612/12/2003

Calibration Certificate of Dust Meter (TSI Sidepack AM510)


CERTIFICATE OF CALIBRATION AND TESTING
 TSI Incorporated, 500 Cardigan Road, Shoreview, MN 55126 USA
 Tel: 1-800-874-2811 1-651-490-2811 Fax: 1-651-490-3824 http://www.tsi.com

Environment Conditions Temperature 77.2 (25.1) °F (°C) Relative Humidity 21 %RH Barometric Pressure 29.08 (984.8) inHg (hPa)		Model AM510
☒ As Left ☒ In Tolerance ☐ As Found ☐ Out of Tolerance		Serial Number 11108001



Concentration Linearity Plot

Device Response (mg/m³) vs Aerosol Concentration (mg/m³)

○ = In Tolerance
● = Out of Tolerance

System ID: DT1101-02

CONCENTRATION				Unit: mg/m³			
#	STANDARD	MEASURED	ALLOWABLE RANGE	#	STANDARD	MEASURED	ALLOWABLE RANGE
1	1.575	1.439	1.417-1.733	3	7.861	7.826	5.503-10.219
2	9.291	0.287	0.247-0.355	4	14.566	14.552	13.106-16.023

TSI Incorporated does hereby certify that all materials, components, and workmanship used in the manufacture of this equipment are in strict accordance with the applicable specifications agreed upon by TSI and the customer and with all published specifications. All performance and acceptance tests required under this contract were successfully conducted according to required specifications. There is no NIST standard for optical mass measurements. Calibration of this instrument performed by TSI has been done using emery oil and has been nominally adjusted to respirable mass per standard ISO 12103-1, A1 test dust (Arizona dust). Our calibration ratio is greater than 4:1

Measurement Variable	System ID	Last Cal.	Cal. Due	Measurement Variable	System ID	Last Cal.	Cal. Due
Temp/Humidity	E005657	02-28-18	02-28-19	Temp/Humidity	E005656	03-01-18	03-31-19
DC Voltage	E003314	05-02-18	05-31-19	DC Voltage	E003315	05-17-18	05-31-19
Photometer	E005612	12-19-18	06-30-19	Microbalance	M001324	10-03-18	10-31-19
Pressure	E003511	10-29-18	10-31-19	Flowmeter	E004025	06-06-18	06-30-19

JERAN VEWIS
 Calibrated

February 6, 2019
 Date

Personal Aerosol Monitor Performance check with High Volume Sampler

Performance Check ref. No. : AS0190801-2 Report Issue Date: 05/08/2017
 Date of performance check : 1-3 August 2019

Objective:


A dust meter, TSI AM510 Sidepak, and a Total Suspended Particulate High Volume Air Sampler (HVS) were placed together to measure the Total Suspended Particulate (TSP) concentrations simultaneously to check the performance.

Equipment Used:

Equipment	Manufacturer and Model	Serial Number
Personal Aerosol Monitor	TSI AM510 Sidepak	11108001
Total Suspended Particulate High Volume Air Sampler (HVS)	GS2310	10346

Result:

Equipment	Measurement Result, µg/m³			
TSI AM510 Sidepak	56	150	215	288
High Volume Air Sampler (HVS)	45	140	201	281




Tested by : Chan Kwok Ho Checked by : Wong Yin Tong
 Name : () Name : ()

Form No. ENV CAL SAMPLER CCI 4412/12/2003

Catalogue of Weather Station

Cabled Vantage Pro2™ & Vantage Pro2 Plus™ Stations



**6152C
6162C**

Vantage Pro2™

The Vantage Pro2™ (# 6152C) and Vantage Pro2™ Plus (# 6162C) cabled weather stations include two components: the Integrated Sensor Suite (ISS) and the console. The ISS contains the sensor interface module (SIM), rain collector, an anemometer, and a passive radiation shield. The Vantage Pro2 console provides the user interface, data display, and calculations. The Vantage Pro2 Plus weather station includes two additional sensors that are optional on the Vantage Pro2 and purchased separately: the UV Sensor and the Solar Radiation Sensor. The console and ISS are powered by an AC-power adapter connected to the console. Batteries can be installed in the console to provide a backup power supply. Use WeatherLink® to let your weather station interface with a computer, log data, and upload weather information to the Internet. The 6152C and 6162C models rely on passive shielding to reduce solar-radiation induced temperature errors in the outside temperature sensor readings.

Integrated Sensor Suite (ISS)

Operating Temperature	-40° to +150°F (-40° to +65°C)
Non-operating Temperature	-40° to +158°F (-40° to +70°C)
Current Draw	5 mA (average) at 4 to 6 VDC for ISS only. 10 mA average for both console and ISS
Connectors, Sensor	Modular RJ-11
Cable Type	4-conductor, 26 AWG
Cable Length, Anemometer	40' (12 m) (included); 240' (73 m) (maximum recommended)

Note: Maximum displayable wind decreases as the length of cable increases. at 140' (42 m) of cable, the maximum wind speed displayed is 135 mph (60 m/s); at 240' (73 m), the maximum wind speed displayed is 100 mph (34 m/s).

Wind Speed Sensor	Solid state magnetic sensor
Wind Direction Sensor	Wind vane with potentiometer
Rain Collector Type	Tipping bucket, 0.01" per tip (0.2 mm with metric rain adapter), 33.2 in ² (214 cm ²) collection area
Temperature Sensor Type	PN Junction Silicon Diode
Relative Humidity Sensor Type	Film capacitor element
Housing Material	UV-resistant ABS, polypropylene
Sensor Inputs	
RF Filtering	RC low-pass filter on each signal line

ISS Dimensions(not including anemometer or bird spikes):

Vantage Pro2 with Standard Rad Shield	14.0" x 9.4" x 14.5" (356 mm x 239 mm x 368 mm)
Vantage Pro2 with Fan-Aspirated Rad Shield	20.8" x 9.4" x 16.0" (528 mm x 239 mm x 406 mm)
Vantage Pro2 Plus with Standard Rad Shield	14.3" x 9.7" x 14.5" (363 mm x 246 mm x 368 mm)
Vantage Pro2 Plus with Fan-Aspirated Rad Shield	21.1" x 9.7" x 16.0" (536 mm x 246 mm x 406 mm)

DAVIS  **Davis Instruments** 3465 Diablo Ave., Hayward, CA 94545-2778 USA
(510) 732-9229 • FAX (510) 670-0589 • sales@davisinstruments.com • www.davisinstruments.com

DS6152C, 6162C Rev. W 12/7/18

1

7
Vantage Pro2™

Ultra Violet (UV) Radiation Index (requires UV sensor)

Resolution and Units	0.1 Index
Range	0 to 16 Index
Accuracy	±5% of full scale (Reference: Yankee UVB-1 at UV index 10 (Extremely High))
Cosine Response	±4% FS (0° to 90° zenith angle)
Update Interval	50 seconds to 1 minute (5 minutes when dark)
Current Graph Data	Instant Reading and Hourly Average; Daily, Monthly High
Historical Graph Data	Hourly Average, Daily, Monthly Highs
Alarm	High Threshold from Instant Calculation

Wind

Wind Chill (Calculated)	
Resolution and Units	1°F or 1°C (user-selectable); °C is converted from °F and rounded to the nearest 1°C
Range	-110° to +135°F (-79° to +57°C)
Accuracy	±2°F (±1°C) (typical)
Update Interval	10 to 12 seconds
Source	United States National Weather Service (NWS)/NOAA
Equation Used	Osczevski (1995) (adopted by US NWS in 2001)
Variables Used	Instant Outside Temperature and 10-min. Avg. Wind Speed
Current Display Data	Instant Calculation
Current Graph Data	Instant Calculation; Hourly, Daily and Monthly Low
Historical Graph Data	Hourly, Daily and Monthly Lows
Alarm	Low Threshold from Instant Calculation

Wind Direction

Range	1 - 360°
Display Resolution	16 points (22.5°) on compass rose, 1° in numeric display
Accuracy	±3°
Update Interval	2.5 to 3 seconds
Current Graph Data	Instant Reading (user adjustable); 10-min. Dominant; Hourly, Daily, Monthly Dominant
Historical Graph Data	Past 6 10-min. Dominants on compass rose only; Hourly, Daily, Monthly Dominants

Wind Speed

Resolution and Units	1 mph, 1 km/h, 0.4 m/s, or 1 knot (user-selectable) Measured in mph; other units are converted from mph and rounded to nearest 1 km/hr, 0.1 m/s, or 1 knot.
Range	0 to 200 mph, 0 to 173 knots, 0 to 89 m/s, 0 to 322 km/h
Update Interval	Instant Reading; 2.5 to 3 seconds, 10-minute Average; 1 minute
Accuracy	±2 mph (2 kts, 3.2 km/h, 0.9 m/s) or ±5%, whichever is greater
Maximum Cable Length	540' (165 m) (Note that maximum wind speed reading decreases as length of cable from anemometer to ISS increases.)
Current Display Data	Instant
Current Graph Data	Instant Reading; 10-minute and Hourly Average; Hourly High; Daily, Monthly and Yearly High with Direction of High
Historical Graph Data	10-min. and Hourly Averages; Hourly Highs; Daily, Monthly and Yearly Highs with Direction of Highs
Alarms	High Thresholds from Instant Reading and 10-minute Average

Calibration Certificate of Weather Station



Calibration Certificate

Certificate No.: CC0101908

1. Description

Calibration item :	a) Wind Speed b) Wind Direction
Equipment description :	Weather Station
Manufacturer :	Davis Vantage Pro 2
Type / Model No. :	6152CUK
Serial No. :	BC180807017
Assigned equipment no. :	N/A
Adjustment :	N/A
Remark :	Received with good condition

2. Customer information

Customer :	Castco Testing Centre Limited
Address :	33, On Kui Street, Fanling, N.T.
Date of receipt :	19 August 2019

3. Date of performance of the calibration

Date of calibration :	21 August 2019
-----------------------	----------------

Approved Signatory
WM Ling

Company Chop:
Certificate issue date: 26 August 2019



- The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
- The certificate is issued subject to the latest Term and Condition, available assessable at our web site

CT-BEG-02
Page 1 of 3
cc0101908

Cal Lab Limited
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong
Tel : (852)25680106 Fax(852)30116194 Email: info@callab.com.hk Website: callab.com.hk



4. Result of Calibration

a) Wind Speed

Reference reading ; m/s	Measured reading ; m/s	Error of indication ; %
0.0	0.0	N/A
2.0	2.1	5.0
5.0	5.3	4.0
10.0	9.9	-1.0
15.0	15.1	0.7
20.0	20.1	0.5

Estimated expanded uncertainty: 0.5 m/s Technical Requirement: +/-5% or 1 m/s

a) Wind direction

Reference reading	Measured reading	Error of indication
0°	0°	0°
45°	45°	0°
90°	90°	0°
135°	135°	0°
180°	180°	0°
225°	225°	0°
270°	270°	0°
315°	315°	0°

Estimated expanded uncertainty: 5° Technical Requirement: N/A

Note: The arrow head was adjusted to the magnetic north before performing calibration.

- The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
- The certificate is issued subject to the latest Term and Condition, available assessable at our web site

Page 2 of 3
cc0101908

Cal Lab Limited
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong
Tel : (852)25680106 Fax(852)30116194 Email: info@callab.com.hk Website: callab.com.hk

Calibration Certificate of Weather Station



5. Reference method for calibration

Wind Speed	SOP-251
Wind Direction	SOP-252

6. Environment condition of calibration

Temperature ; °C	24.6 °C
Relative humidity ; %RH	42 %RH

7. Reference equipment used in the calibration

Item	Model	Serial No.	Expiry date	Traceable to
Reference Anemometer	TSI 9515	T95151233004	7 Jan 2020	SMQ

- Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.
- Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.
- Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.
- Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Calibrated by: *Wanwen Yung* Date: 22 August 2019

Checked by: *W. H. Y.* Date: 22 August 2019

*** End of Certificate ***


CT-END-02


1. The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
 2. The certificate is issued subject to the latest Term and Condition, available assessable at our web site
- Page 3 of 3
cc0101908

Cal Lab Limited
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong
Tel : (852)25680106 Fax(852)30116194 Email: info@callab.com.hk Website: callab.com.hk



Appendix G – Graphical presentation of baseline air quality monitoring data


24-hour average TSP





1-hour average TSP





Appendix H – 24-hr TSP monitoring data

Location: AM3 – Sky Tower

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m³/min)	(m³)	(µg/m³)
28/10/2019	25.3	1015	3.3703	3.5488	0.1785	0	2400	24	48	48	1.43	1900.9	94
29/10/2019	23.9	1016.2	3.5273	3.6334	0.1061	2400	4800	24	59	59	1.62	2333.9	45
30/10/2019	25.4	1015.5	3.5349	3.7505	0.2156	4800	7200	24	58	58	1.59	2288.7	94
31/10/2019	27.8	1011.9	3.4712	3.6645	0.1933	7200	9600	24	58	58	1.58	2275.8	85
01/11/2019	28.5	1011.3	3.3771	3.5206	0.1435	9600	12000	24	58	58	1.58	2272.4	63
02/11/2019	26.3	1014.5	3.6267	3.7652	0.1385	12000	14400	24	58	59	1.6	2303.5	60
03/11/2019	23.4	1016.3	3.6864	3.9192	0.2328	14400	16800	24	56	56	1.54	2219.3	105
04/11/2019	25.3	1016.2	3.7129	3.9173	0.2044	16800	19200	24	58	58	1.59	2289.7	89
05/11/2019	26.4	1012.1	3.6322	3.8332	0.2010	19200	21600	24	59	60	1.62	2339.1	86
06/11/2019	30.5	1010.3	3.7506	3.9278	0.1772	21600	24000	24	58	58	1.57	2264	78
07/11/2019	28.9	1011.1	3.5416	3.7382	0.1966	24000	26400	24	58	60	1.6	2309.3	85
08/11/2019	28.5	1011.3	3.4479	3.6439	0.1960	26400	28800	24	60	60	1.63	2349.4	83
09/11/2019	27	1014.7	3.9112	4.0784	0.1672	28800	31200	24	60	60	1.64	2359	71
10/11/2019	26.5	1012.1	3.7611	3.9308	0.1697	31200	33600	24	60	60	1.64	2357.9	72
											Maximum		105
											Minimum		45
											Average		79
											Action Level		182
											Limit Level		260

Location: AM4(A) – The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m³/min)	(m³)	(µg/m³)
28/10/2019	25.3	1015	3.6971	3.8562	0.1591	0	2400	24	55	54	1.49	2152.7	74
29/10/2019	23.9	1016.2	3.4809	3.5641	0.0832	2400	4800	24	50	50	1.38	1984.2	42
30/10/2019	25.4	1015.5	3.6766	3.8631	0.1865	4800	7200	24	52	52	1.43	2056.2	91
31/10/2019	27.8	1011.9	3.7435	3.9615	0.2180	7200	9600	24	48	48	1.31	1890.5	115
01/11/2019	28.5	1011.3	3.7818	3.9282	0.1464	9600	12000	24	54	54	1.47	2118.6	69
02/11/2019	26.3	1014.5	3.8266	3.9586	0.1320	12000	14400	24	53	53	1.45	2090.8	63
03/11/2019	23.4	1016.3	3.5143	3.7133	0.1990	14400	16800	24	48	48	1.33	1908.1	104
04/11/2019	25.3	1016.2	3.6844	3.8992	0.2148	16800	19200	24	56	56	1.54	2212.2	97
05/11/2019	26.4	1012.1	3.6673	3.8824	0.2151	19200	21600	24	56	56	1.53	2203.9	98
06/11/2019	30.5	1010.3	3.6187	3.7939	0.1752	21600	24000	24	57	57	1.55	2225.7	79
07/11/2019	28.9	1011.1	3.5395	3.8215	0.2820	24000	26400	24	48	48	1.31	1886.4	149
08/11/2019	28.5	1011.3	3.3471	3.5211	0.1740	26400	28800	24	48	48	1.31	1887.7	92
09/11/2019	27	1014.7	3.6947	3.8616	0.1669	28800	31200	24	58	58	1.58	2281.8	73
10/11/2019	26.5	1012.1	3.6581	3.8151	0.1570	31200	33600	24	56	57	1.54	2222.7	71
											Maximum		149
											Minimum		42
											Average		87
											Action Level		187
											Limit Level		260

Location: AM7 – Hong Kong Children’s Hospital

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m³/min)	(m³)	(µg/m³)
28/10/2019	25.3	1015	3.5419	3.6971	0.1552	0	2400	24	48	48	1.32	1900.9	82
29/10/2019	23.9	1016.2	3.9538	4.0376	0.0838	2400	4800	24	44	44	1.22	1751	48
30/10/2019	25.4	1015.5	3.8915	4.0709	0.1794	4800	7200	24	48	48	1.32	1901.1	94
31/10/2019	27.8	1011.9	3.6774	3.8108	0.1334	7200	9600	24	51	52	1.41	2025.4	66
01/11/2019	28.5	1011.3	3.6870	3.8445	0.1575	9600	12000	24	48	48	1.31	1887.7	83
02/11/2019	26.3	1014.5	3.4107	3.5426	0.1319	12000	14400	24	52	52	1.43	2052.1	64
03/11/2019	23.4	1016.3	3.6679	3.8698	0.2019	14400	16800	24	52	52	1.43	2063.7	98
04/11/2019	25.3	1016.2	3.6925	3.8595	0.1670	16800	19200	24	48	48	1.32	1902	88
05/11/2019	26.4	1012.1	3.6302	3.7915	0.1613	19200	21600	24	49	49	1.34	1933.5	83
06/11/2019	30.5	1010.3	3.7776	3.9123	0.1347	21600	24000	24	49	49	1.33	1919	70
07/11/2019	28.9	1011.1	3.9060	4.1290	0.2230	24000	26400	24	54	52	1.44	2078.6	107
08/11/2019	28.5	1011.3	3.4997	3.7557	0.2560	26400	28800	24	52	52	1.42	2041.6	125
09/11/2019	27	1014.7	3.6343	3.7650	0.1307	28800	31200	24	52	52	1.42	2050	64
10/11/2019	26.5	1012.1	3.8527	3.9123	0.0596	31200	33600	24	48	48	1.32	1894.5	31
											Maximum		125
											Minimum		31
											Average		79
											Action Level		181
											Limit Level		260

Appendix I – 1-hr TSP monitoring data

Location:
**AM3 -
Sky Tower**

Date	Measurement Period			1-hr TSP concentration, $\mu\text{g}/\text{m}^3$	Weather
28/10/2019	13:30	-	14:30	65	Sunny
	14:30	-	15:30	59	
	15:30	-	16:30	50	
29/10/2019	13:00	-	14:00	73	Sunny
	14:00	-	15:00	78	
	15:00	-	16:00	74	
30/10/2019	13:00	-	14:00	52	Cloudy
	14:00	-	15:00	48	
	15:00	-	16:00	45	
31/10/2019	13:00	-	14:00	71	Sunny
	14:00	-	15:00	74	
	15:00	-	16:00	74	
01/11/2019	13:00	-	14:00	48	Sunny
	14:00	-	15:00	51	
	15:00	-	16:00	58	
02/11/2019	13:00	-	14:00	38	Cloudy
	14:00	-	15:00	41	
	15:00	-	16:00	41	
03/11/2019	13:00	-	14:00	57	Sunny
	14:00	-	15:00	55	
	15:00	-	16:00	56	
04/11/2019	9:00	-	10:00	79	Sunny
	10:00	-	11:00	78	
	11:00	-	12:00	75	
05/11/2019	9:00	-	10:00	74	Sunny
	10:00	-	11:00	71	
	11:00	-	12:00	77	
06/11/2019	9:00	-	10:00	82	Sunny
	10:00	-	11:00	88	
	11:00	-	12:00	85	
07/11/2019	9:00	-	10:00	88	Sunny
	10:00	-	11:00	80	
	11:00	-	12:00	68	
08/11/2019	9:00	-	10:00	95	Sunny
	10:00	-	11:00	98	
	11:00	-	12:00	98	
09/11/2019	9:00	-	10:00	102	Sunny
	10:00	-	11:00	104	
	11:00	-	12:00	93	
10/11/2019	9:00	-	10:00	102	Sunny
	10:00	-	11:00	104	
	11:00	-	12:00	93	
Maximum				104	
Minimum				38	
Average				72	
Action Level				297	
Limit Level				500	

Location:
**AM4(A) -
The Hong Kong
Society for the
Blind's Factory
cum Sheltered
Workshop**

Date	Measurement Period			1-hr TSP concentration, $\mu\text{g}/\text{m}^3$	Weather
28/10/2019	10:00	-	11:00	84	Sunny
	11:00	-	12:00	87	
	12:00	-	13:00	89	
29/10/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	82	
	11:00	-	12:00	77	
30/10/2019	9:00	-	10:00	93	Cloudy
	10:00	-	11:00	94	
	11:00	-	12:00	97	
31/10/2019	9:00	-	10:00	124	Sunny
	10:00	-	11:00	132	
	11:00	-	12:00	129	
01/11/2019	9:00	-	10:00	72	Sunny
	10:00	-	11:00	77	
	11:00	-	12:00	78	
02/11/2019	9:00	-	10:00	80	Cloudy
	10:00	-	11:00	78	
	11:00	-	12:00	78	
03/11/2019	9:00	-	10:00	99	Sunny
	10:00	-	11:00	98	
	11:00	-	12:00	102	
04/11/2019	13:00	-	14:00	157	Sunny
	14:00	-	15:00	158	
	15:00	-	16:00	154	
05/11/2019	13:00	-	14:00	105	Sunny
	14:00	-	15:00	108	
	15:00	-	16:00	111	
06/11/2019	13:00	-	14:00	106	Sunny
	14:00	-	15:00	108	
	15:00	-	16:00	107	
07/11/2019	13:00	-	14:00	155	Sunny
	14:00	-	15:00	151	
	15:00	-	16:00	149	
08/11/2019	13:00	-	14:00	164	Sunny
	14:00	-	15:00	165	
	15:00	-	16:00	162	
09/11/2019	13:00	-	14:00	142	Sunny
	14:00	-	15:00	145	
	15:00	-	16:00	143	
10/11/2019	13:00	-	14:00	165	Sunny
	14:00	-	15:00	167	
	15:00	-	16:00	159	
Maximum				167	
Minimum				72	
Average				117	
Action Level				326	
Limit Level				500	

Location:
**AM7 -
Hong Kong
Children's
Hospital**

Date	Measurement Period			1-hr TSP concentration, $\mu\text{g}/\text{m}^3$	Weather
28/10/2019	13:00	-	14:00	119	Sunny
	14:00	-	15:00	119	
	15:00	-	16:00	109	
29/10/2019	13:00	-	14:00	93	Sunny
	14:00	-	15:00	88	
	15:00	-	16:00	85	
30/10/2019	13:00	-	14:00	82	Cloudy
	14:00	-	15:00	83	
	15:00	-	16:00	83	
31/10/2019	13:00	-	14:00	83	Sunny
	14:00	-	15:00	85	
	15:00	-	16:00	87	
01/11/2019	13:00	-	14:00	89	Sunny
	14:00	-	15:00	86	
	15:00	-	16:00	77	
02/11/2019	13:00	-	14:00	72	Cloudy
	14:00	-	15:00	71	
	15:00	-	16:00	77	
03/11/2019	13:00	-	14:00	95	Sunny
	14:00	-	15:00	95	
	15:00	-	16:00	94	
04/11/2019	9:00	-	10:00	98	Sunny
	10:00	-	11:00	95	
	11:00	-	12:00	97	
05/11/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	89	
	11:00	-	12:00	89	
06/11/2019	14:00	-	15:00	121	Sunny
	15:00	-	16:00	125	
	16:00	-	17:00	121	
07/11/2019	9:00	-	10:00	125	Sunny
	10:00	-	11:00	114	
	11:00	-	12:00	112	
08/11/2019	9:00	-	10:00	124	Sunny
	10:00	-	11:00	135	
	11:00	-	12:00	137	
09/11/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	89	
	11:00	-	12:00	96	
10/11/2019	9:00	-	10:00	107	Sunny
	10:00	-	11:00	116	
	11:00	-	12:00	127	
Maximum				137	
Minimum				71	
Average				99	
Action Level				315	
Limit Level				500	

Appendix J – Weather information during baseline monitoring period

General Information

Date	Absolute Daily Min Temperature (°C)	Absolute Daily Max Temperature (°C)	Total Rainfall (mm)	Prevailing Wind Direction (degrees)	Mean Wind Speed (km/h)
28/10/2019	21.9	28.0	3	110	8.8
29/10/2019	19.5	24.6	0	320	8
30/10/2019	21.0	26.1	0	10	8
31/10/2019	22.5	26.5	0	110	10.1
01/11/2019	24.2	28.4	0	110	16
02/11/2019	24.2	27.1	0	100	14.2
03/11/2019	23.8	27.5	0	140	10.5
04/11/2019	22.7	28.8	0	30	8.9
05/11/2019	21.8	26.8	0	20	9.5
06/11/2019	22.4	25.2	0	110	11.5
07/11/2019	21.5	27.3	0	30	8.9
08/11/2019	20.4	26.5	0	30	9.7
09/11/2019	20.7	24.9	0	100	10.9
10/11/2019	20.8	25.5	0	100	9.4

NOTE: The above weather information was obtained from Kai Tak Runway Park (Daily Temperature) and Kai Tak (Total rainfall, Wind direction and Wind speed) automatic weather station of Hong Kong Observatory.

Kai Tak Runway Park:

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE1&y=2019&m=10> (October 2019)

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE1&y=2019&m=11> (November 2019)

Kai Tak:

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE&y=2019&m=10> (October 2019)

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE&y=2019&m=11> (November 2019)

Mean Wind Speed and Wind Direction recorded by the weather station setup at the rooftop of Hong Kong Children's Hospital

Date / Time	Wind Speed (m/s)	Wind Direction
28/10/2019 0:00	1.50	161.3
28/10/2019 1:00	0.57	157.5
28/10/2019 2:00	0.51	195.0
28/10/2019 3:00	0.77	210.0
28/10/2019 4:00	0.31	262.5
28/10/2019 5:00	0.81	288.8
28/10/2019 6:00	0.58	255.0
28/10/2019 7:00	0.59	277.5
28/10/2019 8:00	0.75	258.8
28/10/2019 9:00	0.67	262.5
28/10/2019 10:00	0.67	180.0
28/10/2019 11:00	1.59	236.3
28/10/2019 12:00	1.59	333.8
28/10/2019 13:00	2.07	330.0
28/10/2019 14:00	1.85	333.8
28/10/2019 15:00	1.37	333.8
28/10/2019 16:00	1.41	337.5
28/10/2019 17:00	0.46	333.8
28/10/2019 18:00	0.23	307.5
28/10/2019 19:00	0.16	337.5
28/10/2019 20:00	0.10	337.5
28/10/2019 21:00	0.06	333.8
28/10/2019 22:00	0.03	315.0
28/10/2019 23:00	0.02	315.0
29/10/2019 0:00	0.30	153.8
29/10/2019 1:00	0.71	168.8
29/10/2019 2:00	0.54	176.3
29/10/2019 3:00	1.34	217.5
29/10/2019 4:00	1.91	232.5
29/10/2019 5:00	2.24	228.8
29/10/2019 6:00	1.40	247.5
29/10/2019 7:00	1.73	221.3
29/10/2019 8:00	1.29	187.5
29/10/2019 9:00	1.30	258.8
29/10/2019 10:00	1.39	176.3
29/10/2019 11:00	1.14	176.3
29/10/2019 12:00	1.64	247.5
29/10/2019 13:00	1.31	225.0
29/10/2019 14:00	1.16	202.5

Date / Time	Wind Speed (m/s)	Wind Direction
29/10/2019 15:00	0.91	191.3
29/10/2019 16:00	0.63	176.3
29/10/2019 17:00	0.63	146.3
29/10/2019 18:00	0.42	146.3
29/10/2019 19:00	0.81	198.8
29/10/2019 20:00	0.82	251.3
29/10/2019 21:00	0.63	255.0
29/10/2019 22:00	1.68	232.5
29/10/2019 23:00	2.21	217.5
30/10/2019 0:00	1.30	228.8
30/10/2019 1:00	0.69	236.3
30/10/2019 2:00	0.85	232.5
30/10/2019 3:00	1.27	247.5
30/10/2019 4:00	1.26	243.8
30/10/2019 5:00	1.73	232.5
30/10/2019 6:00	2.81	198.8
30/10/2019 7:00	3.07	183.8
30/10/2019 8:00	2.33	187.5
30/10/2019 9:00	1.96	180.0
30/10/2019 10:00	1.82	195.0
30/10/2019 11:00	1.77	195.0
30/10/2019 12:00	1.43	296.3
30/10/2019 13:00	1.04	228.8
30/10/2019 14:00	1.13	221.3
30/10/2019 15:00	0.85	288.8
30/10/2019 16:00	0.80	187.5
30/10/2019 17:00	0.82	195.0
30/10/2019 18:00	0.50	303.8
30/10/2019 19:00	0.74	180.0
30/10/2019 20:00	1.00	258.8
30/10/2019 21:00	0.97	213.8
30/10/2019 22:00	1.37	251.3
30/10/2019 23:00	1.99	232.5
31/10/2019 0:00	2.25	225.0
31/10/2019 1:00	1.97	255.0
31/10/2019 2:00	1.69	251.3
31/10/2019 3:00	1.56	228.8
31/10/2019 4:00	1.31	258.8
31/10/2019 5:00	1.60	247.5
31/10/2019 6:00	2.32	195.0
31/10/2019 7:00	1.97	247.5
31/10/2019 8:00	2.18	225.0

Date / Time	Wind Speed (m/s)	Wind Direction
31/10/2019 9:00	2.37	187.5
31/10/2019 10:00	1.94	213.8
31/10/2019 11:00	1.51	168.8
31/10/2019 12:00	2.59	195.0
31/10/2019 13:00	1.40	232.5
31/10/2019 14:00	1.30	243.8
31/10/2019 15:00	1.65	195.0
31/10/2019 16:00	2.16	206.3
31/10/2019 17:00	1.48	292.5
31/10/2019 18:00	1.43	266.3
31/10/2019 19:00	1.62	240.0
31/10/2019 20:00	1.77	198.8
31/10/2019 21:00	1.57	240.0
31/10/2019 22:00	1.83	225.0
31/10/2019 23:00	1.50	161.3
01/11/2019 0:00	1.77	228.8
01/11/2019 1:00	1.46	285.0
01/11/2019 2:00	1.65	225.0
01/11/2019 3:00	1.36	236.3
01/11/2019 4:00	1.83	251.3
01/11/2019 5:00	2.24	187.5
01/11/2019 6:00	2.33	217.5
01/11/2019 7:00	1.86	236.3
01/11/2019 8:00	1.88	206.3
01/11/2019 9:00	1.58	198.8
01/11/2019 10:00	1.66	195.0
01/11/2019 11:00	2.09	210.0
01/11/2019 12:00	2.68	195.0
01/11/2019 13:00	2.38	213.8
01/11/2019 14:00	2.41	217.5
01/11/2019 15:00	2.21	198.8
01/11/2019 16:00	2.31	206.3
01/11/2019 17:00	2.25	221.3
01/11/2019 18:00	1.84	202.5
01/11/2019 19:00	2.45	213.8
01/11/2019 20:00	2.27	225.0
01/11/2019 21:00	2.45	228.8
01/11/2019 22:00	2.06	247.5
01/11/2019 23:00	1.97	183.8
02/11/2019 0:00	1.28	210.0
02/11/2019 1:00	0.77	225.0
02/11/2019 2:00	0.67	202.5

Date / Time	Wind Speed (m/s)	Wind Direction
02/11/2019 3:00	0.79	206.3
02/11/2019 4:00	1.57	206.3
02/11/2019 5:00	0.86	225.0
02/11/2019 6:00	0.71	273.8
02/11/2019 7:00	0.59	243.8
02/11/2019 8:00	0.49	240.0
02/11/2019 9:00	1.00	183.8
02/11/2019 10:00	0.98	217.5
02/11/2019 11:00	1.17	206.3
02/11/2019 12:00	1.67	172.5
02/11/2019 13:00	1.30	206.3
02/11/2019 14:00	1.99	183.8
02/11/2019 15:00	1.94	153.8
02/11/2019 16:00	1.44	157.5
02/11/2019 17:00	1.74	180.0
02/11/2019 18:00	1.45	183.8
02/11/2019 19:00	0.98	161.3
02/11/2019 20:00	0.70	198.8
02/11/2019 21:00	0.70	206.3
02/11/2019 22:00	0.80	202.5
02/11/2019 23:00	0.70	180.0
03/11/2019 0:00	0.23	131.3
03/11/2019 1:00	0.82	165.0
03/11/2019 2:00	0.80	213.8
03/11/2019 3:00	0.41	247.5
03/11/2019 4:00	0.83	206.3
03/11/2019 5:00	1.00	210.0
03/11/2019 6:00	0.45	195.0
03/11/2019 7:00	0.14	138.8
03/11/2019 8:00	0.92	161.3
03/11/2019 9:00	1.01	183.8
03/11/2019 10:00	1.16	168.8
03/11/2019 11:00	0.73	191.3
03/11/2019 12:00	0.91	168.8
03/11/2019 13:00	0.93	202.5
03/11/2019 14:00	1.28	161.3
03/11/2019 15:00	1.13	176.3
03/11/2019 16:00	0.83	191.3
03/11/2019 17:00	0.59	277.5
03/11/2019 18:00	0.68	183.8
03/11/2019 19:00	0.43	225.0
03/11/2019 20:00	0.85	258.8

Date / Time	Wind Speed (m/s)	Wind Direction
03/11/2019 21:00	0.36	228.8
03/11/2019 22:00	0.50	217.5
03/11/2019 23:00	0.39	135.0
04/11/2019 0:00	0.28	138.8
04/11/2019 1:00	0.10	157.5
04/11/2019 2:00	0.63	165.0
04/11/2019 3:00	0.67	146.3
04/11/2019 4:00	0.26	123.8
04/11/2019 5:00	0.28	243.8
04/11/2019 6:00	0.27	157.5
04/11/2019 7:00	1.27	292.5
04/11/2019 8:00	1.53	300.0
04/11/2019 9:00	1.71	300.0
04/11/2019 10:00	2.14	307.5
04/11/2019 11:00	2.02	315.0
04/11/2019 12:00	1.73	288.8
04/11/2019 13:00	2.07	300.0
04/11/2019 14:00	2.02	285.0
04/11/2019 15:00	2.40	292.5
04/11/2019 16:00	2.02	300.0
04/11/2019 17:00	1.84	288.8
04/11/2019 18:00	1.53	270.0
04/11/2019 19:00	1.38	307.5
04/11/2019 20:00	1.25	311.3
04/11/2019 21:00	1.10	292.5
04/11/2019 22:00	1.21	311.3
04/11/2019 23:00	1.56	303.8
05/11/2019 0:00	1.51	288.8
05/11/2019 1:00	1.41	315.0
05/11/2019 2:00	1.15	311.3
05/11/2019 3:00	1.14	322.5
05/11/2019 4:00	0.88	311.3
05/11/2019 5:00	0.78	292.5
05/11/2019 6:00	2.18	277.5
05/11/2019 7:00	2.23	296.3
05/11/2019 8:00	1.80	288.8
05/11/2019 9:00	3.18	281.3
05/11/2019 10:00	3.16	277.5
05/11/2019 11:00	2.78	300.0
05/11/2019 12:00	2.56	300.0
05/11/2019 13:00	2.62	296.3
05/11/2019 14:00	3.21	288.8

Date / Time	Wind Speed (m/s)	Wind Direction
05/11/2019 15:00	2.87	296.3
05/11/2019 16:00	2.50	292.5
05/11/2019 17:00	2.58	273.8
05/11/2019 18:00	2.30	296.3
05/11/2019 19:00	2.62	296.3
05/11/2019 20:00	1.76	303.8
05/11/2019 21:00	1.38	296.3
05/11/2019 22:00	0.79	303.8
05/11/2019 23:00	1.21	247.5
06/11/2019 0:00	0.83	311.3
06/11/2019 1:00	1.43	303.8
06/11/2019 2:00	0.97	318.8
06/11/2019 3:00	1.27	243.8
06/11/2019 4:00	1.73	258.8
06/11/2019 5:00	1.50	266.3
06/11/2019 6:00	2.72	270.0
06/11/2019 7:00	2.38	273.8
06/11/2019 8:00	2.27	281.3
06/11/2019 9:00	2.85	285.0
06/11/2019 10:00	3.55	277.5
06/11/2019 11:00	3.11	285.0
06/11/2019 12:00	3.42	292.5
06/11/2019 13:00	3.66	270.0
06/11/2019 14:00	2.19	307.5
06/11/2019 15:00	2.04	285.0
06/11/2019 16:00	1.95	292.5
06/11/2019 17:00	2.06	303.8
06/11/2019 18:00	1.67	303.8
06/11/2019 19:00	0.97	273.8
06/11/2019 20:00	0.82	281.3
06/11/2019 21:00	1.61	281.3
06/11/2019 22:00	2.72	292.5
06/11/2019 23:00	2.75	288.8
07/11/2019 0:00	2.25	292.5
07/11/2019 1:00	2.67	281.3
07/11/2019 2:00	2.32	292.5
07/11/2019 3:00	2.16	288.8
07/11/2019 4:00	2.28	285.0
07/11/2019 5:00	2.90	288.8
07/11/2019 6:00	0.87	285.0
07/11/2019 7:00	2.02	296.3
07/11/2019 8:00	2.24	288.8

Date / Time	Wind Speed (m/s)	Wind Direction
07/11/2019 9:00	2.75	281.3
07/11/2019 10:00	2.66	281.3
07/11/2019 11:00	2.86	262.5
07/11/2019 12:00	2.74	296.3
07/11/2019 13:00	2.99	285.0
07/11/2019 14:00	2.57	288.8
07/11/2019 15:00	2.15	307.5
07/11/2019 16:00	2.25	337.5
07/11/2019 17:00	1.62	322.5
07/11/2019 18:00	0.60	315.0
07/11/2019 19:00	0.77	307.5
07/11/2019 20:00	0.45	300.0
07/11/2019 21:00	0.62	326.3
07/11/2019 22:00	0.88	307.5
07/11/2019 23:00	0.75	281.3
08/11/2019 0:00	0.51	255.0
08/11/2019 1:00	0.44	262.5
08/11/2019 2:00	0.62	292.5
08/11/2019 3:00	0.80	307.5
08/11/2019 4:00	0.34	292.5
08/11/2019 5:00	0.11	337.5
08/11/2019 6:00	0.20	0.0
08/11/2019 7:00	0.13	157.5
08/11/2019 8:00	0.79	161.3
08/11/2019 9:00	1.19	213.8
08/11/2019 10:00	1.43	180.0
08/11/2019 11:00	0.97	251.3
08/11/2019 12:00	1.82	315.0
08/11/2019 13:00	1.91	337.5
08/11/2019 14:00	0.57	318.8
08/11/2019 15:00	0.28	206.3
08/11/2019 16:00	0.70	180.0
08/11/2019 17:00	1.17	318.8
08/11/2019 18:00	0.28	262.5
08/11/2019 19:00	0.30	296.3
08/11/2019 20:00	1.04	157.5
08/11/2019 21:00	1.42	165.0
08/11/2019 22:00	1.21	187.5
08/11/2019 23:00	0.85	165.0
09/11/2019 0:00	1.33	217.5
09/11/2019 1:00	0.53	153.8
09/11/2019 2:00	0.56	153.8

Date / Time	Wind Speed (m/s)	Wind Direction
09/11/2019 3:00	1.33	168.8
09/11/2019 4:00	1.67	165.0
09/11/2019 5:00	0.73	135.0
09/11/2019 6:00	1.23	153.8
09/11/2019 7:00	0.81	157.5
09/11/2019 8:00	1.46	180.0
09/11/2019 9:00	1.09	138.8
09/11/2019 10:00	0.49	180.0
09/11/2019 11:00	2.49	307.5
09/11/2019 12:00	2.58	296.3
09/11/2019 13:00	3.84	288.8
09/11/2019 14:00	4.51	262.5
09/11/2019 15:00	3.34	266.3
09/11/2019 16:00	2.19	285.0
09/11/2019 17:00	2.58	266.3
09/11/2019 18:00	2.12	303.8
09/11/2019 19:00	2.27	296.3
09/11/2019 20:00	1.64	296.3
09/11/2019 21:00	2.12	296.3
09/11/2019 22:00	2.95	281.3
09/11/2019 23:00	3.28	285.0
10/11/2019 0:00	2.57	266.3
10/11/2019 1:00	1.64	303.8
10/11/2019 2:00	1.76	285.0
10/11/2019 3:00	1.93	292.5
10/11/2019 4:00	2.73	288.8
10/11/2019 5:00	3.24	270.0
10/11/2019 6:00	3.16	285.0
10/11/2019 7:00	3.52	288.8
10/11/2019 8:00	2.27	292.5
10/11/2019 9:00	4.00	262.5
10/11/2019 10:00	5.52	273.8
10/11/2019 11:00	4.56	273.8
10/11/2019 12:00	4.97	273.8
10/11/2019 13:00	3.53	281.3
10/11/2019 14:00	2.76	296.3
10/11/2019 15:00	1.04	303.8
10/11/2019 16:00	0.73	292.5
10/11/2019 17:00	1.06	288.8
10/11/2019 18:00	1.78	307.5
10/11/2019 19:00	1.68	315.0
10/11/2019 20:00	1.30	318.8

Date / Time	Wind Speed (m/s)	Wind Direction
10/11/2019 21:00	2.34	296.3
10/11/2019 22:00	2.57	288.8
10/11/2019 23:00	1.91	303.8

Appendix K – Calibration certificates, catalogue of noise monitoring equipment

Catalogue of Sound Level Meter

Specifications

	NL-52	NL-42
Applicable standards	IEC 61672-1: 2002 Class 1 ANSI S1.4-1983 Type 1 ANSI S1.4A-1985 Type 1 ANSI S1.43-1997 Type 1 JIS C 1509-1: 2005 Class 1	IEC 61672-1: 2002 Class 2 ANSI S1.4-1983 Type 2 ANSI S1.4A-1985 Type 2 ANSI S1.43-1997 Type 2 JIS C 1509-1: 2005 Class 2
Measurement functions	Simultaneous measurement of the following items, with selected time weighting and frequency weighting Processing (main ch) Instantaneous sound pressure level: L_p Equivalent continuous sound pressure level: L_{eq} Sound exposure level: L_E Maximum sound pressure level: L_{max} Minimum sound pressure level: L_{min} Percentile sound levels: L_N (0.1 to 99.9 %, 0.1-increment steps, max. 5 values) Processing (sub ch) Instantaneous sound pressure level: L_p Additional processing In addition to main processing items, one of the following can be selected for simultaneous processing: C-weighted equivalent continuous sound level: L_{Ceq} C-weighted peak sound level: L_{Cpeak} Z-weighted peak sound level: L_{Zpeak} 1/3-time-weighted equivalent continuous sound level: $L_{A1eq} \times 2$ Maximum 1/3-time-weighted equivalent continuous sound level: $L_{A1max} \times 2$ The power average of the maximum level of each 5 second interval: L_{A1av5} The frequency weighting for the additional processing synchronizes with the frequency weighting of the sub-channel, so when the sub-channel has A-weighting, L_{A1av5} can be selected. When C-weighting (Z-weighting) is selected, the additional processing L_{Ceq} and L_{Cpeak} (L_{Zpeak}) are selectable.	
Measuring time	10 s, 1, 5, 10, 15, 30 m, 1, 8, 24 h, and manual (maximum 24 h)	
Microphone	Type UC-59 Sensitivity level -27 dB	Type UC-52 Sensitivity level -33 dB
Measurement range	A-weighting: 25 dB to 138 dB C-weighting: 33 dB to 138 dB Z-weighting: 38 dB to 138 dB C-weighting peak sound level: 55 dB to 141 dB Z-weighting peak sound level: 60 dB to 141 dB	
Inherent noise	A-weighting 17 dB or less C-weighting 25 dB or less Z-weighting 30 dB or less	19 dB or less 27 dB or less 32 dB or less
Frequency range	20 Hz to 20 kHz	
Frequency weighting	A, C, and Z	
Time weighting	F (Fast) and S (Slow)	
Level range	Single range (Linearity range: 113 dB) Bar graph display range max. Max. 110 dB (20 to 130 dB) Switching of bar graph display Set the upper/ lower limit in 10 dB increments.	
RMS detection circuit	Digital processing method	
Sampling cycle	20.8 μ s (L_p , L_{eq} , L_E , L_{max} , L_{min} , L_{peak} : sampling frequency: 48 kHz) 100 ms (L_N)	
Calibration	Measurement Law: electrical calibration performed according to IEC and JIS standards, using internally generated signals: acoustic calibration performed with the NC-74.	
Correction functions	Windscreen correction: Compliant with IEC 61672-1 and JIS C 1509-1 standards when the windscreen is installed. Diffuse sound field correction: Correction of frequency characteristics in order to comply with standards (ANSI S1.4) in diffuse sound field.	
Delay time	The meter can be set to start measuring a specified time (OFF, 1, 3, 5 or 10 s) after the start button has been pressed or when a user-set trigger is exceeded.	
Back erase function	When the PAUSE key is pressed to pause measurement, the preceding (user selectable) 0, 1, 3 or 5 s data are excluded from processing.	
Display	Backlit semitransparent color TFT LCD display WQVGA (400 x 240 dots) * LCD with touch panel (Capacitive Touch Panel) Numerical display update frequency: 1 s Bar graph update frequency: 100 ms	
Store	Manual Data for measurement results are stored manually in single address increments. Internal memory: max. 1000 sets SD Card: depends on the capacity of the SD Card *1	Auto+2 Instantaneous values (L_p mode) and processed values (L_{eq} mode) are stored continuously and automatically at preset intervals. L_p sampling cycle 100 ms, 200 ms, 1 s, L_{eq} 1 s L_{eq} sampling cycle 10 s, 1, 5, 10, 15, 30 ms, 1, 8, 24 h Measurement Time Max. 1000 h (depends on the capacity of the SD Card) *1

Data recall	Allows viewing of stored data
Setup memory	Up to five setup configurations can be saved in internal memory, for later recall Start up via file settings previously stored on SD card possible
Waveform recording *3	
File format	Uncompressed waveform WAVE file
Sampling frequency	Select 48 kHz, 24 kHz or 12 kHz
Data length	Select 24 bit or 16 bit
Outputs	
DC output	Output DC signals using a frequency weighting characteristic selected by processing
Output voltage	2.5 V, 25 mV / dB at bar graph display full scale
AC output	Output AC signals using a frequency weighting characteristic selected by processing or by A, C, Z-weighting.
Output voltage	1 V (rms values) at bar graph display full scale
Comparator output *2	Turns on when the open-collector output exceeds the set value (max. applied voltage 24 V, max. current 60 mA, allowable dissipation 300 mW).
USB *2	Allows USB to be connected to a computer and recognized as a removable disk Allows USB to be controlled via communication commands
RS-232C communication	Allows for RS-232C communication via use of a dedicated cable
Data continuous output *2	
Type of data	Instantaneous value L_p Processed value L_{eq} , L_{max} , L_{min} , L_{peak}
Output interval	100 ms
Print out	Printing of measurement results on dedicated printer DPU-414
Power requirements	Four IEC R6 (size AA) batteries (alkaline or rechargeable batteries) or external power supply
Battery life (23 °C)	Alkaline battery LR6 (AA): 26 h NI-MH secondary battery: 25 h At the maximum * Depends on the setting
AC adapter	NC-98C (NC-34 for previous models cannot be used)
External power voltage	5 to 7 V (rated voltage: 6 V)
Current consumption	Approximately 90 mA (normal operation, rated voltage)
Ambient conditions	Temperature -10 to +50 °C Humidity 10 to 90 % RH (non-condensing)
Dustproof / water-resistant performance *4	IP code: IP54 (except for microphone) See precautions regarding waterproofing
Dimensions, weight	Approx. 250 (H) x 76 (W) x 33 mm(D), approx. 400 g (with batteries)
Supplied accessories	Storage case x 1, Windscreen WS-10 x 1, Windscreen fall prevention rubber x 1, Hand strap x 1, LR6 (AA) alkaline batteries x 4, SD card 512 MB x 1 (NX-42EX preinstalled model only)

Options

Product name	Product number
Extended function program (Inst. on 512 MB SD card)	NX-42EX
Waveform recording program *2 (Inst. on 2 GB SD card)	NX-42WR
Octave, 1/3 octave real-time analysis program *2 (Inst. on 512 MB SD card)	NX-42RT
FFT analysis program *2 (Inst. on 512 MB SD card)	NX-42FT
Data management software for environmental measurement	AS-60
Data management software for environmental measurement (includes the octave and 1/3 octave data management software)	AS-60RT
Data management software for environmental measurement (includes the vibration level data management software)	AS-60VM
Waveform analysis software	CAT-WAVE
SD Card 512 MB	SD-512M
SD Card 2 GB	SD-2G
AC adapter (100 V to 240 V)	NC-98C
Battery pack	BP-21
Microphone extension cables	EC-04 (from 2 m)
BNC-Pin output code	CC-24
Comparator output cable	CC-42C
Printer	DPU-414
Printer cable	CC-42P
RS 232C serial I/O cable	CC-42R
USB cable	—
Sound calibrator	NC-74
All-weather windscreen	WS-15
Windscreen mounting adapter	WS-15006
Rain protection windscreen	WS-16
Sound level meter tripod	ST-80
All-weather windscreen tripod	ST-81

* 1 Use Rion fully guaranteed products. * 2 NX-42EX required (sold separately). * 3 NX-42WR required (sold separately).
* 4 Protection against harmful dust and water splashing from any direction.

Precautions regarding waterproofing

Before use, verify that the rubber bottom cover and the battery compartment lid are firmly closed.
To maintain the water and dust proof rating, internal packing replacement is required every two years (at cost).

* Windows is a trademark of Microsoft Corporation.
* Specifications subject to change without notice.

Distributed by:

This product is environment-friendly. It does not include toxic chemicals on our policy.
This product is certified to an International Protection rating of IP54 (dust protected and resistant to splashing water).
This leaflet is printed with environmentally friendly vegetable-based ink on recycled paper.

1011-4 212 P.D



RION CO., LTD.
<http://www.rion.co.jp/english/>

3-20-41, Higashimotomachi, Kokubunji, Tokyo 185-8533, Japan
Tel: +81-42-359-7888 Fax: +81-42-359-7442

Calibration Certificate of Sound Level Meter

中国赛宝实验室
(工业和信息化部电子第五研究所)
CEPREI CHINA CEPREI LABORATORY

校准证书
CALIBRATION CERTIFICATE

证书编号: 2HB19001116-0003
Certificate No.

委托单位: Castco Testing Centre Limited
Client

仪器名称: Sound Level Meter
Description

型号规格: NL-52
Model/Type

制造商: RION
Manufacturer

机身号: 00921213
Serial No.

管理号: AAST-SLM-04
Asset No.

接收日期: 2019年07月03日
Rec. Date

校准日期: 2019年07月10日
Cal. Date

签发日期: 2019年07月12日
App. Date

建议再校日期: 2020年07月10日
Next Cal. Date

结论: 所校准项目合格(Passed at Calibration Items)
Conclusion

校准: 初雨梅
Calibrated by

核验: 刘鹏
Inspected by

签发: 郑木为
Approved by

印章: [Stamp]
Stamp

赛宝计量检测中心
广州总部地址: 广州天河区东莞路110号
香港分部地址: 香港上水剑桥广场G/F2
客服电话: 852-26680871 传真: 852-26686197
投诉电话: 852-26680936 020-87236789
邮件: cal@ceprei.com.hk
网址: www.ceprei-cal.com

CEPREI Calibration and Testing Centre
H.Q. Addr: No.110 Dongguan Road, Tianhe District, Guangzhou
CEPREI(H.K.) Addr: G/F2 Cambridge Plaza Shui N.T. Hong Kong
Tel: 852-26680871 Fax: 852-26686197
Complaint phone: 852-26680936 020-87236789
Email: cal@ceprei.com.hk
Website: www.ceprei-cal.com

Page 1 of 5

证书编号(Certificate No.): 2HB19001116-0003

说明
DIRECTIONS

1. 本实验室质量管理体系符合ISO/IEC 17025的要求, 获得中国合格评定国家认可委员会(CNAS)认可。认可证书号为: CNAS L0462。
This laboratory quality management system meets the ISO/IEC 17025 and is accredited by the China National Accreditation Service for Conformity Assessment, No. CNAS L0462.

2. 本次校准的技术依据及CNAS认可范围(Reference documents and CNAS accredited scopes):
• JJG 188-2002 声级计检定规程: 声压级:(20~130)dB; 频率计权:(20~130)dB@ (10Hz~20kHz)
• 详细内容请查看CNAS网站中注册编号为L0462的证书附件。(Please see the attachment of certificate No. L0462 at CNAS website for details, beyond which is not accredited).

3. 本次校准所使用的主要测量标准(The main measurement standards used during the calibration):

名称 (Description)	证书号/有效期/溯源单位 (Certificate No./Due Date/Traceability to)	技术指标 (Specification)
Sound Calibrator	2HB19000002-0104/2020-03-25/赛宝	1级
音频分析仪	2HB19000002-0019/2020-01-05/赛宝	失真度测量: $\pm 5\%$

4. 校准地点(The calibration place):
广州市天河区东莞路110号401楼振动声学室

5. 环境条件(Environmental conditions):
温度(Temperature): 21°C 相对湿度(Relative Humidity): 63%

6. 依据《JJF 1059.1-2012 测量不确定度评定与表示》进行测量结果不确定度评定。评定结果以包含因子 k 的扩展不确定度 U 或相对扩展不确定度 U_{rel} 表示。
The evaluation was made according to JJF 1059.1-2012 Evaluation and Expression of Uncertainty in Measurement. The evaluation results were expressed by the extended uncertainty U or relative expanded uncertainty U_{rel} with a coverage factor k .

7. 证书中"P"、"合格"代表"测量结果在允许范围内", "F"、"不合格"代表"测量结果不在允许范围内", "N/A"代表"不适用"。本证书报告的判定规则和结论仅供参考, 使用人员应结合实际测量的要求合理使用, 如考虑测量结果测量不确定度的影响等。
"P" and "Pass" in this certificate stand for "Low Limit: the measured value $\leq$ High Limit", "F" and "Fail" stand for "the measured value $<$ Low Limit or the measured value $>$ High Limit", "N/A" stands for "Not Applicable". The judgment rules and conclusions of this certificate are for reference only. Users should use them reasonably according to the actual measurement requirements, such as considering the impact of measurement uncertainty, etc.

8. 建议再校日期是本实验室依据本证书报告的技术依据和仪器设备常规使用条件给出的建议, 供委托方参考。委托方可以根据实际使用情况自行决定样品的再校准日期。
The recommended date of recalibration is based on the reference documents and the normal operating conditions of the calibrated instrument. It is only for reference. The client may decide the date of recalibration of the instrument according to actual use.

注: 1. 本证书未经本机构书面授权, 不得部分复制。(The certificate shall not be partly reproduced without written approval of the laboratory.)
2. 本次校准结果仅与被校物有关。(The results are only related to the items calibrated.)

Page 3 of 5

Calibration Certificate of Sound Level Meter



赛宝计量检测中心

CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB19001116-0003

1. Appearance and Function Check

There are no factor and defect that affect the calibration result accuracy of the certificate.

2. 0dB Calibration (at 1000Hz)(A-Weighting)

Reference Value (dB)	Indicated Value (dB)	U ($k=2$) (dB)
114.0	114.3	0.4

3. Sound Pressure Level Measurement (at 1000Hz)(A-Weighting)

Reference Value (dB)	Indicated Value (dB)	Error (dB)	Manufacturer Specification (dB)	U ($k=2$) (dB)	P/F
114.0	114.3	0.3	± 1.0	0.4	P
104.0	104.3	0.3	± 1.0	0.4	P
94.0	94.3	0.3	± 1.0	0.4	P
84.0	84.3	0.3	± 1.0	0.4	P
74.0	74.3	0.3	± 1.0	0.4	P
64.0	64.4	0.4	± 1.0	0.4	P
54.0	54.5	0.5	± 1.0	0.4	P

4. A-Weighting Freq. Response Characteristic

Frequency (Hz)	Reference Value (dB)	Indicated Value (dB)	Error (dB)	Manufacturer Specification (dB)	U ($k=2$) (dB)	P/F
31.5	-39.4	-39.3	0.1	± 3.5	0.5	P
63	-26.2	-26.0	0.2	± 2.5	0.5	P
125	-16.1	-16.0	0.1	± 2.0	0.5	P
250	-8.6	-8.6	0.0	± 1.9	0.4	P
500	-3.2	-3.2	0.0	± 1.9	0.4	P
1k	0.0	0.0	0.0	(Ref.)	/	
2k	1.2	1.0	-0.2	± 2.6	0.6	P
4k	1.0	0.3	-0.7	± 3.6	0.6	P
8k	-1.1	-1.9	-0.8	± 5.6	0.6	P
16k	-6.6	-11.4	-4.8	± 6.0	1.0	P

以下空白/No data hereafter

数据页(Data sheet) ID: Q126581

Page 5 of 5

Calibration Certificate of Sound Level Meter

中国赛宝实验室
(工业和信息化部电子第五研究所)
CEPREI CHINA CEPREI LABORATORY

校准证书
CALIBRATION CERTIFICATE

证书编号: 2HB18002091-0001
Certificate No.

委托单位: Castco Testing Centre Limited
Client

仪器名称: Sound Level Meter
Description

型号规格: NL-52
Model/Type

制造商: RION
Manufacturer

机身号: 01232551
Serial No.

管理号: AAST-SLM-05
Asset No.

接收日期: 2018年12月07日 校准日期: 2018年12月13日
Rec. Date Cal. Date

签发日期: 2018年12月14日 建议再校日期: 2019年12月13日
App. Date Next Cal. Date

结论: 所校准项目合格(Passed at Calibration Items)
Conclusion

校准: 杨西梅
Calibrated by

签发: 郭木为
Approved by

核验: 刘鹏
Inspected by

印章: Stamp

赛宝计量检测中心
广州总部地址: 广州天河区东莞庄路110号
香港分部地址: 香港上水剑桥广场G/F2
客服电话: 852-26680871 传真: 852-26686197
投诉电话: 852-26680936 020-87236789
邮件: cal@ceprei.com.hk
网址: www.ceprei-cal.com

CEPREI Calibration and Testing Center
H.Q. Add: No.110 Dongguan Road, Tianhe District, Guangzhou
CEPREI(H.K.) Add: G/F2 Cambridge Plaza Shui N.T. Hong Kong
Tel: 852-26680871 Fax: 852-26686197
Complaint phone: 852-26680936 020-87236789
Email: cal@ceprei.com.hk
Website: www.ceprei-cal.com

Page 1 of 4

说明
DIRECTIONS

证书编号(Certificate No.): 2HB18002091-0001

1. 本机构质量管理体系符合ISO/IEC 17025的要求, 获得中国合格评定国家认可委员会(CNAS)认可, 认可证书号为: CNAS L0462。
This laboratory quality management system meets the ISO/IEC 17025 and is accredited by the China National Accreditation Service for Conformity Assessment, No. CNAS L0462.

2. 本次校准的技术依据及CNAS认可范围(Reference documents and CNAS accredited scopes):
• JJG 188-2002 声级计检定规程: 声压级:(20~130)dB; 频率计权:(20~130)dB@ (10Hz~20kHz)
• 详细内容请查看CNAS网站中注册编号为L0462的证书附件(Please see the attachment of certificate No. L0462 at CNAS website for details).

3. 本次校准所使用的主要测量标准(The main measurement standards used during the calibration):

名称 (Description)	证书号/有效期/溯源单位 (Certificate No./Due Date/Traceability to)	技术指标 (Specification)
声校准器/Multifunction Acoustic Calibrator	4GC18000061-0009/2019-02-06/	1级
音频分析仪/Audio Analyzer	2HB18000034-0019/2019-01-06/赛宝	失真度测量: $\pm 5\%$

4. 校准地点(The calibration place): 广州市天河区东莞庄路110号401楼振动声学室

5. 环境条件(Environmental conditions): 温度(Temperature): 22°C 相对湿度(Relative Humidity): 57%

6. 依据《JJF 1059.1-2012 测量不确定度评定与表示》进行测量结果不确定度评定。评定结果以包含因子为k的扩展不确定度U或相对扩展不确定度U_r表示。
The evaluation was made according to JJF 1059.1-2012 Evaluation and Expression of Uncertainty in Measurement. The evaluation results were expressed by the extended uncertainty U or relative expanded uncertainty U_r with a coverage factor k.

7. 证书中"P"、"合格"代表"测量结果在允许范围内", "F"、"不合格"代表"测量结果不在允许范围内", "N/A"代表"不适用"。
"P" and "Pass" in this certificate stand for "Low Limit≤the measured value ≤High Limit", "F" and "Fail" stand for "the measured value < Low Limit or the measured value > High Limit", "N/A" stands for "Not Applicable".

注: 1. 本证书未经本机构书面授权, 不得部分复制。(The certificate shall not be partly reproduced without written approval of the laboratory.)
2. 本次校准结果仅与被校物有关。(The results are only related to the items calibrated.)

Page 2 of 4

Calibration Certificate of Sound Level Meter

赛宝计量检测中心
CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB18002091-0001

1. 外观与正常工作特性检查 (Appearance and Function Check)

结论
(Pass/Fail)
P

2. 内部校准值 (Interior Calibration Value): A-Weighting

标准值 (Reference) (dB)	Cal值 (dB)	U (k=2) (dB)
94.0	94.2	0.2

3. 声压级测量 (SPL Measurement) Frequency=1000Hz A Weighting A Weighting

标准值 (Reference) (dB)	示值 (Indication) (dB)	误差 (Error) (dB)	允许误差 (Limit) (dB)	结论 (Pass/Fail) (P/F)	U (k=2) (dB)
114.0	114.2	0.2	±1.0	P	0.2
104.0	104.2	0.2	±1.0	P	0.2
94.0	94.2	0.2	±1.0	P	0.2
84.0	84.2	0.2	±1.0	P	0.2
74.0	74.2	0.2	±1.0	P	0.2
64.0	64.2	0.2	±1.0	P	0.2
54.0	54.2	0.2	±1.0	P	0.2

数据页 (Data sheet) ID: Q568989 Page 3 of 4

赛宝计量检测中心
CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB18002091-0001

4. A计权特性 (A-Weighting Characteristic)

频率 (Frequency) (Hz)	标准值 (Reference) (dB)	示值 (Indication) (dB)	误差 (Error) (dB)	允许误差 (Limit) (dB)	结论 (Pass/Fail) (P/F)	U (k=2) (dB)
31.5	-39.4	-38.8	0.6	±3.5	P	0.6
63	-26.2	-26.0	0.2	±2.5	P	0.6
125	-16.1	-15.9	0.2	±2.0	P	0.6
250	-8.6	-8.5	0.1	±1.9	P	0.6
500	-3.2	-3.1	0.1	±1.9	P	0.5
1k	0.0	0.0	0.0	(Ref.)	/	0.5
2k	1.2	1.1	-0.1	±2.6	P	0.6
4k	1.0	0.0	-1.0	±3.6	P	0.6
8k	-1.1	-3.5	-2.4	±5.6	P	0.6
16k	-6.6	-11.2	-4.6	+6-∞	P	1.0

以下空白/No data hereafter

数据页 (Data sheet) ID: Q568989 Page 4 of 4

Catalogue of Sound Calibrator

For microphone calibration NC-74

How to use

Carefully insert the microphone all the way into the coupler of the NC-74. Then simply turn the power on to apply a constant sound pressure level to the diaphragm of the microphone.




Usage example (NL series)

The performance of the NC-74 is suitable for calibration of high-precision sound level meters. The unit is compact, lightweight, and easy to use. Two IEC LR6 (size AA) alkaline batteries will power the unit for more than 30 hours of continuous use at room temperature.

Atmospheric pressure compensation principle

The NC-74 incorporates a sensor that detects atmospheric pressure. Based on the information provided by the sensor, the CPU controls the signal amplitude. This allows the unit to always provide the correct output for achieving constant sound pressure level, regardless of fluctuations in atmospheric pressure.



Using the 1/2-inch adapter

To allow calibration of sound level meter microphones with 1 inch diameter, the 1/2-inch microphone adapter can be removed. 1/2-inch microphones are calibrated with the adapter in place.



Specifications

Applicable standards	IEC 60942:2003 Class 1 JIS C 1616:2004 Class 1	
Suitable microphones	1-inch microphones	IEC 61094-1 Type L81P UC-27 UC-25 UC-34
	1/2-inch microphones	IEC 61094-1 Type L82aP UC-69 UC-57 UC-63A UC-50 UC-26 UC-30 UC-31 UC-33P
Nominal sound pressure level	94 dB	
Sound pressure level tolerance	±0.3 dB	
Nominal frequency	1 kHz	
Frequency tolerance	±1.0 % or less	
Power requirements	IEC LR6 (size AA) alkaline battery × 2	
Dimensions, mass	Approx. 46 (H) × 80 (W) × 74 (D) mm Approx. 200 g (including batteries)	
Supplied accessories	Case × 1 IEC LR6 (size AA) alkaline battery × 2 1/2-inch microphone adapter NC-74-002 × 1	

* Specification subject to change without notice.



3-20-41, Higashimotomachi, Kokubunji, Tokyo 185-8533, Japan
Tel: +81-42-359-7888 Fax: +81-42-359-7442
<http://www.rion.co.jp/english/>



ISO 14001 RION CO., LTD.
ISO 9001 RION CO., LTD.

Printed in Japan 0510-1 0807.P.MP

Calibration Certificate of Sound Calibrator



中国赛宝实验室
(工业和信息化部电子第五研究所)
CHINA CEPREI LABORATORY



中国认可
国际互认
CALIBRATION
CNAS L0462

校准证书

CALIBRATION CERTIFICATE

证书编号: 2HB19001116-0001
Certificate No.

委托单位:
Client

仪器名称:
Description

型号规格:
Model/Type

制造商:
Manufacturer

机身号:
Serial No.

管理号:
Asset No.

接收日期:
Rec. Date

签发日期:
App. Date

结论:
Conclusion

Castco Testing Centre Limited

SOUND LEVEL CALIBRATOR

NC-74

RION

34178129

AAS-SLC-05

2019年07月03日

2019年07月12日

所校准项目合格(Passed at Calibration Items)

校准日期:
Cal. Date

建议再校日期:
Next Cal. Date

2019年07月10日

2020年07月10日

校准:
Calibrated by

签发:
Approved by

检验:
Inspected by

印章:
Stamp

赛宝计量检测中心
广州总部地址: 广州天河区东圃庄路110号
香港分部地址: 香港上水剑桥广场G/F2
客服电话: 852-26680871 传真: 852-26686197
投诉电话: 852-26680936 020-87236789
邮件: cal@ceprei.com.hk
网址: www.ceprei-cal.com

CEPREI Calibration and Testing Center
H.Q. Add: No.110 Dongguzhuang Road, Tianpu District, Guangzhou
CEPREI(H.K.) Add: G/F2 Cambridge Plaza Hong Kong
Tel: 852-26680871 Fax: 852-26686197
Complaint phone: 852-26680936 020-87236789
Email: cal@ceprei.com.hk
Website: www.ceprei-cal.com

Page 1 of 5

Catalogue of Air Flow Meter (TSI TA440)

SPECIFICATIONS

THERMAL ANEMOMETERS MODELS TA410, TA430 AND TA440

Velocity

Range (TA410)	0 to 20 m/s (0 to 4,000 ft/min)
Range (TA430, TA440)	0 to 30 m/s (0 to 6,000 ft/min)
Accuracy (TA410) ¹	±5% of reading or ±0.025 m/s (±5 ft/min), whichever is greater
Accuracy (TA430, TA440) ²	±3% of reading or ±0.015 m/s (±3 ft/min), whichever is greater
Resolution	0.01 m/s (1 ft/min)

Duct Size (TA430, TA440)

Dimensions	1 to 635 cm in increments of 0.1 cm (1 to 250 inches in increments of 0.1 in.)
------------	--

Volumetric Flow Rate (TA430, TA440)

Range	Actual range is a function of velocity, and duct size
-------	---

Temperature

Range (TA410, TA430)	-18 to 93°C (0 to 200°F)
Range (TA440)	-10 to 60°C (14 to 140°F)
Accuracy ³	±0.3°C (±0.5°F)
Resolution	0.1°C (0.1°F)

Relative Humidity (TA440 only)

Range	5 to 95% RH
Accuracy ⁴	±3% RH
Resolution	0.1% RH

Wet Bulb Temperature (TA440 only)

Range	5 to 60°C (40 to 140°F)
Resolution	0.1°C (0.1°F)

Dew Point (TA440 only)

Range	-15 to 49°C (5 to 120°F)
Resolution	0.1°C (0.1°F)

Instrument Temperature Range

Operating (Electronics)	5 to 45°C (40 to 113°F)
Model TA410, TA430	-18 to 93°C (0 to 200°F)
Operating (Probe)	
Model TA440	-10 to 60°C (14 to 140°F)
Operating (Probe)	
Storage	-20 to 60°C (-4 to 140°F)

Data Storage Capabilities (TA430, TA440)

Range	12,700+ samples and 100 test IDs
-------	----------------------------------

Logging Interval (TA430, TA440)

1 second to 1 hour

Specifications subject to change without notice.

TSI and the TSI logo are registered trademarks and Airflow, the Airflow logo and LogSaver are trademarks of TSI Incorporated.



Airflow Instruments, TSI Instruments Ltd.
Visit our website at www.airflowinstruments.co.uk for more information.

UK Tel: +44 149 4 459200 Germany Tel: +49 241 523030
France Tel: +33 491 11 97 64

P/N 2980548 Rev D (A4) ©2014 TSI Incorporated

Time Constant (TA430, TA440)

User selectable

External Meter Dimensions

8.4 cm x 17.8 cm x 4.4 cm (3.3 in. x 7.0 in. x 1.8 in.)

Meter Weight with Batteries

0.27 kg (0.6 lbs.)

Meter Probe Dimensions

Probe Length	101.6 cm (40 in.)
Probe Diameter of Tip	7.0 mm (0.28 in.)
Probe Diameter of Base	13.0 mm (0.51 in.)

Articulating Probe Dimensions

Articulating Section Length	19.7 cm (7.8 in.)
Diameter of Articulating Knuckle	9.5 mm (0.38 in.)

Power Requirements

Four AA-size batteries or AC adapter

	TA410	TA430, TA430-A	TA440, TA440-A
Velocity range 0 to 20.00 m/s (0 to 4000 ft/min)	+		
Velocity range 0 to 30.00 m/s (0 to 6000 ft/min)		+	+
Temperature	+	+	+
Flow		+	+
Humidity, wet bulb, dew point			+
Probe	Straight	Straight or A articulated	Straight or A articulated
Variable time constant		+	+
Manual data logging		+	+
Auto save data logging			+
Statistics		+	+
Review data		+	+
LogData downloading software		+	+
Free Certificate of Calibration	+	+	+

¹ Temperature compensated over an air temperature range of 5 to 60°C (40 to 150°F).

² The accuracy statement begins at 30 ft/min through 4000 ft/min (0.15 m/s through 20 m/s) for the Model TA410, and 30 ft/min through 6000 ft/min (0.15 m/s through 30 m/s) for Models TA430 and TA440.

³ Accuracy with instrument case at 25°C (77°F). Add uncertainty of 0.03°C (0.05°F) for change in instrument temperature.

⁴ Accuracy with probe at 25°C (77°F). Add uncertainty of 0.2% RH (0.2% RH) for change in probe temperature. Includes 1% hysteresis.

Calibration Certificate of Air Flow Meter

华南国家计量测试中心
广东省计量科学研究院
SOUTH CHINA NATIONAL CENTER OF METROLOGY
GUANGDONG INSTITUTE OF METROLOGY

ILAC-MRA CNAS 中国认可 国际互认 校准 CALIBRATION CNAS L0739

校准证书

CALIBRATION CERTIFICATE

证书编号 NSC201852316 第 1 页, 共 3 页
Certificate No. Page of

委托方 Castco Testing Centre Ltd.
Client

委托方地址 6/F., Techno Centre, 33 On Kui St., On Lok
Add. of Client Tsuen, Fanling, N.T., H. K.

计量器具名称 Air Velocity
Description

型号规格 TA440
Model/Type

制造厂 TSI
Manufacturer

出厂编号 TA4401232005 设备编号 AAST-FLOW-02
Serial No. Equipment No.

接收日期 2018 年 10 月 22 日
Date of Receipt Y M D

结果 见校准结果
Results Shown in the results of calibration

校准日期 2018 年 11 月 06 日
Date of Calibration Y M D

批准人 郑培亮
Approved Signatory

核 验 吴松
Reviewed by

校 准 邓彦 邓意
Calibrated by

本中心地址: 中国广州市广园中路松柏东街30号 邮政编码: 510405
电话: (8620) 86594172 传真: (8620) 86590743 投诉电话: (8620) 36611242 E-mail: scm@scm.com.cn
Add: No.30, Songbai East Street, Guangyuan Middle Road, Guangzhou, Guangdong, China
Post Code: 510405 Tel: (8620)86594172 Fax: (8620)86590743 Complaint Tel: (8620)36611242
证书真伪查询: www.scm.com.cn; www.mipsp.com Certificate AuthenticityIdentify: www.scm.com.cn; www.mipsp.com
H16967 1

Calibration Certificate of Air Flow Meter

华南国家计量测试中心
广东省计量科学研究院
SOUTH CHINA NATIONAL CENTER OF METROLOGY
GUANGDONG INSTITUTE OF METROLOGY

说 明
DIRECTIONS

证书编号 NSC201852316
Certificate No.

第 2 页, 共 3 页
Page of

1. 本中心是国家质量监督检验检疫总局在华南地区设立的国家法定计量检定机构, 本中心的质量管理体系符合 ISO/IEC 17025:2005 标准的要求。
This laboratory is the National Legal Metrological Verification Institution in southern China set up by the General Administration of Quality Supervision. The quality system is in accordance with ISO/IEC 17025:2005.

2. 本中心所出具的数据均可溯源至国家计量基准和国际单位制(SI)。
All data issued by this laboratory are traceable to national primary standards and International System of Units (SI).

3. 本次校准的技术依据:
Reference documents for the calibration:
JJG(建设) 0001-1992 热球式风速仪检定规程 V.R. of Hot Ball Shaped Anemometer

4. 本次校准所使用的主要计量标准器具:
Major standards of measurement used in the calibration:

设备名称 Name of Equipment	编号 Serial No.	证书号/有效期/溯源单位 Certificate No./Due Date /Traceability to	计量特性 Metrological Characteristic
L型标准皮托管 Type L Pitot Tube	NHB001-05	RGFV2018-0021 /2023-04-19 /国家计量院	MPE: ±0.003
压力校验仪 Pressure Calibrator	CZ61500809	RYJ201800162 /2019-01-07 /本中心	0.05 级 Grade 0.05

5. 校准地点、环境条件:
Place and environmental conditions of the calibration:
地点 风速实验室(Wind speed Lab.)
Place Temperature (25±5) °C 相对湿度 <75 %
R.H.

6. 被校准仪器限制使用条件:
Limiting condition of the instrument calibrated:

注: 1. 本证书校准结果只与受检仪器有关。
2. 未经本机构书面批准, 不得部分复制此证书。
Note: 1. The results relate only to the items calibrated.
2. This certificate shall not be reproduced except in full, without the written approval of our laboratory.

华南国家计量测试中心
广东省计量科学研究院
SOUTH CHINA NATIONAL CENTER OF METROLOGY
GUANGDONG INSTITUTE OF METROLOGY

校准结果
RESULTS OF CALIBRATION

证书编号 NSC201852316
Certificate No.

原始记录号 520182316
Record No.

第 3 页, 共 3 页
Page of

1. 外观检查: 符合要求。
Appearance check: Pass.

2. 风速表的示值修正值见表1:
The Correction of indication value of anemometer shown in table 1:

表1 Table 1(未注单位 Unit: m/s)

指示风速 Indication Value	修正值 Correction	扩展不确定度 Expanded uncertainty	允差(%FS) MPE
0.44	-0.03	0.20	±5
1.04	-0.12	0.20	±5
2.19	0.00	0.20	±5
5.00	+0.05	0.20	±5
9.91	+0.17	0.20	±5
15.09	+0.14	0.30	±5
20.03	+0.24	0.40	±5
24.91	+0.22	0.50	±5
28.00	+0.21	0.60	±5

说明
Note:





1. 结论: 以上校准结果符合JJG(建设)0001-1992 (准确度A级) 技术要求。
Conclusion: The data of instrument calibrated above comply with the technical characteristics in JJG(建设)0001-1992 (for accuracy Class A).

2. 示值修正值测量结果的扩展不确定度 U_{95} : 见表1, 包含因子: $k_{95}=2$ 。
The expanded uncertainty in measurement for correction of indication value: shown in table 1, Coverage factor: $k_{95}=2$ 。
依据“JJF1059.1-2012《测量不确定度评定与表示》”
In accordance with “JJF1059.1-2012 Evaluation and Expression of Uncertainty in Measurement”





3. 按照所依据技术文件的规定, 建议复校时间间隔不超过1年。
According to the demand of reference document, next calibration is proposed within 1 year.

Appendix L – Graphical presentation of baseline noise monitoring data





L_{Aeq}, 5-min graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop





L_{Aeq, 5-min} graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop







L_{Aeq}, 5-min graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop







$L_{Aeq, 5-min}$ graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop







L_{Aeq}, 5-min graphical results of M12 - Hong Kong Children's Hospital





L_{Aeq}, 5-min graphical results of M12 - Hong Kong Children's Hospital



L_{Aeq}, 5-min graphical results of M12 - Hong Kong Children's Hospital



L_{Aeq}, 5-min graphical results of M12 - Hong Kong Children’s Hospital



Appendix M – Day-time (0700-1900 hrs) noise monitoring data

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	7:00	62.8	66.7	52.2	63.5
28/10/2019	7:05	62	66.3	50.9	
28/10/2019	7:10	61.9	66.4	53.3	
28/10/2019	7:15	61.4	66.1	53.1	
28/10/2019	7:20	67.6	74.9	53.2	
28/10/2019	7:25	61.1	65.6	52.5	62.1
28/10/2019	7:30	61.2	65.8	51.5	
28/10/2019	7:35	62.6	67.9	53.7	
28/10/2019	7:40	62	67	53.5	
28/10/2019	7:45	61.1	65.8	52.7	
28/10/2019	7:50	62.3	66.9	53.2	61.8
28/10/2019	7:55	63.1	67.6	55.1	
28/10/2019	8:00	61.6	65.9	53.1	
28/10/2019	8:05	60.8	65.9	51.5	
28/10/2019	8:10	61.5	65.7	51.4	
28/10/2019	8:15	62.4	66.9	54.4	62.3
28/10/2019	8:20	61.8	66.1	53.6	
28/10/2019	8:25	62.4	66.6	54.8	
28/10/2019	8:30	61.8	66	51.6	
28/10/2019	8:35	62.4	66.8	53.9	
28/10/2019	8:40	62.1	66.4	55.2	62.6
28/10/2019	8:45	61.3	66	53.7	
28/10/2019	8:50	63	67.7	53.3	
28/10/2019	8:55	62.9	66.9	55.2	
28/10/2019	9:00	62.8	67.2	53.8	
28/10/2019	9:05	62.4	66.6	54.4	63.9
28/10/2019	9:10	61.9	66.1	53	
28/10/2019	9:15	62.8	67	54.1	
28/10/2019	9:20	62.6	66.9	54.5	
28/10/2019	9:25	63	66.4	53.6	
28/10/2019	9:30	62.7	67.1	55.9	68.0
28/10/2019	9:35	62.1	65.7	55.3	
28/10/2019	9:40	62.8	67.1	54.6	
28/10/2019	9:45	62.8	66.3	55.3	
28/10/2019	9:50	63.4	67.5	56.5	
28/10/2019	9:55	67.1	72.7	55.8	71.6
28/10/2019	10:00	62.6	66.4	55.4	
28/10/2019	10:05	63.2	67.2	56	
28/10/2019	10:10	62.8	66.6	55.5	
28/10/2019	10:15	62.9	67.3	55.3	
28/10/2019	10:20	71.5	73.6	66.1	70.1
28/10/2019	10:25	72.1	78	64.5	
28/10/2019	10:30	69.5	72.4	64.8	
28/10/2019	10:35	70.2	73.6	65.1	
28/10/2019	10:40	69.8	74	63.2	
28/10/2019	10:45	75.3	78.7	63.8	69.7
28/10/2019	10:50	70	74.6	63.2	
28/10/2019	10:55	71.3	75.9	64.8	
28/10/2019	11:00	69.3	73.3	63.7	
28/10/2019	11:05	70.7	75.4	64.8	
28/10/2019	11:10	69.9	72.3	63.5	67.0
28/10/2019	11:15	70.5	74.6	64.3	
28/10/2019	11:20	68.6	72	63.1	
28/10/2019	11:25	71	75.7	65.2	
28/10/2019	11:30	69.8	74	63.7	
28/10/2019	11:35	70.2	73.6	65.8	67.0
28/10/2019	11:40	71.1	74.4	65.1	
28/10/2019	11:45	68.6	72.3	63.4	
28/10/2019	11:50	69	73	64.2	
28/10/2019	11:55	68.8	72.7	63.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	12:00	67.1	70.4	61.5	66.9
28/10/2019	12:05	67.1	70.7	62.2	
28/10/2019	12:10	67.3	69	61.3	
28/10/2019	12:15	66.2	69.9	61.8	
28/10/2019	12:20	66.8	70.5	62.4	
28/10/2019	12:25	66.8	70.8	61.9	67.6
28/10/2019	12:30	67.8	72.3	61.6	
28/10/2019	12:35	68.6	73.1	62.2	
28/10/2019	12:40	66.3	70.3	61.8	
28/10/2019	12:45	67.5	72	61.7	
28/10/2019	12:50	66.8	70.6	61.4	67.2
28/10/2019	12:55	68.2	71.6	62	
28/10/2019	13:00	67	71.7	61.6	
28/10/2019	13:05	68	71.3	62.8	
28/10/2019	13:10	67.1	71.1	62.9	
28/10/2019	13:15	66.1	70.2	61.8	69.0
28/10/2019	13:20	67.5	71.3	60.7	
28/10/2019	13:25	67.4	71.7	61.8	
28/10/2019	13:30	70.9	75.3	62.6	
28/10/2019	13:35	68.5	73.1	62.1	
28/10/2019	13:40	68.3	73.6	61.5	67.3
28/10/2019	13:45	68	72.4	61.9	
28/10/2019	13:50	67.2	71.5	61.2	
28/10/2019	13:55	69.8	74	63.9	
28/10/2019	14:00	65.3	69.8	60.5	
28/10/2019	14:05	66.4	70.4	61.5	71.0
28/10/2019	14:10	65.2	68.3	61.1	
28/10/2019	14:15	70.4	72.7	62.9	
28/10/2019	14:20	67.6	71.3	63.7	
28/10/2019	14:25	66.3	70	62.1	
28/10/2019	14:30	71	71.4	61.6	70.2
28/10/2019	14:35	67.6	72.4	62.1	
28/10/2019	14:40	72	76.3	65.7	
28/10/2019	14:45	72.3	76.1	67	
28/10/2019	14:50	71.5	76	65	
28/10/2019	14:55	69.9	74.6	64.8	68.6
28/10/2019	15:00	69.8	73.5	64.2	
28/10/2019	15:05	70.1	73.6	65.7	
28/10/2019	15:10	69.3	72.4	65.1	
28/10/2019	15:15	72.6	76.6	65.2	
28/10/2019	15:20	70.3	74.1	65.1	69.6
28/10/2019	15:25	67.1	70.7	63	
28/10/2019	15:30	68.9	72.1	64.3	
28/10/2019	15:35	68.7	72.3	63.9	
28/10/2019	15:40	66.8	70.2	62.3	
28/10/2019	15:45	68.5	71.9	63.7	67.0
28/10/2019	15:50	69.5	73.7	63.5	
28/10/2019	15:55	68.8	72.7	63.1	
28/10/2019	16:00	69	72.6	63.5	
28/10/2019	16:05	72.1	75	64.5	
28/10/2019	16:10	70.8	72.5	62.8	67.0
28/10/2019	16:15	68.5	71.8	63	
28/10/2019	16:20	69.3	72.7	63.9	
28/10/2019	16:25	65	69.6	58.8	
28/10/2019	16:30	71.7	73.7	57.5	
28/10/2019	16:35	64.2	68.6	57.5	67.0
28/10/2019	16:40	65.5	69.6	58.1	
28/10/2019	16:45	64.7	69.1	57.1	
28/10/2019	16:50	65.5	70	57.2	
28/10/2019	16:55	64.3	68.7	57.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	17:00	64.1	69.7	56.2	64.0
28/10/2019	17:05	63.9	68.9	54.5	
28/10/2019	17:10	64.8	70.8	54.3	
28/10/2019	17:15	63.3	67.9	55	
28/10/2019	17:20	65.4	69.8	54.2	
28/10/2019	17:25	61.3	66.4	53.5	
28/10/2019	17:30	65.5	70.6	54.6	64.5
28/10/2019	17:35	64.3	70	55.1	
28/10/2019	17:40	65.3	69.8	54.1	
28/10/2019	17:45	63.1	68.4	52.3	
28/10/2019	17:50	65.6	69.4	52.7	
28/10/2019	17:55	61.7	68	52.1	
28/10/2019	18:00	61	66.2	52.6	64.2
28/10/2019	18:05	66.3	67.3	52	
28/10/2019	18:10	66.9	70.2	55.7	
28/10/2019	18:15	61.6	66.7	55.6	
28/10/2019	18:20	63.1	68.2	55.6	
28/10/2019	18:25	62.3	67.1	55.9	
28/10/2019	18:30	62.1	67.4	55.7	62.0
28/10/2019	18:35	61.2	65.9	55.8	
28/10/2019	18:40	62.2	66.5	55.9	
28/10/2019	18:45	61.7	66.6	55.2	
28/10/2019	18:50	62	67.8	55.6	
28/10/2019	18:55	62.5	67.8	55.6	
29/10/2019	7:00	61.8	66.2	56.4	62.3
29/10/2019	7:05	61.7	66.8	53.6	
29/10/2019	7:10	58.2	63.5	52.7	
29/10/2019	7:15	62.8	68.1	53.4	
29/10/2019	7:20	63.5	68.5	54.2	
29/10/2019	7:25	63.7	69	53.4	
29/10/2019	7:30	61.6	66.1	54.2	61.8
29/10/2019	7:35	63.1	68.4	54.5	
29/10/2019	7:40	61.2	66	54.1	
29/10/2019	7:45	58.5	63.4	52.9	
29/10/2019	7:50	63.5	68.2	56.2	
29/10/2019	7:55	61.3	66.1	53.7	
29/10/2019	8:00	58.9	63.8	52	62.6
29/10/2019	8:05	64.3	70.2	54.4	
29/10/2019	8:10	62.6	68.4	56.1	
29/10/2019	8:15	61.4	66.2	56	
29/10/2019	8:20	64.4	69.3	56.5	
29/10/2019	8:25	62.1	66.5	56.3	
29/10/2019	8:30	62.4	67.8	55.8	62.8
29/10/2019	8:35	62	65.8	55.4	
29/10/2019	8:40	63.3	68	55.9	
29/10/2019	8:45	63.5	69	55.6	
29/10/2019	8:50	62.6	67.9	56.1	
29/10/2019	8:55	62.7	67.6	55.7	
29/10/2019	9:00	62.9	67.4	56.1	63.1
29/10/2019	9:05	62.5	67.3	56.3	
29/10/2019	9:10	62.1	66.2	56.5	
29/10/2019	9:15	63.5	68	56.7	
29/10/2019	9:20	64.8	69.6	57.4	
29/10/2019	9:25	62.2	66.9	56.4	
29/10/2019	9:30	63	68.2	55.2	70.4
29/10/2019	9:35	63.1	67.3	57.4	
29/10/2019	9:40	65.1	70.2	57.8	
29/10/2019	9:45	77.2	78.5	58.3	
29/10/2019	9:50	62.8	66.5	57.2	
29/10/2019	9:55	66.4	67.6	57.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	10:00	63.1	67.5	56.8	63.1
29/10/2019	10:05	61.4	65.4	55.4	
29/10/2019	10:10	62.5	66.7	58.1	
29/10/2019	10:15	64.5	69.2	57.8	
29/10/2019	10:20	63.7	67.4	58.2	
29/10/2019	10:25	62.7	67.5	56.6	
29/10/2019	10:30	62.1	66.1	56.5	64.0
29/10/2019	10:35	64.9	68.9	56.6	
29/10/2019	10:40	63.9	68.1	57.5	
29/10/2019	10:45	64.5	69.4	57.1	
29/10/2019	10:50	63.7	67.7	57	
29/10/2019	10:55	64.6	69.3	57.6	
29/10/2019	11:00	64.8	69.5	58.4	66.2
29/10/2019	11:05	66.2	72.5	59.6	
29/10/2019	11:10	67.5	70.4	58.7	
29/10/2019	11:15	65.7	71.3	57.9	
29/10/2019	11:20	64.1	69.4	55.1	
29/10/2019	11:25	67.8	74.4	56	
29/10/2019	11:30	64	68.2	57.5	63.9
29/10/2019	11:35	62.4	66.9	54.2	
29/10/2019	11:40	65.1	69	55.7	
29/10/2019	11:45	62.5	67.4	55	
29/10/2019	11:50	63.8	68.6	55.3	
29/10/2019	11:55	64.7	69.7	55.6	
29/10/2019	12:00	62.9	68.7	54.1	65.0
29/10/2019	12:05	63.5	68.3	55.7	
29/10/2019	12:10	64.9	69.4	57.9	
29/10/2019	12:15	65.5	69.8	57.9	
29/10/2019	12:20	63.2	67.7	56.5	
29/10/2019	12:25	67.8	72.3	55.9	
29/10/2019	12:30	65.8	70.2	58.2	65.1
29/10/2019	12:35	64.8	69.8	57.1	
29/10/2019	12:40	65.2	69.1	58.2	
29/10/2019	12:45	65.3	69.6	58.7	
29/10/2019	12:50	64.6	68.8	58.7	
29/10/2019	12:55	64.5	68.6	57.3	
29/10/2019	13:00	67.6	74.3	57.8	64.5
29/10/2019	13:05	63.5	67.7	56.1	
29/10/2019	13:10	63.1	68.1	53.2	
29/10/2019	13:15	61.2	66.8	52.7	
29/10/2019	13:20	64.8	68.8	52.5	
29/10/2019	13:25	63.9	68.4	52.8	
29/10/2019	13:30	65.1	69.9	53.9	64.6
29/10/2019	13:35	63.5	68.4	53.9	
29/10/2019	13:40	64.4	68.7	55.7	
29/10/2019	13:45	64.7	69.7	55.7	
29/10/2019	13:50	65.5	70	56	
29/10/2019	13:55	64.2	68.8	56.3	
29/10/2019	14:00	64.9	70.4	54.6	63.9
29/10/2019	14:05	65.1	70.8	56.9	
29/10/2019	14:10	63.5	69.5	55.9	
29/10/2019	14:15	62.5	67.4	56.7	
29/10/2019	14:20	64.6	70.1	56.2	
29/10/2019	14:25	61.4	66	56.2	
29/10/2019	14:30	63.8	69.9	56.2	62.3
29/10/2019	14:35	61.2	66.2	55.5	
29/10/2019	14:40	62.6	67.5	55.2	
29/10/2019	14:45	60.8	65.2	55.4	
29/10/2019	14:50	61.9	66.2	55.6	
29/10/2019	14:55	63	67.4	56	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	15:00	65	70.1	55.9	63.5
29/10/2019	15:05	62.5	67.9	52.4	
29/10/2019	15:10	61.7	66.6	52.7	
29/10/2019	15:15	61.8	67.1	52.3	
29/10/2019	15:20	61.7	66.9	53.6	
29/10/2019	15:25	66	71.4	56.6	
29/10/2019	15:30	71.3	75.5	56.5	66.5
29/10/2019	15:35	63.6	68.3	55.5	
29/10/2019	15:40	64.6	69.6	54.6	
29/10/2019	15:45	62.2	66.8	54.6	
29/10/2019	15:50	63.8	69.8	54.2	
29/10/2019	15:55	66.3	72.2	54.8	
29/10/2019	16:00	63.9	69.1	53.8	63.7
29/10/2019	16:05	62.6	68.3	54.7	
29/10/2019	16:10	64.7	69.1	57.8	
29/10/2019	16:15	62.6	68.1	55.9	
29/10/2019	16:20	64.4	68.8	56	
29/10/2019	16:25	63.5	68.4	55.3	
29/10/2019	16:30	62.2	67.5	55.4	62.7
29/10/2019	16:35	63.8	69.8	55.5	
29/10/2019	16:40	61.5	66.5	55.6	
29/10/2019	16:45	61.9	66.1	55.9	
29/10/2019	16:50	63.8	69	56	
29/10/2019	16:55	62.5	68.4	55.4	
29/10/2019	17:00	62.5	67.9	55.3	67.2
29/10/2019	17:05	62.1	67	53.7	
29/10/2019	17:10	61.3	66.8	51.3	
29/10/2019	17:15	63.5	68.4	52.3	
29/10/2019	17:20	73.6	77.2	51.6	
29/10/2019	17:25	62.2	67.4	52.9	
29/10/2019	17:30	60.3	65.7	51.9	65.1
29/10/2019	17:35	63.2	68	52.9	
29/10/2019	17:40	68.8	70.5	53.7	
29/10/2019	17:45	62.1	68.5	52.9	
29/10/2019	17:50	67	71.3	54.7	
29/10/2019	17:55	63.1	68.5	52.2	
29/10/2019	18:00	64.5	68.6	55.8	65.7
29/10/2019	18:05	63.3	68.2	55.4	
29/10/2019	18:10	64	68.6	56.7	
29/10/2019	18:15	69.9	70.6	55.9	
29/10/2019	18:20	63.2	68.5	55.5	
29/10/2019	18:25	64.4	69.2	56.5	
29/10/2019	18:30	62.3	66.9	55.9	63.2
29/10/2019	18:35	65	70	55.6	
29/10/2019	18:40	63.3	67.7	55.5	
29/10/2019	18:45	62.5	67	56.2	
29/10/2019	18:50	63.6	69.1	54.8	
29/10/2019	18:55	61.7	66.4	56	
30/10/2019	7:00	72	75.9	67.1	71.4
30/10/2019	7:05	73.1	77.2	68	
30/10/2019	7:10	72.4	76.9	66.6	
30/10/2019	7:15	68.3	72.8	63.6	
30/10/2019	7:20	70.5	74.4	65.7	
30/10/2019	7:25	70.3	74.6	64.4	
30/10/2019	7:30	67.1	70.9	62.6	68.4
30/10/2019	7:35	67.9	72.8	63.3	
30/10/2019	7:40	68.5	72.2	61.6	
30/10/2019	7:45	67.5	72.1	61.4	
30/10/2019	7:50	69.3	73.7	63	
30/10/2019	7:55	69.7	72.3	61.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	8:00	67.2	71	61.8	67.6
30/10/2019	8:05	67.9	72.1	61.2	
30/10/2019	8:10	67.8	72.5	62.2	
30/10/2019	8:15	67.7	71.6	63.3	
30/10/2019	8:20	66.9	71.1	62.3	
30/10/2019	8:25	67.9	72.4	64.1	
30/10/2019	8:30	68.4	73	64	67.6
30/10/2019	8:35	64.8	68.2	61.8	
30/10/2019	8:40	66.9	71.1	62.4	
30/10/2019	8:45	68.5	72.9	63.2	
30/10/2019	8:50	68	72.8	62	
30/10/2019	8:55	68.2	72.3	63.3	
30/10/2019	9:00	67.6	72.4	61.2	68.2
30/10/2019	9:05	68.3	73.1	61.5	
30/10/2019	9:10	67.2	72.6	60.7	
30/10/2019	9:15	68.2	73	62.4	
30/10/2019	9:20	68	73.2	59.9	
30/10/2019	9:25	69.6	75.3	61.4	
30/10/2019	9:30	63.6	68.8	54.8	62.0
30/10/2019	9:35	61.7	66.4	54.4	
30/10/2019	9:40	59	63.8	53.2	
30/10/2019	9:45	64	68.6	56.5	
30/10/2019	9:50	61.8	66.5	54	
30/10/2019	9:55	59.4	64.2	52.3	
30/10/2019	10:00	64.8	70.6	54.7	63.5
30/10/2019	10:05	63.1	68.8	56.4	
30/10/2019	10:10	61.9	66.6	56.3	
30/10/2019	10:15	64.9	69.7	56.8	
30/10/2019	10:20	62.6	66.9	56.6	
30/10/2019	10:25	62.9	68.2	56.1	
30/10/2019	10:30	62.5	66.2	55.7	63.4
30/10/2019	10:35	63.8	68.4	56.2	
30/10/2019	10:40	64	69.4	55.9	
30/10/2019	10:45	63.1	68.3	56.4	
30/10/2019	10:50	63.2	68	56	
30/10/2019	10:55	63.4	67.8	56.4	
30/10/2019	11:00	63	67.7	56.6	63.6
30/10/2019	11:05	62.6	66.6	56.8	
30/10/2019	11:10	64	68.4	57	
30/10/2019	11:15	65.3	70	57.7	
30/10/2019	11:20	62.7	67.3	56.7	
30/10/2019	11:25	63.5	68.6	55.5	
30/10/2019	11:30	63.6	67.7	57.7	70.9
30/10/2019	11:35	65.6	70.6	58.1	
30/10/2019	11:40	77.7	78.9	58.6	
30/10/2019	11:45	63.3	66.9	57.5	
30/10/2019	11:50	66.9	68	58.1	
30/10/2019	11:55	63.6	67.9	57.1	
30/10/2019	12:00	61.9	65.8	55.7	63.4
30/10/2019	12:05	63	67.1	58.4	
30/10/2019	12:10	65	69.6	58.1	
30/10/2019	12:15	64.2	67.8	58.5	
30/10/2019	12:20	63.2	67.9	56.9	
30/10/2019	12:25	62.6	66.5	56.8	
30/10/2019	12:30	65.4	69.3	56.9	64.9
30/10/2019	12:35	64.4	68.5	57.8	
30/10/2019	12:40	65	69.8	57.4	
30/10/2019	12:45	64.2	68.1	57.3	
30/10/2019	12:50	65.1	69.7	57.9	
30/10/2019	12:55	65.3	69.9	58.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	13:00	66.7	72.9	59.9	66.6
30/10/2019	13:05	68	70.8	59	
30/10/2019	13:10	66.2	71.7	58.2	
30/10/2019	13:15	64.6	69.8	55.4	
30/10/2019	13:20	68.3	74.8	56.3	
30/10/2019	13:25	64.5	68.6	57.8	
30/10/2019	13:30	62.9	67.3	54.5	64.2
30/10/2019	13:35	65.6	69.4	56	
30/10/2019	13:40	63	67.8	55.3	
30/10/2019	13:45	64.3	69	55.6	
30/10/2019	13:50	65.2	70.1	55.9	
30/10/2019	13:55	63.4	69.1	54.4	
30/10/2019	14:00	64	68.7	56	65.9
30/10/2019	14:05	65.4	69.8	58.2	
30/10/2019	14:10	66	70.2	58.2	
30/10/2019	14:15	63.7	68.1	56.8	
30/10/2019	14:20	68.3	72.7	56.2	
30/10/2019	14:25	66.3	70.6	58.5	
30/10/2019	14:30	65.3	70.2	57.4	66.0
30/10/2019	14:35	65.7	69.5	58.5	
30/10/2019	14:40	65.8	70	59	
30/10/2019	14:45	65.1	69.2	59	
30/10/2019	14:50	65	69	57.6	
30/10/2019	14:55	68.1	74.7	58.1	
30/10/2019	15:00	64	68.1	56.4	64.3
30/10/2019	15:05	63.6	68.5	53.5	
30/10/2019	15:10	61.7	67.2	53	
30/10/2019	15:15	65.3	69.2	52.8	
30/10/2019	15:20	64.4	68.8	53.1	
30/10/2019	15:25	65.6	70.3	54.2	
30/10/2019	15:30	64	68.8	54.2	65.1
30/10/2019	15:35	64.9	69.1	56	
30/10/2019	15:40	65.2	70.1	56	
30/10/2019	15:45	66	70.4	56.3	
30/10/2019	15:50	64.7	69.2	56.6	
30/10/2019	15:55	65.4	70.8	54.9	
30/10/2019	16:00	65.6	71.2	57.2	64.2
30/10/2019	16:05	64	69.9	56.2	
30/10/2019	16:10	63	67.8	57	
30/10/2019	16:15	65.1	70.5	56.5	
30/10/2019	16:20	61.9	66.4	56.5	
30/10/2019	16:25	64.3	70.3	56.5	
30/10/2019	16:30	61.7	66.6	55.8	63.2
30/10/2019	16:35	63.1	67.9	55.5	
30/10/2019	16:40	61.3	65.6	55.7	
30/10/2019	16:45	62.4	66.6	55.9	
30/10/2019	16:50	63.5	67.8	56.3	
30/10/2019	16:55	65.5	70.5	56.2	
30/10/2019	17:00	63	68.3	52.7	66.5
30/10/2019	17:05	62.2	67	53	
30/10/2019	17:10	62.3	67.5	52.6	
30/10/2019	17:15	62.2	67.3	53.9	
30/10/2019	17:20	66.5	71.8	56.9	
30/10/2019	17:25	71.8	75.9	56.8	
30/10/2019	17:30	64.1	68.7	55.8	64.7
30/10/2019	17:35	65.1	70	54.9	
30/10/2019	17:40	62.7	67.2	54.9	
30/10/2019	17:45	64.3	70.2	54.5	
30/10/2019	17:50	66.8	72.6	55.1	
30/10/2019	17:55	64.4	69.5	54.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	18:00	63.1	68.7	55	63.9
30/10/2019	18:05	65.2	69.5	58.1	
30/10/2019	18:10	63.1	68.5	56.2	
30/10/2019	18:15	64.9	69.2	56.3	
30/10/2019	18:20	64	68.8	55.6	
30/10/2019	18:25	62.7	67.9	55.7	
30/10/2019	18:30	64.3	70.2	55.8	63.3
30/10/2019	18:35	62	66.9	55.9	
30/10/2019	18:40	62.4	66.5	56.2	
30/10/2019	18:45	64.3	69.4	56.3	
30/10/2019	18:50	63	68.8	55.7	
30/10/2019	18:55	63	68.3	55.6	
31/10/2019	7:00	67	72.9	55.7	66.7
31/10/2019	7:05	63.9	68.6	57.2	
31/10/2019	7:10	65.6	70.3	54.9	
31/10/2019	7:15	66.9	71.8	57	
31/10/2019	7:20	67.7	73	58.8	
31/10/2019	7:25	67.8	71.7	55.4	
31/10/2019	7:30	66.8	71.7	58.1	70.1
31/10/2019	7:35	71.1	73.2	60.2	
31/10/2019	7:40	67.6	71.9	60.9	
31/10/2019	7:45	67.3	70.9	61.1	
31/10/2019	7:50	74.1	77.2	62.6	
31/10/2019	7:55	68.1	72.4	62.9	
31/10/2019	8:00	69	74	61.9	68.8
31/10/2019	8:05	67.7	71.8	60	
31/10/2019	8:10	70.5	75.5	61.7	
31/10/2019	8:15	69	73.4	62.5	
31/10/2019	8:20	67.4	71.5	60.4	
31/10/2019	8:25	68.2	72.6	61.4	
31/10/2019	8:30	71.4	75.4	63.7	72.6
31/10/2019	8:35	72.4	76.4	67.3	
31/10/2019	8:40	73.3	77.4	66.4	
31/10/2019	8:45	73.1	77.4	66.9	
31/10/2019	8:50	72.5	76.3	66.4	
31/10/2019	8:55	72.7	76.3	67.4	
31/10/2019	9:00	73.8	77.6	68.3	71.5
31/10/2019	9:05	73.1	77.3	66.9	
31/10/2019	9:10	69	73.2	63.9	
31/10/2019	9:15	71.2	74.8	66	
31/10/2019	9:20	71	75	64.7	
31/10/2019	9:25	67.8	71.3	62.9	
31/10/2019	9:30	68.6	73.2	63.6	69.1
31/10/2019	9:35	69.2	72.6	61.9	
31/10/2019	9:40	68.2	72.5	61.7	
31/10/2019	9:45	70	74.1	63.3	
31/10/2019	9:50	70.4	72.7	61.9	
31/10/2019	9:55	67.9	71.4	62.1	
31/10/2019	10:00	68.6	72.5	61.5	68.5
31/10/2019	10:05	68.5	72.9	62.5	
31/10/2019	10:10	68.4	72	63.6	
31/10/2019	10:15	67.6	71.5	62.6	
31/10/2019	10:20	68.6	72.8	64.4	
31/10/2019	10:25	69.1	73.4	64.3	
31/10/2019	10:30	65.5	68.6	62.1	68.2
31/10/2019	10:35	67.6	71.5	62.7	
31/10/2019	10:40	69.2	73.3	63.5	
31/10/2019	10:45	68.7	73.2	62.3	
31/10/2019	10:50	68.9	72.7	63.6	
31/10/2019	10:55	68.3	72.8	61.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	11:00	69	73.5	61.8	68.8
31/10/2019	11:05	67.9	73	61	
31/10/2019	11:10	68.9	73.4	62.7	
31/10/2019	11:15	68.7	73.6	60.2	
31/10/2019	11:20	70.3	75.7	61.7	
31/10/2019	11:25	67.6	72.1	61.9	
31/10/2019	11:30	66.3	70.4	60.3	67.6
31/10/2019	11:35	68.4	72.8	60.9	
31/10/2019	11:40	67.6	72.3	59.5	
31/10/2019	11:45	68.3	73.1	59.4	
31/10/2019	11:50	67.6	72.7	59.1	
31/10/2019	11:55	67.3	72.2	58.3	
31/10/2019	12:00	71	75.1	62.2	70.7
31/10/2019	12:05	72.2	76.7	66.3	
31/10/2019	12:10	69.4	73	64	
31/10/2019	12:15	70.9	74.3	65	
31/10/2019	12:20	70.7	74.5	65.5	
31/10/2019	12:25	69.7	74	61.9	
31/10/2019	12:30	70	74.2	64.1	70.9
31/10/2019	12:35	69.9	74.1	61.9	
31/10/2019	12:40	70.1	74.3	63.1	
31/10/2019	12:45	70.5	74.8	64.3	
31/10/2019	12:50	72.6	78.3	65.7	
31/10/2019	12:55	71.8	76.6	65.9	
31/10/2019	13:00	70.7	74.4	65	71.4
31/10/2019	13:05	72.6	76.9	65.9	
31/10/2019	13:10	71.5	75.1	65.2	
31/10/2019	13:15	71.2	74.6	65.8	
31/10/2019	13:20	71.8	75.8	66.6	
31/10/2019	13:25	70.5	73.7	66	
31/10/2019	13:30	71.1	75.2	65.2	71.3
31/10/2019	13:35	70	74	63.9	
31/10/2019	13:40	71.4	75.7	65.5	
31/10/2019	13:45	72.1	76.3	66.2	
31/10/2019	13:50	72.1	76.3	66.3	
31/10/2019	13:55	70.7	75.1	64.8	
31/10/2019	14:00	69.4	74	63.5	69.7
31/10/2019	14:05	68.9	73.5	64.5	
31/10/2019	14:10	68.6	72.4	63.8	
31/10/2019	14:15	68.3	72.6	63.7	
31/10/2019	14:20	72	74.3	64	
31/10/2019	14:25	69.7	74.5	63.6	
31/10/2019	14:30	69.4	74.3	64.2	68.5
31/10/2019	14:35	69	72.4	64.5	
31/10/2019	14:40	67.5	71	63.8	
31/10/2019	14:45	68	72.2	64	
31/10/2019	14:50	68.4	72.5	63.2	
31/10/2019	14:55	68.4	71.2	65.9	
31/10/2019	15:00	67.9	70.3	65.6	68.0
31/10/2019	15:05	68.5	71.5	65.8	
31/10/2019	15:10	67.9	70	65.6	
31/10/2019	15:15	68.5	70.8	66.1	
31/10/2019	15:20	67.8	70.1	65.9	
31/10/2019	15:25	67.6	70.6	65.5	
31/10/2019	15:30	68.5	72.6	65.8	68.0
31/10/2019	15:35	67.9	71	65.7	
31/10/2019	15:40	68	71.6	65.6	
31/10/2019	15:45	68.1	72.2	65.3	
31/10/2019	15:50	67.7	70.4	65.4	
31/10/2019	15:55	67.7	70.9	65.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	16:00	67.1	69.7	65	66.8
31/10/2019	16:05	67.3	72	64.3	
31/10/2019	16:10	66.3	69.5	63.9	
31/10/2019	16:15	66.7	70	64.4	
31/10/2019	16:20	67.1	70.8	64.5	
31/10/2019	16:25	66.5	70	63.9	
31/10/2019	16:30	67.5	71.1	64.6	67.2
31/10/2019	16:35	67.4	71.3	64.2	
31/10/2019	16:40	67.9	71.1	65	
31/10/2019	16:45	66.3	68.9	63.6	
31/10/2019	16:50	66.9	69.3	64.6	
31/10/2019	16:55	67	70.5	64.2	
31/10/2019	17:00	67.6	71.5	64.1	67.7
31/10/2019	17:05	67.2	69.5	64.6	
31/10/2019	17:10	67.2	70.7	64	
31/10/2019	17:15	67.6	70.5	64.9	
31/10/2019	17:20	67.8	69.9	65.4	
31/10/2019	17:25	68.4	71.1	65.7	
31/10/2019	17:30	68	70.7	65.3	67.4
31/10/2019	17:35	67.3	70.1	64.9	
31/10/2019	17:40	67.9	70.3	65.6	
31/10/2019	17:45	67	68.9	65	
31/10/2019	17:50	67	69.9	64.1	
31/10/2019	17:55	66.9	69.8	64.5	
31/10/2019	18:00	67.4	70.6	64.7	67.7
31/10/2019	18:05	67.7	71.1	65.2	
31/10/2019	18:10	67.6	70.4	65.5	
31/10/2019	18:15	68	71.4	65.1	
31/10/2019	18:20	67.9	70.5	65.3	
31/10/2019	18:25	67.7	70.3	64.1	
31/10/2019	18:30	67.9	71.4	64.8	68.3
31/10/2019	18:35	67.6	70.5	64.7	
31/10/2019	18:40	67.3	70.7	64.6	
31/10/2019	18:45	68.2	70.1	65.9	
31/10/2019	18:50	69.3	72.3	66.4	
31/10/2019	18:55	69	71.4	65.3	
01/11/2019	7:00	68.4	71.2	66	68.5
01/11/2019	7:05	68.8	72.6	66.3	
01/11/2019	7:10	68.5	71.3	66.5	
01/11/2019	7:15	68.2	70.2	66.3	
01/11/2019	7:20	68.2	70.2	66.3	
01/11/2019	7:25	68.9	72.8	66.2	
01/11/2019	7:30	68.2	71.4	65.8	68.5
01/11/2019	7:35	68.9	71.8	66.7	
01/11/2019	7:40	69.3	72.8	66.8	
01/11/2019	7:45	68.6	71	66.7	
01/11/2019	7:50	67.6	70.7	65.3	
01/11/2019	7:55	68.3	71.1	66.1	
01/11/2019	8:00	68.4	72.3	66	68.5
01/11/2019	8:05	68.9	72	66.5	
01/11/2019	8:10	68.2	70.8	66.3	
01/11/2019	8:15	68.6	71.2	66.5	
01/11/2019	8:20	68	70.7	65.9	
01/11/2019	8:25	68.6	71.4	66.4	
01/11/2019	8:30	68.1	70.4	66	68.3
01/11/2019	8:35	68.5	70.8	66.6	
01/11/2019	8:40	68.6	71.2	66.4	
01/11/2019	8:45	68.4	70.7	65.9	
01/11/2019	8:50	67.9	70.5	64.9	
01/11/2019	8:55	68.3	70	66.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	9:00	68.9	70.8	66.7	69.0
01/11/2019	9:05	68.9	71.9	66.7	
01/11/2019	9:10	68.9	71	66.3	
01/11/2019	9:15	69.7	72.9	67.1	
01/11/2019	9:20	68.6	71	66	
01/11/2019	9:25	69.2	71.5	67.1	
01/11/2019	9:30	69.3	70.9	67.6	69.8
01/11/2019	9:35	69.7	71.8	67.4	
01/11/2019	9:40	70	72	67.5	
01/11/2019	9:45	70.3	72.8	68.4	
01/11/2019	9:50	69.8	72.4	67.3	
01/11/2019	9:55	69.7	71.7	67.5	
01/11/2019	10:00	70	72.6	67.2	69.8
01/11/2019	10:05	69.8	71.7	67.8	
01/11/2019	10:10	70	71.8	67.9	
01/11/2019	10:15	69.6	72.6	67	
01/11/2019	10:20	69.5	71.2	67.5	
01/11/2019	10:25	69.9	72.1	68	
01/11/2019	10:30	71.7	71.7	65.9	70.1
01/11/2019	10:35	69.8	71.6	68	
01/11/2019	10:40	69.8	72.1	67.2	
01/11/2019	10:45	69.6	71.8	67.1	
01/11/2019	10:50	69.7	71.9	67.7	
01/11/2019	10:55	69.4	71.6	67.1	
01/11/2019	11:00	69.6	71.8	67.3	69.5
01/11/2019	11:05	69.7	71.8	67.5	
01/11/2019	11:10	69.8	71.6	67.6	
01/11/2019	11:15	69.5	71.8	66.9	
01/11/2019	11:20	69	71.3	65.6	
01/11/2019	11:25	69.4	72.2	66.7	
01/11/2019	11:30	69.7	71.7	67.6	69.6
01/11/2019	11:35	69.8	71.7	66.7	
01/11/2019	11:40	70	72.4	67.2	
01/11/2019	11:45	69.1	71.2	67.1	
01/11/2019	11:50	69.8	72	67.9	
01/11/2019	11:55	69.1	71.3	66.2	
01/11/2019	12:00	69.3	71.9	67.3	68.9
01/11/2019	12:05	69.4	71.9	67	
01/11/2019	12:10	68.7	70.3	66.8	
01/11/2019	12:15	69	70.8	67.1	
01/11/2019	12:20	68.4	70.1	66.6	
01/11/2019	12:25	68.8	71.2	65.6	
01/11/2019	12:30	68.1	70	66.1	68.1
01/11/2019	12:35	67.9	70.3	65.3	
01/11/2019	12:40	68	70.6	65.9	
01/11/2019	12:45	68	69.9	65.9	
01/11/2019	12:50	68.2	70.5	66.3	
01/11/2019	12:55	68.2	70.3	66.1	
01/11/2019	13:00	68.1	71.8	65.8	68.4
01/11/2019	13:05	68.4	70.7	66.5	
01/11/2019	13:10	68.3	70.6	66.5	
01/11/2019	13:15	68.7	70.9	66.5	
01/11/2019	13:20	68.2	70.8	64.6	
01/11/2019	13:25	68.4	71.3	65.8	
01/11/2019	13:30	68	70.5	66.2	69.1
01/11/2019	13:35	69.5	73.5	67.1	
01/11/2019	13:40	69.1	70.9	66.9	
01/11/2019	13:45	69	71.2	66.8	
01/11/2019	13:50	69.4	72.6	67.1	
01/11/2019	13:55	69.4	72	67.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	14:00	68.9	72.4	66.9	69.3
01/11/2019	14:05	69.6	71.9	67.3	
01/11/2019	14:10	69.4	72.1	66.8	
01/11/2019	14:15	69.1	71.1	66.8	
01/11/2019	14:20	69.4	72.1	66.9	
01/11/2019	14:25	69.1	71.7	67.3	
01/11/2019	14:30	69.4	71.8	67.4	69.1
01/11/2019	14:35	69.3	72.2	67.3	
01/11/2019	14:40	68.8	71	66.7	
01/11/2019	14:45	68.9	70.9	66.7	
01/11/2019	14:50	68.6	70.3	67.1	
01/11/2019	14:55	69.4	72.3	67.3	68.5
01/11/2019	15:00	68.7	71.3	66.5	
01/11/2019	15:05	68.5	71.6	66.2	
01/11/2019	15:10	68.8	72.1	66.7	
01/11/2019	15:15	68.3	70.3	66.4	
01/11/2019	15:20	68.5	71.4	66.4	
01/11/2019	15:25	68.1	70.7	66.2	68.1
01/11/2019	15:30	69.1	73.3	66.1	
01/11/2019	15:35	67.9	71.5	65.6	
01/11/2019	15:40	67.8	70.9	65.8	
01/11/2019	15:45	68.2	72.1	65.2	
01/11/2019	15:50	68.2	70.7	66.3	
01/11/2019	15:55	67.3	69.6	65.4	67.7
01/11/2019	16:00	67.9	71.2	65.2	
01/11/2019	16:05	68	71.9	65.9	
01/11/2019	16:10	67.7	71.6	65.3	
01/11/2019	16:15	67.1	69.8	65.5	
01/11/2019	16:20	67.9	71.3	65.7	
01/11/2019	16:25	67.8	70	65.8	67.8
01/11/2019	16:30	67.4	70.2	65.1	
01/11/2019	16:35	68.5	71.7	65.6	
01/11/2019	16:40	67.7	71.6	65	
01/11/2019	16:45	67.8	72.1	65.2	
01/11/2019	16:50	67.9	70.7	65.8	
01/11/2019	16:55	67.6	69.9	65.9	67.5
01/11/2019	17:00	68.5	71.8	66	
01/11/2019	17:05	66.6	70.3	64.4	
01/11/2019	17:10	67.2	70.5	64.7	
01/11/2019	17:15	67.7	71.8	64.8	
01/11/2019	17:20	67.7	71.4	64.7	
01/11/2019	17:25	67.2	70.4	64.9	68.1
01/11/2019	17:30	67.4	69.7	65.4	
01/11/2019	17:35	67.6	69.6	65.7	
01/11/2019	17:40	68	71.5	65.7	
01/11/2019	17:45	68.6	71	66.3	
01/11/2019	17:50	68.7	72.3	65.8	
01/11/2019	17:55	68.3	71.2	65.4	68.2
01/11/2019	18:00	68.2	70.9	65.3	
01/11/2019	18:05	68.1	70.8	65.5	
01/11/2019	18:10	68.7	72.2	65.6	
01/11/2019	18:15	68	72.3	62.4	
01/11/2019	18:20	67.9	71	65.4	
01/11/2019	18:25	68.4	72.9	65.4	68.6
01/11/2019	18:30	68	70.6	65.5	
01/11/2019	18:35	68.5	71	66.2	
01/11/2019	18:40	68.9	72.4	66.6	
01/11/2019	18:45	68.5	70.6	66.1	
01/11/2019	18:50	69.1	72.2	66.5	
01/11/2019	18:55	68.6	71.9	65.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	7:00	67.7	70.5	64	67.6
02/11/2019	7:05	67.3	69.8	64.1	
02/11/2019	7:10	68.1	71.7	62.9	
02/11/2019	7:15	67	70.2	63.1	
02/11/2019	7:20	67.9	72.1	63.5	
02/11/2019	7:25	67.8	71.2	63.9	68.2
02/11/2019	7:30	67.8	71.1	64.8	
02/11/2019	7:35	68.2	70.8	65.4	
02/11/2019	7:40	68.5	71.7	65.4	
02/11/2019	7:45	68.7	72.6	64.8	
02/11/2019	7:50	67.7	70.1	64.9	68.0
02/11/2019	7:55	68.3	71.6	64.8	
02/11/2019	8:00	67.9	71.6	64.5	
02/11/2019	8:05	68	70.3	64.7	
02/11/2019	8:10	67.8	70.7	64	
02/11/2019	8:15	68.2	71.2	64.1	69.3
02/11/2019	8:20	68.1	71.5	64.7	
02/11/2019	8:25	68	71.1	64.7	
02/11/2019	8:30	68.7	71.4	64.7	
02/11/2019	8:35	67.8	70.7	64.7	
02/11/2019	8:40	67.7	69.7	64.8	68.2
02/11/2019	8:45	69.9	72.4	65	
02/11/2019	8:50	71.6	78	65.7	
02/11/2019	8:55	69	72.1	66	
02/11/2019	9:00	68.1	71	65.4	
02/11/2019	9:05	68.4	71	65.2	68.2
02/11/2019	9:10	68	70.7	65.3	
02/11/2019	9:15	68.4	70.9	66.1	
02/11/2019	9:20	68.4	71.6	65.3	
02/11/2019	9:25	68.1	70.4	66.1	
02/11/2019	9:30	68.2	70.3	65.1	68.2
02/11/2019	9:35	68.1	70	65.6	
02/11/2019	9:40	68.5	71.5	65.4	
02/11/2019	9:45	68.2	71.1	65.4	
02/11/2019	9:50	68.1	70.3	65.1	
02/11/2019	9:55	68	70.9	65.3	68.5
02/11/2019	10:00	68.6	71	65.2	
02/11/2019	10:05	68.3	71	64.9	
02/11/2019	10:10	67.8	70.3	64.7	
02/11/2019	10:15	70	72.5	66.1	
02/11/2019	10:20	68.1	70.8	64.8	68.3
02/11/2019	10:25	67.9	70.9	64.3	
02/11/2019	10:30	68.3	70.7	66	
02/11/2019	10:35	68.6	72	65.4	
02/11/2019	10:40	68.4	70.8	65.8	
02/11/2019	10:45	68.2	70.8	65.2	68.1
02/11/2019	10:50	68.1	70.7	64.3	
02/11/2019	10:55	68	70.7	65.1	
02/11/2019	11:00	68.3	70.5	66	
02/11/2019	11:05	67.8	70.5	65	
02/11/2019	11:10	68.3	71.3	65.4	67.5
02/11/2019	11:15	67.9	69.7	65.5	
02/11/2019	11:20	68.1	71.1	65.6	
02/11/2019	11:25	68.4	71.8	65.2	
02/11/2019	11:30	68.3	71.5	64.5	
02/11/2019	11:35	68.3	70.7	66.1	67.5
02/11/2019	11:40	68.2	70.7	64.7	
02/11/2019	11:45	67.8	69.9	65.7	
02/11/2019	11:50	68.2	70.2	65.6	
02/11/2019	11:55	59.5	61.5	57.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	12:00	70.3	75.6	60.1	71.9
02/11/2019	12:05	71.6	76.3	63.6	
02/11/2019	12:10	72.7	77	64.8	
02/11/2019	12:15	73.7	78.1	65.7	
02/11/2019	12:20	71.6	76.7	62.9	
02/11/2019	12:25	70.8	75.6	63.1	70.7
02/11/2019	12:30	69.8	74.9	62.5	
02/11/2019	12:35	68.2	72.5	62.8	
02/11/2019	12:40	69.3	72.9	63.3	
02/11/2019	12:45	71.5	75.9	64.5	
02/11/2019	12:50	72.4	74.8	65.5	70.3
02/11/2019	12:55	71.6	75.9	65.1	
02/11/2019	13:00	70.7	75.2	63.8	
02/11/2019	13:05	70.2	74	63.6	
02/11/2019	13:10	70.1	73	62.6	
02/11/2019	13:15	71.2	75.3	63.4	70.9
02/11/2019	13:20	69	72.9	62.9	
02/11/2019	13:25	70.1	73.8	63	
02/11/2019	13:30	69.4	73.9	61.9	
02/11/2019	13:35	71.4	75.5	64.6	
02/11/2019	13:40	71.9	76	65.7	68.2
02/11/2019	13:45	71.7	76.3	62.5	
02/11/2019	13:50	69.6	74.4	61.6	
02/11/2019	13:55	71	75	63	
02/11/2019	14:00	69.8	74.4	62.5	
02/11/2019	14:05	66.9	71	60.6	68.0
02/11/2019	14:10	67.1	71.2	61.7	
02/11/2019	14:15	66.3	69.9	60.5	
02/11/2019	14:20	69.9	75.5	61.4	
02/11/2019	14:25	67.6	71.9	60.8	
02/11/2019	14:30	70.4	74.1	60.7	67.1
02/11/2019	14:35	67.6	71.5	61.2	
02/11/2019	14:40	66.7	70.7	60.4	
02/11/2019	14:45	66.9	71.6	59.7	
02/11/2019	14:50	66.8	70.2	59.7	
02/11/2019	14:55	68.2	72	60.6	67.9
02/11/2019	15:00	66.8	71.9	59.9	
02/11/2019	15:05	66.1	70	59.9	
02/11/2019	15:10	66	69.8	59.4	
02/11/2019	15:15	67.8	72.6	61	
02/11/2019	15:20	68.6	73.3	60.8	68.5
02/11/2019	15:25	67	71.4	60.5	
02/11/2019	15:30	66.9	70.8	60.9	
02/11/2019	15:35	68.6	72.8	60.9	
02/11/2019	15:40	68.4	73.5	59.5	
02/11/2019	15:45	67.7	71.8	61.3	71.3
02/11/2019	15:50	65.3	68.4	60.7	
02/11/2019	15:55	69.5	72.3	61.8	
02/11/2019	16:00	68.4	72.6	61.1	
02/11/2019	16:05	68.2	72.4	60.4	
02/11/2019	16:10	70.1	74.8	61.9	68.5
02/11/2019	16:15	67.6	71.4	62	
02/11/2019	16:20	68.6	73.3	61.5	
02/11/2019	16:25	67.2	71.3	61.1	
02/11/2019	16:30	68.3	73	61.4	
02/11/2019	16:35	73.5	74.5	63	71.3
02/11/2019	16:40	70.1	73.2	64.4	
02/11/2019	16:45	72.1	77.2	65.6	
02/11/2019	16:50	71.8	75.7	64.7	
02/11/2019	16:55	70.4	74.5	63.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	17:00	72.9	76.8	67.3	71.9
02/11/2019	17:05	73	77.2	66.3	
02/11/2019	17:10	72.3	75.7	66.5	
02/11/2019	17:15	70.1	73.9	64.3	
02/11/2019	17:20	72.4	76.3	66.6	
02/11/2019	17:25	69.7	73.3	64.3	
02/11/2019	17:30	71.3	75	65.1	71.7
02/11/2019	17:35	67.4	71.4	59.4	
02/11/2019	17:40	73.6	78.6	65.1	
02/11/2019	17:45	72.8	77.9	61.8	
02/11/2019	17:50	70.1	74	61.9	
02/11/2019	17:55	72.6	73.8	61.2	
02/11/2019	18:00	68.3	72.3	61.8	67.5
02/11/2019	18:05	68.8	73.1	62.9	
02/11/2019	18:10	67.4	71.2	60.4	
02/11/2019	18:15	68	70.9	60.4	
02/11/2019	18:20	66.7	71.1	59.9	
02/11/2019	18:25	64.7	69.4	57.6	
02/11/2019	18:30	69.3	74.9	58.7	67.7
02/11/2019	18:35	68.7	71.4	57.9	
02/11/2019	18:40	67.4	72.4	59.7	
02/11/2019	18:45	66.9	72.9	57	
02/11/2019	18:50	66.2	71.5	59.4	
02/11/2019	18:55	66.7	71.7	57.8	
04/11/2019	7:00	67.2	72	58.2	67.5
04/11/2019	7:05	65.2	69.6	57.4	
04/11/2019	7:10	66.1	71.1	57	
04/11/2019	7:15	67.4	72	59.1	
04/11/2019	7:20	68.9	73.7	60.5	
04/11/2019	7:25	68.9	73.3	59.2	
04/11/2019	7:30	66.8	71.6	58	70.3
04/11/2019	7:35	68.6	72.1	61.9	
04/11/2019	7:40	68.7	73.3	59.3	
04/11/2019	7:45	66.5	70.8	58	
04/11/2019	7:50	75.4	79.2	60.3	
04/11/2019	7:55	67.3	71.9	58.8	
04/11/2019	8:00	67.7	72	59.3	69.5
04/11/2019	8:05	68.4	72.7	59.7	
04/11/2019	8:10	73.5	77.8	61.3	
04/11/2019	8:15	67.7	71.5	61.2	
04/11/2019	8:20	68.2	72.8	61.2	
04/11/2019	8:25	67.4	71.8	61.9	
04/11/2019	8:30	72.1	76	61.6	71.7
04/11/2019	8:35	72.3	75.5	67.5	
04/11/2019	8:40	72.5	75.5	67.5	
04/11/2019	8:45	71.9	75.3	66.8	
04/11/2019	8:50	70.7	73.8	66.1	
04/11/2019	8:55	70.5	74.1	65.6	
04/11/2019	9:00	69.9	73.3	65.8	70.1
04/11/2019	9:05	69.6	73.2	64.7	
04/11/2019	9:10	69.3	72.7	64.4	
04/11/2019	9:15	69.8	73.8	63.8	
04/11/2019	9:20	71.3	74.5	66.7	
04/11/2019	9:25	70.5	74.3	65.8	
04/11/2019	9:30	69.4	72.9	62.7	68.0
04/11/2019	9:35	67.3	71.8	62.1	
04/11/2019	9:40	66.9	70.2	62.6	
04/11/2019	9:45	68.7	73.3	62.7	
04/11/2019	9:50	67.4	70.9	63.1	
04/11/2019	9:55	67.9	71.8	62.9	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	10:00	68.6	71.6	63.1	68.8
04/11/2019	10:05	69.9	75	64.1	
04/11/2019	10:10	68.8	72.8	64.2	
04/11/2019	10:15	68.4	72	63.3	
04/11/2019	10:20	68.2	71.4	64.3	
04/11/2019	10:25	68.4	72.5	62.8	
04/11/2019	10:30	68.3	72.6	63.6	69.0
04/11/2019	10:35	67.7	71.3	62.6	
04/11/2019	10:40	66.7	71.3	61.9	
04/11/2019	10:45	67.3	71.4	61.9	
04/11/2019	10:50	72.2	74.5	62.9	
04/11/2019	10:55	69.3	73.1	63.7	
04/11/2019	11:00	68.1	73.6	62.3	71.9
04/11/2019	11:05	66.6	71.8	61.1	
04/11/2019	11:10	68.7	73.2	62.1	
04/11/2019	11:15	69.3	74.1	63.2	
04/11/2019	11:20	68.6	73.1	62.5	
04/11/2019	11:25	77.7	77.7	63.8	
04/11/2019	11:30	67.8	71.7	62.5	68.7
04/11/2019	11:35	69.3	72.8	63.9	
04/11/2019	11:40	67.5	71.3	62.3	
04/11/2019	11:45	70.1	75	62.8	
04/11/2019	11:50	67.6	72.3	59.6	
04/11/2019	11:55	69.2	72.6	63.5	
04/11/2019	12:00	70.3	73.6	64.9	69.4
04/11/2019	12:05	70.3	74	65.2	
04/11/2019	12:10	70.3	73.3	64.8	
04/11/2019	12:15	68	70	66	
04/11/2019	12:20	68	70	66.1	
04/11/2019	12:25	68.9	71.2	65.8	
04/11/2019	12:30	67.3	69.5	64.4	67.8
04/11/2019	12:35	68.1	70.9	65.4	
04/11/2019	12:40	67.8	70	65.8	
04/11/2019	12:45	67.5	69.3	65.4	
04/11/2019	12:50	67.9	70.3	65.5	
04/11/2019	12:55	67.9	70	65.9	
04/11/2019	13:00	68.1	70	66.1	68.0
04/11/2019	13:05	67.7	69.6	65.7	
04/11/2019	13:10	68	69.9	65.9	
04/11/2019	13:15	68.2	70.7	66.1	
04/11/2019	13:20	68.1	70.4	65.7	
04/11/2019	13:25	67.6	69.6	65.7	
04/11/2019	13:30	68.3	71.2	65.9	67.9
04/11/2019	13:35	67.8	69.7	65.9	
04/11/2019	13:40	68.3	70.8	66	
04/11/2019	13:45	67.6	71.3	64.4	
04/11/2019	13:50	67.7	70	65.3	
04/11/2019	13:55	67.8	70.3	65.6	
04/11/2019	14:00	68	70.7	65.6	67.8
04/11/2019	14:05	67.5	69.8	65.4	
04/11/2019	14:10	67.9	70.5	65.3	
04/11/2019	14:15	67.5	69.5	65.7	
04/11/2019	14:20	68.1	71.1	65.6	
04/11/2019	14:25	67.9	71	65.4	
04/11/2019	14:30	67.8	70.3	65.7	67.9
04/11/2019	14:35	67.9	70.6	65.7	
04/11/2019	14:40	67.8	70.2	65.9	
04/11/2019	14:45	67.9	70.1	65.7	
04/11/2019	14:50	68	70.9	65.6	
04/11/2019	14:55	68	71	65.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	15:00	68.7	71.1	66.1	68.0
04/11/2019	15:05	67.7	70.3	65.5	
04/11/2019	15:10	68.2	72.3	65.2	
04/11/2019	15:15	68.1	70.4	66.1	
04/11/2019	15:20	67.5	69.6	65.6	
04/11/2019	15:25	67.7	70.6	65.2	66.9
04/11/2019	15:30	67.5	70.5	65.2	
04/11/2019	15:35	67.2	69.5	65.1	
04/11/2019	15:40	66.7	69.1	64.8	
04/11/2019	15:45	66.8	69.5	64.5	
04/11/2019	15:50	66.4	69.4	64.3	67.1
04/11/2019	15:55	66.6	70.1	64	
04/11/2019	16:00	66.3	70.1	63.7	
04/11/2019	16:05	66.5	68.8	64	
04/11/2019	16:10	66.7	70.7	63	
04/11/2019	16:15	66.4	69.3	63.7	66.9
04/11/2019	16:20	66.9	71	63.6	
04/11/2019	16:25	68.9	71.7	63.1	
04/11/2019	16:30	65.8	69.8	62.4	
04/11/2019	16:35	66.3	69.4	62.6	
04/11/2019	16:40	68.7	72.1	64	66.4
04/11/2019	16:45	66.4	69.8	64	
04/11/2019	16:50	66.4	69.2	64.5	
04/11/2019	16:55	67.3	70.9	64.1	
04/11/2019	17:00	66.3	69.2	64.2	
04/11/2019	17:05	66.9	70.9	64	67.2
04/11/2019	17:10	65.9	68.6	63.9	
04/11/2019	17:15	66.9	70.6	63.5	
04/11/2019	17:20	66.3	70.1	63.7	
04/11/2019	17:25	65.8	69.1	63.7	
04/11/2019	17:30	66.6	69.5	64.3	67.5
04/11/2019	17:35	67	70.3	64.9	
04/11/2019	17:40	66.9	68.8	64.7	
04/11/2019	17:45	67.1	69.5	64.6	
04/11/2019	17:50	67.7	71.3	64.2	
04/11/2019	17:55	67.7	70.5	65	67.3
04/11/2019	18:00	67.5	69.8	65.6	
04/11/2019	18:05	67.7	70.4	64.9	
04/11/2019	18:10	67.2	70.2	64.7	
04/11/2019	18:15	67.1	69.7	64.5	
04/11/2019	18:20	67.5	70.8	64.4	67.4
04/11/2019	18:25	67.7	70.3	64.5	
04/11/2019	18:30	67.4	71	64.1	
04/11/2019	18:35	67.6	70.2	64.9	
04/11/2019	18:40	67	69.7	63.7	
04/11/2019	18:45	66.9	69.3	63.8	67.4
04/11/2019	18:50	67.3	70.7	63.4	
04/11/2019	18:55	67.4	70.7	64.5	
05/11/2019	7:00	67.8	70.4	63.9	
05/11/2019	7:05	67.6	70.5	65.2	
05/11/2019	7:10	67.7	71.1	65	67.4
05/11/2019	7:15	67.4	70.3	64.5	
05/11/2019	7:20	66.8	69.1	64.2	
05/11/2019	7:25	66.9	70	64.2	
05/11/2019	7:30	67.4	70.4	64.9	
05/11/2019	7:35	66.1	68.1	63.8	67.4
05/11/2019	7:40	68.7	72.3	63.6	
05/11/2019	7:45	67.5	71.8	64.6	
05/11/2019	7:50	67.1	69.2	64.7	
05/11/2019	7:55	67.2	69.4	64.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	8:00	67.1	69.1	65	67.6
05/11/2019	8:05	67.5	70.5	64.9	
05/11/2019	8:10	67.5	69.8	65.1	
05/11/2019	8:15	67.5	69.6	65.3	
05/11/2019	8:20	67.8	69.5	65.9	
05/11/2019	8:25	67.9	70.8	65.6	67.6
05/11/2019	8:30	67.5	69.6	65	
05/11/2019	8:35	67.9	69.8	65.1	
05/11/2019	8:40	67	68.9	64.7	
05/11/2019	8:45	67.4	70.6	64.5	
05/11/2019	8:50	67.8	70.3	65.4	67.9
05/11/2019	8:55	67.7	70	65.4	
05/11/2019	9:00	67.7	71.1	65.4	
05/11/2019	9:05	67.9	70.8	65.3	
05/11/2019	9:10	67	69.3	64.8	
05/11/2019	9:15	68.1	70.8	65.8	67.2
05/11/2019	9:20	68.3	71.4	65.6	
05/11/2019	9:25	68	70	66	
05/11/2019	9:30	67.6	69.7	65.1	
05/11/2019	9:35	67.2	69.5	65.1	
05/11/2019	9:40	67.1	70.3	64.4	66.8
05/11/2019	9:45	66.8	69	64.5	
05/11/2019	9:50	67	69.6	63.6	
05/11/2019	9:55	67.6	69.7	65.6	
05/11/2019	10:00	66.9	69.2	64.3	
05/11/2019	10:05	66.5	68.7	64.1	67.4
05/11/2019	10:10	67.3	70.3	64.2	
05/11/2019	10:15	66.6	69.4	64	
05/11/2019	10:20	66.5	69.6	63.4	
05/11/2019	10:25	66.9	70.4	64.1	
05/11/2019	10:30	67.7	70.4	64.9	67.4
05/11/2019	10:35	67.7	69.9	65.1	
05/11/2019	10:40	67.3	69.6	65	
05/11/2019	10:45	67.1	69.8	64.9	
05/11/2019	10:50	66.6	68.7	64	
05/11/2019	10:55	67.8	70.6	65.1	67.4
05/11/2019	11:00	67.6	70.6	64.9	
05/11/2019	11:05	67.6	69.8	65.3	
05/11/2019	11:10	67	69.3	64.6	
05/11/2019	11:15	67.3	69.7	64.9	
05/11/2019	11:20	67.2	69.8	64.3	67.7
05/11/2019	11:25	67.4	69.5	65.5	
05/11/2019	11:30	68	70.2	65.9	
05/11/2019	11:35	67.6	70.3	64.9	
05/11/2019	11:40	67.7	70.1	65.1	
05/11/2019	11:45	67.5	70.2	64.5	67.8
05/11/2019	11:50	67.8	69.9	65.4	
05/11/2019	11:55	67.6	69.9	65.6	
05/11/2019	12:00	67.8	69.9	65.3	
05/11/2019	12:05	68.1	71.1	65.2	
05/11/2019	12:10	67.8	70.4	65.6	67.4
05/11/2019	12:15	67.7	70	65.3	
05/11/2019	12:20	67.3	69.5	64.9	
05/11/2019	12:25	68.1	70.9	65.8	
05/11/2019	12:30	67.7	69.3	65.9	
05/11/2019	12:35	67.3	69.5	65.5	67.4
05/11/2019	12:40	67.4	70.4	65.1	
05/11/2019	12:45	67.3	69.7	65.1	
05/11/2019	12:50	67.9	69.9	65.7	
05/11/2019	12:55	67	68.7	65.4	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	13:00	67.9	70.7	65.3	67.6
05/11/2019	13:05	67.8	70.3	65.7	
05/11/2019	13:10	67.6	70.3	65.1	
05/11/2019	13:15	67.4	70.1	64.9	
05/11/2019	13:20	67.5	70.4	65.1	
05/11/2019	13:25	67.3	69.7	65.4	
05/11/2019	13:30	68.3	70.8	65.5	67.7
05/11/2019	13:35	67.6	69.7	65.6	
05/11/2019	13:40	67.7	71.8	64.6	
05/11/2019	13:45	67.9	71.1	64.5	
05/11/2019	13:50	66.8	69.6	64.6	
05/11/2019	13:55	68	71.3	65.1	
05/11/2019	14:00	67.7	70.4	64.9	67.8
05/11/2019	14:05	68.2	71.6	64.8	
05/11/2019	14:10	67.6	70	65.4	
05/11/2019	14:15	68.1	71.1	64.9	
05/11/2019	14:20	67.7	70.5	65.2	
05/11/2019	14:25	67.7	70.7	65.5	
05/11/2019	14:30	68	70.5	65.7	67.4
05/11/2019	14:35	67.5	70.3	65.1	
05/11/2019	14:40	67.3	70.5	64.9	
05/11/2019	14:45	67.3	69.7	65.2	
05/11/2019	14:50	67.2	69.8	65.2	
05/11/2019	14:55	67.3	70.5	64.9	
05/11/2019	15:00	67.4	70.6	65	67.5
05/11/2019	15:05	67.6	70.6	64.9	
05/11/2019	15:10	67.5	70.2	65.1	
05/11/2019	15:15	67.7	71	65.2	
05/11/2019	15:20	67.3	71	65	
05/11/2019	15:25	67.2	70.2	65	
05/11/2019	15:30	67.6	70.7	65.3	67.5
05/11/2019	15:35	67.6	70.1	65.5	
05/11/2019	15:40	67.7	71	65.2	
05/11/2019	15:45	67.3	70	65.2	
05/11/2019	15:50	67.6	70.4	65.1	
05/11/2019	15:55	67	69.9	64.3	
05/11/2019	16:00	67.1	70.9	64.4	66.5
05/11/2019	16:05	66.1	69	64.1	
05/11/2019	16:10	66.6	70.1	64.4	
05/11/2019	16:15	66.7	69.9	63.8	
05/11/2019	16:20	66.2	68.4	64.4	
05/11/2019	16:25	66.4	69.3	63.9	
05/11/2019	16:30	67.2	70.4	64.2	66.5
05/11/2019	16:35	66.6	70.5	63.8	
05/11/2019	16:40	66.1	69.3	63.7	
05/11/2019	16:45	65.8	68.1	63.2	
05/11/2019	16:50	66.2	69.9	63.8	
05/11/2019	16:55	66.8	71.3	63.3	
05/11/2019	17:00	67	70.2	63.7	67.0
05/11/2019	17:05	66.9	69.5	64.1	
05/11/2019	17:10	67.6	70.9	65.2	
05/11/2019	17:15	66.8	69.6	64.1	
05/11/2019	17:20	67	70	64.2	
05/11/2019	17:25	66.6	69.3	63.6	
05/11/2019	17:30	67.5	71.8	64.3	67.4
05/11/2019	17:35	66.5	69.7	63.6	
05/11/2019	17:40	67.1	70.6	64.1	
05/11/2019	17:45	68	71.3	64	
05/11/2019	17:50	68.1	70.8	64.4	
05/11/2019	17:55	67.2	70.8	62.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	18:00	66.6	69.2	63.8	66.7
05/11/2019	18:05	66.7	69.4	63.7	
05/11/2019	18:10	66.5	69.3	63.3	
05/11/2019	18:15	66.7	69.3	62.9	
05/11/2019	18:20	66.8	70	63.6	
05/11/2019	18:25	66.8	70	63	
05/11/2019	18:30	66.1	68.4	62.7	66.4
05/11/2019	18:35	66.3	68.9	63.1	
05/11/2019	18:40	66.9	70.9	63.6	
05/11/2019	18:45	66.1	68.6	62.3	
05/11/2019	18:50	66.9	70.3	62.2	
05/11/2019	18:55	66.3	69	63.4	
06/11/2019	7:00	66.7	70.2	62.8	67.0
06/11/2019	7:05	67.1	70.5	62.7	
06/11/2019	7:10	66.3	69.8	61.5	
06/11/2019	7:15	68.5	72.7	62.2	
06/11/2019	7:20	66.3	69	62.9	
06/11/2019	7:25	66.7	70	62.4	
06/11/2019	7:30	76.8	80.1	63.2	71.2
06/11/2019	7:35	71.1	73.4	63.1	
06/11/2019	7:40	66.3	69.3	63.3	
06/11/2019	7:45	66.3	68.9	63.1	
06/11/2019	7:50	66.9	69.8	63.9	
06/11/2019	7:55	66.9	71.1	63.2	
06/11/2019	8:00	66.5	69.1	63.8	66.5
06/11/2019	8:05	67	69.8	63.8	
06/11/2019	8:10	66.9	70.1	63.7	
06/11/2019	8:15	66.2	68.7	63.1	
06/11/2019	8:20	66.2	68.8	63.1	
06/11/2019	8:25	66.1	69.1	62.5	
06/11/2019	8:30	66.4	68.7	63.3	66.6
06/11/2019	8:35	66.9	71	62.8	
06/11/2019	8:40	66.6	69	63.8	
06/11/2019	8:45	66.6	69.8	62.4	
06/11/2019	8:50	66.4	69.2	63.4	
06/11/2019	8:55	66.6	69.2	63.4	
06/11/2019	9:00	66.2	68.5	63.2	66.9
06/11/2019	9:05	67.7	71.3	63.7	
06/11/2019	9:10	67.3	70.9	64	
06/11/2019	9:15	67.3	69.8	64	
06/11/2019	9:20	66.3	68.8	62.6	
06/11/2019	9:25	66.3	69	62.4	
06/11/2019	9:30	66.5	68.5	63.2	66.7
06/11/2019	9:35	66.8	69.9	63.7	
06/11/2019	9:40	66.8	70	63.3	
06/11/2019	9:45	67.1	69.7	63.8	
06/11/2019	9:50	66.4	68.9	63.9	
06/11/2019	9:55	66.8	69.3	64	
06/11/2019	10:00	66.3	69	63.7	66.9
06/11/2019	10:05	67.2	70.1	64.8	
06/11/2019	10:10	67	69.9	64.3	
06/11/2019	10:15	67.5	71.1	63.8	
06/11/2019	10:20	66.7	68.6	64.4	
06/11/2019	10:25	66.5	70.7	63.2	
06/11/2019	10:30	67	69.3	64	66.7
06/11/2019	10:35	66.3	68.7	63.9	
06/11/2019	10:40	67.2	70	63.8	
06/11/2019	10:45	66.7	69.7	63.2	
06/11/2019	10:50	66.6	69.4	63.8	
06/11/2019	10:55	66.2	68.5	63.9	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	11:00	66.5	68.9	63.4	66.6
06/11/2019	11:05	66.3	68.4	64	
06/11/2019	11:10	66.6	69	63.3	
06/11/2019	11:15	66.7	69.1	63.4	
06/11/2019	11:20	66.9	70	64.1	
06/11/2019	11:25	66.5	69.7	63	
06/11/2019	11:30	66.2	68.8	62.6	66.7
06/11/2019	11:35	67.3	70.9	63.2	
06/11/2019	11:40	66.4	69.2	64.3	
06/11/2019	11:45	67.4	70.9	64.2	
06/11/2019	11:50	66.6	68.9	64.5	
06/11/2019	11:55	66.4	68.7	63.5	
06/11/2019	12:00	66.8	70.4	63.5	66.7
06/11/2019	12:05	66.7	69.9	64	
06/11/2019	12:10	66.7	69.9	63.7	
06/11/2019	12:15	66.1	69	62.1	
06/11/2019	12:20	67.3	70.1	64	
06/11/2019	12:25	66.4	69.3	63.4	
06/11/2019	12:30	66.4	68.9	63.8	66.5
06/11/2019	12:35	66.3	70.2	63.5	
06/11/2019	12:40	65.9	68.5	63	
06/11/2019	12:45	66.4	68.9	63.2	
06/11/2019	12:50	65.7	68.2	63	
06/11/2019	12:55	68.1	71	63.6	
06/11/2019	13:00	66.3	69	62.9	66.3
06/11/2019	13:05	65.9	68.6	63.2	
06/11/2019	13:10	66.5	69.6	64	
06/11/2019	13:15	66.1	68.7	63.2	
06/11/2019	13:20	66.3	68.9	63.8	
06/11/2019	13:25	66.4	68.4	63.9	
06/11/2019	13:30	67.1	70.9	64.1	66.8
06/11/2019	13:35	66.9	69.9	63.9	
06/11/2019	13:40	66.9	69.7	63.5	
06/11/2019	13:45	66.8	69.1	63.2	
06/11/2019	13:50	66.2	69.2	63.4	
06/11/2019	13:55	67	70.4	63.8	
06/11/2019	14:00	66.3	68.9	63.1	66.6
06/11/2019	14:05	67.1	70.6	64	
06/11/2019	14:10	66.4	68.8	64.2	
06/11/2019	14:15	65.9	68.6	62.6	
06/11/2019	14:20	67.1	70.4	63.3	
06/11/2019	14:25	66.7	69.8	64.2	
06/11/2019	14:30	66.4	70.3	63.2	66.4
06/11/2019	14:35	66.6	70.3	63.3	
06/11/2019	14:40	66.1	68.8	63.4	
06/11/2019	14:45	67	70.7	63	
06/11/2019	14:50	66.2	69.6	63.1	
06/11/2019	14:55	66.3	69.3	63.1	
06/11/2019	15:00	66.3	69.5	63.1	66.7
06/11/2019	15:05	66.7	70.5	64	
06/11/2019	15:10	66.4	69.1	64.2	
06/11/2019	15:15	66.9	70.3	63.8	
06/11/2019	15:20	66.7	69.1	63.9	
06/11/2019	15:25	66.9	70.4	63.8	
06/11/2019	15:30	67.4	71	64.2	66.8
06/11/2019	15:35	66.6	69.7	63.8	
06/11/2019	15:40	66.8	69.4	64	
06/11/2019	15:45	66.6	69.7	63.1	
06/11/2019	15:50	66.9	70.6	64	
06/11/2019	15:55	66.3	69	63.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	16:00	66.5	69.5	64.1	66.6
06/11/2019	16:05	66.8	70.3	63.8	
06/11/2019	16:10	67	69.4	64.2	
06/11/2019	16:15	66.4	70.3	63.5	
06/11/2019	16:20	67	69.8	63.6	
06/11/2019	16:25	66.1	68.3	64	
06/11/2019	16:30	66.1	69.2	63	66.0
06/11/2019	16:35	65.6	68.4	62.7	
06/11/2019	16:40	66	69.3	62.8	
06/11/2019	16:45	66	69.8	62	
06/11/2019	16:50	66	70.7	61.8	
06/11/2019	16:55	66	68.1	63.3	
06/11/2019	17:00	66	69.1	63	66.5
06/11/2019	17:05	66.5	70.1	63	
06/11/2019	17:10	67	71.1	63.1	
06/11/2019	17:15	66.6	69	63.5	
06/11/2019	17:20	66.3	69.2	62.6	
06/11/2019	17:25	66.7	69.8	63.2	
06/11/2019	17:30	66.2	68.6	63.5	66.2
06/11/2019	17:35	66	68.3	63.2	
06/11/2019	17:40	66.4	70.1	63.1	
06/11/2019	17:45	66.2	69.6	62.5	
06/11/2019	17:50	66.2	70	61.9	
06/11/2019	17:55	66.1	69.5	62.7	
06/11/2019	18:00	66.3	69.2	62.8	66.3
06/11/2019	18:05	66.5	69.7	63	
06/11/2019	18:10	66.3	69	62.7	
06/11/2019	18:15	65.6	68	62.9	
06/11/2019	18:20	65.8	68.9	62.2	
06/11/2019	18:25	67	71.5	63.2	
06/11/2019	18:30	66.4	69.8	62.8	66.5
06/11/2019	18:35	66.3	70.1	62.5	
06/11/2019	18:40	66.3	69.5	62.9	
06/11/2019	18:45	66.6	69.6	63.4	
06/11/2019	18:50	67.2	71.2	63.7	
06/11/2019	18:55	66.1	68.9	62.7	
07/11/2019	7:00	66.8	69.9	64.4	66.5
07/11/2019	7:05	66.7	70.2	64	
07/11/2019	7:10	66.4	68.5	64	
07/11/2019	7:15	65.6	68.8	62.2	
07/11/2019	7:20	66.5	69.5	63.8	
07/11/2019	7:25	66.6	69.8	64.4	
07/11/2019	7:30	65.8	68	63.8	66.4
07/11/2019	7:35	66.6	69.5	63	
07/11/2019	7:40	66.9	70.1	63.4	
07/11/2019	7:45	66.4	69.2	63.4	
07/11/2019	7:50	66.4	68.8	64.5	
07/11/2019	7:55	66.5	69.5	63.7	
07/11/2019	8:00	66.8	70.5	64	66.6
07/11/2019	8:05	66.2	69.1	63.8	
07/11/2019	8:10	66.2	68.9	63.9	
07/11/2019	8:15	66.8	69.8	64.3	
07/11/2019	8:20	66.4	68.7	64.1	
07/11/2019	8:25	66.9	69.7	63.5	
07/11/2019	8:30	66.8	70.1	63.5	66.8
07/11/2019	8:35	66.8	69.6	63.9	
07/11/2019	8:40	66.8	69.6	64.3	
07/11/2019	8:45	66.9	68.9	64.9	
07/11/2019	8:50	67.3	70.9	64.6	
07/11/2019	8:55	66.3	68.3	63.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	9:00	66.8	69.7	63.4	66.9
07/11/2019	9:05	66.5	69.4	63.9	
07/11/2019	9:10	67.2	70.4	64	
07/11/2019	9:15	67.3	70.9	64.7	
07/11/2019	9:20	66.4	70.3	63.3	
07/11/2019	9:25	67.1	69.8	63.9	66.9
07/11/2019	9:30	67.3	69.5	64.9	
07/11/2019	9:35	67.3	70.4	64.8	
07/11/2019	9:40	66.8	69.9	62	
07/11/2019	9:45	66.7	69.2	64.1	
07/11/2019	9:50	66.7	69.3	63.9	67.1
07/11/2019	9:55	66.7	69.3	64	
07/11/2019	10:00	67	69.4	64.4	
07/11/2019	10:05	66.3	68.7	63.4	
07/11/2019	10:10	67	70.4	64.4	
07/11/2019	10:15	67.5	69.9	64.6	67.3
07/11/2019	10:20	67.3	69.9	64.7	
07/11/2019	10:25	67.6	70.1	64.8	
07/11/2019	10:30	67.1	69.5	63.9	
07/11/2019	10:35	67.4	69.5	64.8	
07/11/2019	10:40	67.9	70.4	65.1	67.1
07/11/2019	10:45	67.1	69.6	64.1	
07/11/2019	10:50	67.5	70.1	64.4	
07/11/2019	10:55	66.6	69.2	63.8	
07/11/2019	11:00	67.2	70.3	63.9	
07/11/2019	11:05	66.4	68.5	64	67.3
07/11/2019	11:10	67	70.1	63.5	
07/11/2019	11:15	67.7	70.5	64.8	
07/11/2019	11:20	67.1	70.2	64.3	
07/11/2019	11:25	67.1	69.2	64.5	
07/11/2019	11:30	67.3	69.7	65.3	67.3
07/11/2019	11:35	67.3	69.2	65.1	
07/11/2019	11:40	67.5	70.7	64.1	
07/11/2019	11:45	67.2	69.3	64.9	
07/11/2019	11:50	67.4	70.3	64.7	
07/11/2019	11:55	66.8	68.8	64	67.3
07/11/2019	12:00	67.1	69.1	64.2	
07/11/2019	12:05	67.7	71.1	64.8	
07/11/2019	12:10	67.2	68.9	65.2	
07/11/2019	12:15	67.2	69.7	65	
07/11/2019	12:20	67.7	70.7	65.1	67.4
07/11/2019	12:25	66.9	69.2	64.5	
07/11/2019	12:30	67.4	70.8	64.3	
07/11/2019	12:35	68	70.7	65.7	
07/11/2019	12:40	67.1	69.6	64.6	
07/11/2019	12:45	67.6	70.5	65	67.2
07/11/2019	12:50	67.1	69.9	65	
07/11/2019	12:55	67.3	69.8	64.3	
07/11/2019	13:00	67.6	69.8	65.1	
07/11/2019	13:05	67.1	69.4	64.8	
07/11/2019	13:10	66.7	69	64.7	67.2
07/11/2019	13:15	67.7	71.3	64.5	
07/11/2019	13:20	67.1	69.5	64.9	
07/11/2019	13:25	67.2	70.1	64.5	
07/11/2019	13:30	67.7	70.9	65.5	
07/11/2019	13:35	67.3	71.1	64.7	67.2
07/11/2019	13:40	66.8	69.4	64.8	
07/11/2019	13:45	66.6	69.5	64.5	
07/11/2019	13:50	67.1	70.5	64.8	
07/11/2019	13:55	67.4	71	64.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	14:00	67.6	68.9	64.1	68.5
07/11/2019	14:05	69.3	72.9	64.7	
07/11/2019	14:10	69.1	73.1	63.4	
07/11/2019	14:15	68	71.7	63.3	
07/11/2019	14:20	68.5	72.6	62.9	
07/11/2019	14:25	68.4	72.2	62.2	67.8
07/11/2019	14:30	67.6	71.7	62.8	
07/11/2019	14:35	67	71.4	62.5	
07/11/2019	14:40	67.5	71.3	63	
07/11/2019	14:45	68.6	73	62.6	
07/11/2019	14:50	67.7	71.2	63.1	68.1
07/11/2019	14:55	68	72	63	
07/11/2019	15:00	67.4	71.1	62.2	
07/11/2019	15:05	69	73.8	62.6	
07/11/2019	15:10	67.7	71.6	62.8	
07/11/2019	15:15	67.3	70.4	62.3	69.5
07/11/2019	15:20	67.5	70.5	62.7	
07/11/2019	15:25	69.3	72.1	64.2	
07/11/2019	15:30	68.5	72.9	62.9	
07/11/2019	15:35	69.3	74.2	63.4	
07/11/2019	15:40	70.2	73.6	64.4	68.1
07/11/2019	15:45	70.8	75.7	63.9	
07/11/2019	15:50	68.4	71.7	63.7	
07/11/2019	15:55	69	73.9	63.2	
07/11/2019	16:00	68.3	71.6	63.8	
07/11/2019	16:05	67.2	70.7	62.4	70.0
07/11/2019	16:10	67.9	72.4	62.6	
07/11/2019	16:15	69.6	74.2	62.7	
07/11/2019	16:20	67.5	71.4	63	
07/11/2019	16:25	67.7	72	63.2	
07/11/2019	16:30	69	72.6	64.6	71.3
07/11/2019	16:35	70.7	75	65.7	
07/11/2019	16:40	70.6	73.2	64.8	
07/11/2019	16:45	70.5	73.9	64.2	
07/11/2019	16:50	69.7	73.3	65.6	
07/11/2019	16:55	69.5	72.7	65.3	71.6
07/11/2019	17:00	70	73.3	66.1	
07/11/2019	17:05	70.4	73.8	66.2	
07/11/2019	17:10	73.8	74.7	65.6	
07/11/2019	17:15	70.6	74.5	65.5	
07/11/2019	17:20	70.7	74.3	65.7	69.9
07/11/2019	17:25	70.8	74.8	64.1	
07/11/2019	17:30	70.8	74.9	64.7	
07/11/2019	17:35	71.1	74.5	64.8	
07/11/2019	17:40	71.2	74.5	66.5	
07/11/2019	17:45	71.1	74.4	66.1	66.6
07/11/2019	17:50	72.3	76.4	67.8	
07/11/2019	17:55	72.6	75.7	64.1	
07/11/2019	18:00	70.6	74.8	65.6	
07/11/2019	18:05	70.5	74.6	64.3	
07/11/2019	18:10	71.4	75.7	65.3	66.6
07/11/2019	18:15	69.4	74.5	63.1	
07/11/2019	18:20	68.6	72.3	62.8	
07/11/2019	18:25	67.5	70.7	63.1	
07/11/2019	18:30	68.6	71.8	62.9	
07/11/2019	18:35	66.6	70.9	59.9	66.6
07/11/2019	18:40	66.9	70.9	62.7	
07/11/2019	18:45	66.4	70.4	60.5	
07/11/2019	18:50	64.9	69	58.6	
07/11/2019	18:55	64.9	69.1	59.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	7:00	68.5	72.6	60.3	66.5
08/11/2019	7:05	65	69.5	59.3	
08/11/2019	7:10	66.5	71.6	58.4	
08/11/2019	7:15	65.3	70.8	57.6	
08/11/2019	7:20	65.6	70.6	57.4	
08/11/2019	7:25	66.8	71.7	60.9	69.1
08/11/2019	7:30	67.2	72.2	59.4	
08/11/2019	7:35	67.1	72.5	59.7	
08/11/2019	7:40	66.8	71.1	60.2	
08/11/2019	7:45	68.9	73	61.5	
08/11/2019	7:50	68.5	72.6	62.4	69.0
08/11/2019	7:55	72.7	74.4	63.7	
08/11/2019	8:00	68.4	72.8	61.6	
08/11/2019	8:05	69	72.2	61.9	
08/11/2019	8:10	69	72.8	61.5	
08/11/2019	8:15	69.2	72.6	63.5	71.9
08/11/2019	8:20	69.1	72.6	64	
08/11/2019	8:25	69.3	72	63.5	
08/11/2019	8:30	66.9	70.8	62.2	
08/11/2019	8:35	71.2	75.6	62.8	
08/11/2019	8:40	72.7	76.4	67.8	71.6
08/11/2019	8:45	73	77	68.1	
08/11/2019	8:50	73.1	76.8	68.7	
08/11/2019	8:55	72.1	76.1	67.5	
08/11/2019	9:00	72.8	76.6	68.4	
08/11/2019	9:05	72	76.3	67.2	68.8
08/11/2019	9:10	71.2	74.7	67.3	
08/11/2019	9:15	71.9	76.1	66.5	
08/11/2019	9:20	70.7	74.9	65.8	
08/11/2019	9:25	70.8	74.8	65	
08/11/2019	9:30	69.9	74.7	64.3	69.1
08/11/2019	9:35	69.2	73.4	64	
08/11/2019	9:40	68.6	72.7	63.3	
08/11/2019	9:45	67.8	71.1	63.6	
08/11/2019	9:50	68.5	72.6	63.5	
08/11/2019	9:55	68.5	72.8	63.2	69.4
08/11/2019	10:00	68.5	71.4	63.2	
08/11/2019	10:05	69.5	73.5	63.8	
08/11/2019	10:10	67.9	72	63	
08/11/2019	10:15	68.9	72.9	63.7	
08/11/2019	10:20	70.1	73.6	65.1	69.4
08/11/2019	10:25	69.5	73.2	65.2	
08/11/2019	10:30	69.5	72.2	65.2	
08/11/2019	10:35	68	71.9	63.8	
08/11/2019	10:40	70.2	75.3	64.7	
08/11/2019	10:45	71.1	75.4	65.3	69.4
08/11/2019	10:50	68.4	72.2	63.4	
08/11/2019	10:55	68.1	71.6	63.2	
08/11/2019	11:00	69.4	74.5	63.1	
08/11/2019	11:05	68	71.9	62.9	
08/11/2019	11:10	68.7	72.4	62.9	70.9
08/11/2019	11:15	70.2	71.9	64.3	
08/11/2019	11:20	70.2	73.7	65.4	
08/11/2019	11:25	69.3	72.3	64.5	
08/11/2019	11:30	70.2	74.8	65.2	
08/11/2019	11:35	71.2	75	65	71.1
08/11/2019	11:40	69.4	73.7	63.6	
08/11/2019	11:45	69.3	73.4	62.8	
08/11/2019	11:50	73.5	77	63.4	
08/11/2019	11:55	69.9	74.6	64.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	12:00	69.9	73.9	64.2	70.9
08/11/2019	12:05	71.6	76.7	64.5	
08/11/2019	12:10	69.9	73.9	64.6	
08/11/2019	12:15	69.7	73.9	64.2	
08/11/2019	12:20	71.4	75.9	64.9	
08/11/2019	12:25	72.1	76.2	65.6	71.4
08/11/2019	12:30	73.7	75.5	65.9	
08/11/2019	12:35	71.7	75	65	
08/11/2019	12:40	69.9	73.5	65.7	
08/11/2019	12:45	69.7	73.7	65.1	
08/11/2019	12:50	71.6	75.4	66.7	69.5
08/11/2019	12:55	70.1	73.4	65.6	
08/11/2019	13:00	68.8	72	63.5	
08/11/2019	13:05	69.7	73.6	65.1	
08/11/2019	13:10	69.6	73.2	64.8	
08/11/2019	13:15	68.7	72	64.1	71.4
08/11/2019	13:20	70.1	74.7	65.1	
08/11/2019	13:25	69.9	74.6	64.1	
08/11/2019	13:30	70.5	74.2	65.1	
08/11/2019	13:35	71.5	76.5	65.6	
08/11/2019	13:40	72.2	75.4	67.5	70.2
08/11/2019	13:45	71.7	75.7	66.5	
08/11/2019	13:50	71.5	75.2	66.5	
08/11/2019	13:55	70.8	74	65.9	
08/11/2019	14:00	69.9	73.6	65.4	
08/11/2019	14:05	70.6	74.1	65.3	69.4
08/11/2019	14:10	69.9	74.2	65.3	
08/11/2019	14:15	70.3	73.8	65.6	
08/11/2019	14:20	71	75.3	64.4	
08/11/2019	14:25	69.4	72.9	64.3	
08/11/2019	14:30	71.2	73.4	64.8	68.4
08/11/2019	14:35	68.6	72.2	63.8	
08/11/2019	14:40	68.9	72.7	64.6	
08/11/2019	14:45	69.3	72.9	64.2	
08/11/2019	14:50	69.4	73.9	64	
08/11/2019	14:55	68.5	73.1	62.9	68.4
08/11/2019	15:00	68.4	72.2	63.9	
08/11/2019	15:05	67.8	72.4	63.5	
08/11/2019	15:10	67	70.2	63.2	
08/11/2019	15:15	67.6	71	63.7	
08/11/2019	15:20	68.9	72.3	63.8	69.1
08/11/2019	15:25	69.9	74	64.9	
08/11/2019	15:30	68.1	71.3	63.3	
08/11/2019	15:35	68.1	73.8	62.6	
08/11/2019	15:40	68.8	72.7	63.4	
08/11/2019	15:45	69	72.9	64	71.1
08/11/2019	15:50	67	70.7	62.3	
08/11/2019	15:55	69.2	72.9	63.4	
08/11/2019	16:00	68.4	71.2	65.3	
08/11/2019	16:05	69.5	73.3	64.1	
08/11/2019	16:10	68.7	72.3	64.7	71.1
08/11/2019	16:15	68.5	72.1	64.5	
08/11/2019	16:20	69.8	72.7	65.5	
08/11/2019	16:25	69.3	72.6	65.2	
08/11/2019	16:30	69.2	72.9	64.5	
08/11/2019	16:35	71.4	75.2	64.9	71.1
08/11/2019	16:40	70.9	73.7	65.6	
08/11/2019	16:45	72.5	77.4	66.2	
08/11/2019	16:50	71	75.8	64.8	
08/11/2019	16:55	70.7	74.2	66.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	17:00	70.4	74.7	65.5	71.7
08/11/2019	17:05	71.1	75.8	64.9	
08/11/2019	17:10	71.6	75.8	66.4	
08/11/2019	17:15	72	76.8	65.8	
08/11/2019	17:20	72.6	77.1	66.3	
08/11/2019	17:25	72.2	77.1	65	
08/11/2019	17:30	71.4	76.8	64.5	70.7
08/11/2019	17:35	71.9	77.4	65.3	
08/11/2019	17:40	69.9	74	65.1	
08/11/2019	17:45	71.3	76.8	64.7	
08/11/2019	17:50	68.7	72.4	64.1	
08/11/2019	17:55	70.1	74.9	63.6	
08/11/2019	18:00	75.3	81.3	64	71.1
08/11/2019	18:05	71.3	76.3	64.3	
08/11/2019	18:10	69.2	74.2	63.5	
08/11/2019	18:15	69.8	75.1	62.7	
08/11/2019	18:20	68.3	73	63.2	
08/11/2019	18:25	67.6	71	63.1	
08/11/2019	18:30	67.8	71	61.9	66.6
08/11/2019	18:35	66.9	70.7	60.8	
08/11/2019	18:40	66	69.2	60.9	
08/11/2019	18:45	65	69	58	
08/11/2019	18:50	67.3	71.3	60.1	
08/11/2019	18:55	66	71.1	58.3	
09/11/2019	7:00	64.6	69.7	57.4	65.7
09/11/2019	7:05	63.2	67.8	57	
09/11/2019	7:10	65.3	67	54.7	
09/11/2019	7:15	65.6	70.8	57	
09/11/2019	7:20	66.8	72.1	56	
09/11/2019	7:25	67.5	72.3	58.6	
09/11/2019	7:30	65.8	70.9	57.2	71.1
09/11/2019	7:35	67.5	72.1	59.3	
09/11/2019	7:40	65.7	70.8	57.8	
09/11/2019	7:45	69.5	74.6	59.4	
09/11/2019	7:50	67.7	71.6	60.9	
09/11/2019	7:55	76.9	78.7	61.7	
09/11/2019	8:00	66.9	70.9	61.9	67.6
09/11/2019	8:05	67.6	72.5	61.3	
09/11/2019	8:10	68	72.4	63	
09/11/2019	8:15	67	70.9	62.9	
09/11/2019	8:20	67.9	71.5	64.1	
09/11/2019	8:25	68	71.5	64.8	
09/11/2019	8:30	67.2	70.5	64.4	69.5
09/11/2019	8:35	70.6	75.6	64.2	
09/11/2019	8:40	69.6	72.4	66.2	
09/11/2019	8:45	69.1	73.1	64.8	
09/11/2019	8:50	69.3	72.3	65.7	
09/11/2019	8:55	70.4	73.8	66.3	
09/11/2019	9:00	71.3	75.5	65.9	70.7
09/11/2019	9:05	71.9	76.3	65.9	
09/11/2019	9:10	69.8	72.4	66.9	
09/11/2019	9:15	69.3	72.3	65.3	
09/11/2019	9:20	70.5	74.3	65.5	
09/11/2019	9:25	70.7	74.8	65.9	
09/11/2019	9:30	69.9	74.2	64.9	68.4
09/11/2019	9:35	68.1	72.6	63.2	
09/11/2019	9:40	68	71.3	63.1	
09/11/2019	9:45	67.8	71.8	63.2	
09/11/2019	9:50	69	73.4	64.1	
09/11/2019	9:55	66.8	70.3	63.4	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	10:00	68.4	72.9	64	68.2
09/11/2019	10:05	68.9	72.3	63.6	
09/11/2019	10:10	67.5	71.6	63.4	
09/11/2019	10:15	67.9	71.6	63.4	
09/11/2019	10:20	67.7	71	64	
09/11/2019	10:25	68.4	72.3	63.1	
09/11/2019	10:30	67	70.1	63.6	68.1
09/11/2019	10:35	67.4	70.3	64	
09/11/2019	10:40	69.5	73.3	64.9	
09/11/2019	10:45	67.8	71.4	64.3	
09/11/2019	10:50	68.1	71.9	64.4	
09/11/2019	10:55	68.6	71.8	65.7	
09/11/2019	11:00	68.8	72.1	64.5	68.5
09/11/2019	11:05	69.3	73.4	64	
09/11/2019	11:10	68	71.2	64.1	
09/11/2019	11:15	67.7	71	64.4	
09/11/2019	11:20	69.1	72.9	63.4	
09/11/2019	11:25	67.6	71.7	63.3	
09/11/2019	11:30	67	70.8	63.2	68.4
09/11/2019	11:35	69.3	73.5	64.6	
09/11/2019	11:40	68.8	72.1	62.1	
09/11/2019	11:45	70	73.8	61.6	
09/11/2019	11:50	66.9	70.7	61.7	
09/11/2019	11:55	67.1	70.6	61.4	
09/11/2019	12:00	69.5	74.6	64	70.8
09/11/2019	12:05	70.9	74.2	66.4	
09/11/2019	12:10	72.7	78.6	64.8	
09/11/2019	12:15	69.9	73	65.1	
09/11/2019	12:20	70.6	74.2	65.4	
09/11/2019	12:25	70.2	74.6	63.5	
09/11/2019	12:30	75.7	79.3	64.1	72.0
09/11/2019	12:35	70.4	75.2	63.5	
09/11/2019	12:40	71.7	76.5	65.1	
09/11/2019	12:45	69.7	73.9	64	
09/11/2019	12:50	71.1	76	65.1	
09/11/2019	12:55	70.3	72.9	63.8	
09/11/2019	13:00	70.9	75.2	64.6	70.7
09/11/2019	13:05	69	72.6	63.4	
09/11/2019	13:10	71.4	76.3	65.5	
09/11/2019	13:15	70.2	74.6	64	
09/11/2019	13:20	70.6	74.2	66.1	
09/11/2019	13:25	71.5	75	65.4	
09/11/2019	13:30	69	72.9	63.7	68.5
09/11/2019	13:35	69.4	73.6	64.5	
09/11/2019	13:40	69.2	73.4	63.9	
09/11/2019	13:45	67.5	70.8	61.8	
09/11/2019	13:50	67.5	71.1	62.5	
09/11/2019	13:55	67.7	69.4	61.6	
09/11/2019	14:00	66.6	70.3	62.1	67.6
09/11/2019	14:05	67.2	70.9	62.7	
09/11/2019	14:10	67.2	71.2	62.2	
09/11/2019	14:15	68.2	72.7	61.9	
09/11/2019	14:20	69	73.5	62.5	
09/11/2019	14:25	66.7	70.7	62.1	
09/11/2019	14:30	67.9	72.4	62	67.9
09/11/2019	14:35	67.2	71	61.7	
09/11/2019	14:40	68.6	72	62.3	
09/11/2019	14:45	67.4	72.1	61.9	
09/11/2019	14:50	68.4	71.7	63.1	
09/11/2019	14:55	67.5	71.5	63.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	15:00	66.5	70.6	62.1	68.8
09/11/2019	15:05	67.9	71.7	61	
09/11/2019	15:10	67.8	72.1	62.1	
09/11/2019	15:15	71.3	75.7	62.9	
09/11/2019	15:20	68.9	73.5	62.4	
09/11/2019	15:25	68.7	74	61.8	
09/11/2019	15:30	68.4	72.8	62.2	67.7
09/11/2019	15:35	67.6	71.9	61.5	
09/11/2019	15:40	70.2	74.4	64.2	
09/11/2019	15:45	65.7	70.2	60.8	
09/11/2019	15:50	66.8	70.8	61.8	
09/11/2019	15:55	65.6	68.7	61.4	
09/11/2019	16:00	70.8	73.1	63.2	70.0
09/11/2019	16:05	68	71.7	64	
09/11/2019	16:10	66.7	70.4	62.4	
09/11/2019	16:15	71.4	71.8	61.9	
09/11/2019	16:20	68	72.8	62.4	
09/11/2019	16:25	72.4	76.7	66	
09/11/2019	16:30	72.7	76.5	67.3	71.0
09/11/2019	16:35	71.9	76.4	65.3	
09/11/2019	16:40	70.3	75	65.1	
09/11/2019	16:45	70.2	73.9	64.5	
09/11/2019	16:50	70.5	74	66	
09/11/2019	16:55	69.7	72.8	65.4	
09/11/2019	17:00	73	77	65.5	69.9
09/11/2019	17:05	70.7	74.5	65.4	
09/11/2019	17:10	67.5	71.1	63.3	
09/11/2019	17:15	69.3	72.5	64.6	
09/11/2019	17:20	69.1	72.7	64.2	
09/11/2019	17:25	67.2	70.6	62.6	
09/11/2019	17:30	68.9	72.3	64	70.4
09/11/2019	17:35	69.9	74.1	63.8	
09/11/2019	17:40	69.2	73.1	63.4	
09/11/2019	17:45	69.4	73	63.8	
09/11/2019	17:50	72.5	75.4	64.8	
09/11/2019	17:55	71.2	72.9	63.1	
09/11/2019	18:00	68.9	72.2	63.3	68.6
09/11/2019	18:05	69.7	73.1	64.2	
09/11/2019	18:10	65.4	70	59.1	
09/11/2019	18:15	72.1	74.1	57.8	
09/11/2019	18:20	64.6	69	57.8	
09/11/2019	18:25	65.9	70	58.4	
09/11/2019	18:30	65.1	69.5	57.4	65.0
09/11/2019	18:35	65.9	70.4	57.5	
09/11/2019	18:40	64.7	69.1	57.4	
09/11/2019	18:45	64.5	70.1	56.5	
09/11/2019	18:50	64.3	69.3	54.8	
09/11/2019	18:55	65.2	71.2	54.6	
Average		68.3			68.3
Max		77.7	81.3	68.7	72.6
Min		58.2	61.5	50.9	61.8

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	7:00	61	63	58.7	61.2
28/10/2019	7:05	61	64	58.1	
28/10/2019	7:10	61	64.8	58.7	
28/10/2019	7:15	61.4	63.6	59.2	
28/10/2019	7:20	61.4	64	58.7	
28/10/2019	7:25	61.1	63.6	58.5	
28/10/2019	7:30	61.3	64.6	58.2	61.6
28/10/2019	7:35	61.4	64.5	59	
28/10/2019	7:40	62.2	66	59.3	
28/10/2019	7:45	61.4	63.3	59.4	
28/10/2019	7:50	61.4	64.6	58.5	
28/10/2019	7:55	62	64.4	59.6	
28/10/2019	8:00	61.5	65.2	58	62.3
28/10/2019	8:05	62.1	64.1	59	
28/10/2019	8:10	61.9	64	59.2	
28/10/2019	8:15	61.9	64.2	59.5	
28/10/2019	8:20	64.1	68	59.2	
28/10/2019	8:25	61.6	63.5	59.7	
28/10/2019	8:30	62.4	65.2	60.3	61.7
28/10/2019	8:35	61.4	64.1	58.4	
28/10/2019	8:40	61.7	64.4	58.9	
28/10/2019	8:45	62	65	58.7	
28/10/2019	8:50	61.4	63.5	59.2	
28/10/2019	8:55	61.5	64.1	58.6	
28/10/2019	9:00	62	65.2	59.2	62.1
28/10/2019	9:05	61.8	63.6	59.2	
28/10/2019	9:10	62.6	65.3	59.2	
28/10/2019	9:15	62.1	64.4	59.8	
28/10/2019	9:20	62.3	65.2	59.4	
28/10/2019	9:25	61.8	64.9	59	
28/10/2019	9:30	62.3	65.4	59.9	62.0
28/10/2019	9:35	62.3	65	59.6	
28/10/2019	9:40	61.6	63.4	59.5	
28/10/2019	9:45	62	64.2	59.4	
28/10/2019	9:50	62.1	64.7	59.4	
28/10/2019	9:55	61.5	63.7	59.4	
28/10/2019	10:00	62.3	65	59.6	62.3
28/10/2019	10:05	62.3	65.3	59.8	
28/10/2019	10:10	61.9	64.2	59	
28/10/2019	10:15	62.9	65.6	59.5	
28/10/2019	10:20	62.6	64.7	59.8	
28/10/2019	10:25	61.5	63.7	59.1	
28/10/2019	10:30	62.3	64.9	59.4	62.2
28/10/2019	10:35	62.5	65.2	59.1	
28/10/2019	10:40	62.3	65.1	59.8	
28/10/2019	10:45	61.7	63.5	59.1	
28/10/2019	10:50	62.4	64.8	59.9	
28/10/2019	10:55	62.1	64.2	59.9	
28/10/2019	11:00	61.9	63.5	59.6	61.9
28/10/2019	11:05	62.4	65.2	59.5	
28/10/2019	11:10	61.8	64.3	59.3	
28/10/2019	11:15	61.5	63.7	58.9	
28/10/2019	11:20	62.3	64.1	60	
28/10/2019	11:25	61.6	63.6	58.9	
28/10/2019	11:30	62.3	64.6	59.7	62.2
28/10/2019	11:35	55.8	61.9	42	
28/10/2019	11:40	58.1	63.4	46.7	
28/10/2019	11:45	57.8	61.6	53	
28/10/2019	11:50	64.8	70.7	55.1	
28/10/2019	11:55	65.6	71.1	54.4	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	12:00	64.3	69.7	55.2	74.1
28/10/2019	12:05	65.2	70.3	55.6	
28/10/2019	12:10	75.8	76.5	74.5	
28/10/2019	12:15	75.6	76.2	75.2	
28/10/2019	12:20	75.5	76.3	75	
28/10/2019	12:25	75.7	76.2	75.4	
28/10/2019	12:30	74.7	76	73.9	74.6
28/10/2019	12:35	73.4	73.9	72.2	
28/10/2019	12:40	73.7	75.2	71.6	
28/10/2019	12:45	72.4	73.3	71.4	
28/10/2019	12:50	75.2	77.5	67.3	
28/10/2019	12:55	76.9	77.4	75.7	
28/10/2019	13:00	74.4	76.8	71.1	68.0
28/10/2019	13:05	65.4	70.6	56	
28/10/2019	13:10	66.9	68	58.6	
28/10/2019	13:15	62.8	70.8	41.4	
28/10/2019	13:20	55.6	57.5	53.4	
28/10/2019	13:25	48.8	51.4	47.1	
28/10/2019	13:30	51.3	54.1	48.2	63.0
28/10/2019	13:35	53.8	55.9	50.9	
28/10/2019	13:40	63.8	67.8	54.3	
28/10/2019	13:45	59.6	71.1	55.2	
28/10/2019	13:50	53.8	68.8	52.9	
28/10/2019	13:55	69	72.7	60.9	
28/10/2019	14:00	68.4	72.5	60.5	66.8
28/10/2019	14:05	68.4	72.4	59.3	
28/10/2019	14:10	67.2	71.1	60.4	
28/10/2019	14:15	67.5	71.8	60.3	
28/10/2019	14:20	56.9	59.4	54.9	
28/10/2019	14:25	65.6	66.5	54.2	
28/10/2019	14:30	71.5	80.2	50.5	69.6
28/10/2019	14:35	73.5	76.9	55.5	
28/10/2019	14:40	59.9	64	57	
28/10/2019	14:45	68.2	75.7	56.5	
28/10/2019	14:50	69.2	72.5	66.7	
28/10/2019	14:55	64.3	72.2	46.8	
28/10/2019	15:00	44.3	45.8	44.3	57.0
28/10/2019	15:05	54.4	58	49.7	
28/10/2019	15:10	53.1	55.9	52.1	
28/10/2019	15:15	61.5	66.8	50.1	
28/10/2019	15:20	51.6	56.3	49.1	
28/10/2019	15:25	59.6	62.8	56.8	
28/10/2019	15:30	64.4	68.9	60.4	63.4
28/10/2019	15:35	54.1	55.6	52.6	
28/10/2019	15:40	54.6	56	53.5	
28/10/2019	15:45	59.7	61.4	57.7	
28/10/2019	15:50	66.4	69	55.5	
28/10/2019	15:55	66.6	72.4	55.7	
28/10/2019	16:00	60.5	64.3	57.5	59.2
28/10/2019	16:05	61.4	64.8	57	
28/10/2019	16:10	56.9	61.1	51.7	
28/10/2019	16:15	60	64.1	50.8	
28/10/2019	16:20	57.5	59.7	55.6	
28/10/2019	16:25	56.8	58.8	54.5	
28/10/2019	16:30	57.9	60.2	55.7	56.9
28/10/2019	16:35	58.1	60.3	55.5	
28/10/2019	16:40	58.6	61	56.1	
28/10/2019	16:45	57.8	59.9	55.7	
28/10/2019	16:50	52.1	55.7	48.5	
28/10/2019	16:55	53.3	56.2	50.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	17:00	52.9	55.7	50	61.6
28/10/2019	17:05	54.1	56.8	49.1	
28/10/2019	17:10	52.3	56	48.5	
28/10/2019	17:15	51.1	54.4	48.4	
28/10/2019	17:20	66	66.7	57.7	
28/10/2019	17:25	65.9	68.7	61.7	
28/10/2019	17:30	65.8	68.7	60.7	65.8
28/10/2019	17:35	65.6	67.9	59.7	
28/10/2019	17:40	64.6	70.2	61.4	
28/10/2019	17:45	66.7	69.1	58.9	
28/10/2019	17:50	65	70.6	60.6	
28/10/2019	17:55	66.7	69.9	62.2	66.1
28/10/2019	18:00	66.9	68.7	61.9	
28/10/2019	18:05	66	70.6	59.1	
28/10/2019	18:10	65.8	69.9	60.5	
28/10/2019	18:15	66.1	69.7	61.4	
28/10/2019	18:20	66.3	68.9	59.4	
28/10/2019	18:25	65.4	67.6	57.4	63.1
28/10/2019	18:30	64.1	68.9	58.2	
28/10/2019	18:35	65.1	68.1	56.8	
28/10/2019	18:40	64.7	65.6	53.2	
28/10/2019	18:45	59.7	66.2	54.8	
28/10/2019	18:50	61.9	64	52.8	
28/10/2019	18:55	59.4	64.6	51.6	61.1
29/10/2019	7:00	64.2	66.7	50.2	
29/10/2019	7:05	60	63.5	50.7	
29/10/2019	7:10	59.9	62	50.2	
29/10/2019	7:15	61.2	65.3	52.5	
29/10/2019	7:20	59.2	64.7	52.2	
29/10/2019	7:25	60.1	65.2	52.6	62.3
29/10/2019	7:30	61.4	66	52.2	
29/10/2019	7:35	62.9	63.6	51.4	
29/10/2019	7:40	62.9	65.1	51	
29/10/2019	7:45	60.8	66	53.1	
29/10/2019	7:50	62.6	67.7	54.5	65.2
29/10/2019	7:55	62.7	67.3	53.2	
29/10/2019	8:00	60.5	65.6	52	
29/10/2019	8:05	69.4	71.2	55.9	
29/10/2019	8:10	61.3	67.3	53.3	
29/10/2019	8:15	61.7	64.8	52	64.6
29/10/2019	8:20	62.4	73.2	54.3	
29/10/2019	8:25	67.5	69.5	52.8	
29/10/2019	8:30	61.7	66	53.3	
29/10/2019	8:35	62.2	66.7	53.7	
29/10/2019	8:40	61.4	71.8	55.3	63.9
29/10/2019	8:45	66.1	67.9	55.2	
29/10/2019	8:50	66.3	66.8	55.2	
29/10/2019	8:55	66.5	69.6	55.9	
29/10/2019	9:00	65.9	70	55.6	
29/10/2019	9:05	64.7	69.5	61.5	63.0
29/10/2019	9:10	64.5	69.5	61.5	
29/10/2019	9:15	63.9	69.3	60.8	
29/10/2019	9:20	61.7	67.8	60.1	
29/10/2019	9:25	60.9	68.1	59.6	
29/10/2019	9:30	61.6	67.3	59.8	
29/10/2019	9:35	60.9	67.2	58.7	63.0
29/10/2019	9:40	60.6	66.7	58.4	
29/10/2019	9:45	64.3	67.8	57.8	
29/10/2019	9:50	65.5	68.5	60.7	
29/10/2019	9:55	62.7	68.3	59.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	10:00	64.2	66.9	56.7	63.5
29/10/2019	10:05	64	65.8	56.1	
29/10/2019	10:10	63	64.2	56.6	
29/10/2019	10:15	63.3	67.3	56.7	
29/10/2019	10:20	63.2	64.9	57.1	
29/10/2019	10:25	63.4	65.8	56.9	65.0
29/10/2019	10:30	63.8	65.6	57.1	
29/10/2019	10:35	65.9	69	58.1	
29/10/2019	10:40	65.1	66.8	58.2	
29/10/2019	10:45	64	66	57.3	
29/10/2019	10:50	65.9	68.1	58.3	64.3
29/10/2019	10:55	64.8	66.5	56.8	
29/10/2019	11:00	64.5	66.6	57.6	
29/10/2019	11:05	65.1	65.3	56.6	
29/10/2019	11:10	63.8	65.3	55.9	
29/10/2019	11:15	64.4	65.4	55.9	63.8
29/10/2019	11:20	63.3	68.5	56.9	
29/10/2019	11:25	64.7	67.1	57.7	
29/10/2019	11:30	65.4	67.6	56.3	
29/10/2019	11:35	65.4	65.8	55.1	
29/10/2019	11:40	64	67.2	56.1	62.9
29/10/2019	11:45	62.7	68.1	57.2	
29/10/2019	11:50	62.2	67.1	56.5	
29/10/2019	11:55	61.9	71.7	57.8	
29/10/2019	12:00	61.6	65.7	56.5	
29/10/2019	12:05	65.3	66.8	57.9	64.2
29/10/2019	12:10	63	65.3	56.3	
29/10/2019	12:15	62.7	69	56.8	
29/10/2019	12:20	62.3	66.3	53.6	
29/10/2019	12:25	60.8	66.6	57.5	
29/10/2019	12:30	61.3	67.6	58.9	66.0
29/10/2019	12:35	61.7	68	59.2	
29/10/2019	12:40	64.9	67.3	58.8	
29/10/2019	12:45	66.7	66.7	57.5	
29/10/2019	12:50	63.9	67.7	57.5	
29/10/2019	12:55	64.6	68.8	58.2	64.5
29/10/2019	13:00	64.2	66.9	53.9	
29/10/2019	13:05	69.7	73.1	53	
29/10/2019	13:10	64.4	65.7	52.2	
29/10/2019	13:15	65.7	69	49.4	
29/10/2019	13:20	63.7	68.8	50.3	63.2
29/10/2019	13:25	65.1	66.2	51.8	
29/10/2019	13:30	64.3	67.3	48.5	
29/10/2019	13:35	64.9	67.4	50	
29/10/2019	13:40	63	66.6	49.3	
29/10/2019	13:45	65.4	67.8	49.6	61.7
29/10/2019	13:50	64.2	68.1	49.9	
29/10/2019	13:55	64.6	67.6	48.4	
29/10/2019	14:00	65.5	70.3	50	
29/10/2019	14:05	63	63.8	52.2	
29/10/2019	14:10	63.4	64.2	52.2	44.9
29/10/2019	14:15	63.2	68.2	50.8	
29/10/2019	14:20	61.5	66.7	50.2	
29/10/2019	14:25	61.5	64.6	52.5	
29/10/2019	14:30	61.7	64.2	51.4	
29/10/2019	14:35	60.6	63.5	52.5	45.8
29/10/2019	14:40	61.2	64	53	
29/10/2019	14:45	61.2	63.2	53	
29/10/2019	14:50	62.2	63	51.6	
29/10/2019	14:55	63	68.7	52.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	15:00	60.7	62.1	50.4	61.8
29/10/2019	15:05	61.9	62.5	47.5	
29/10/2019	15:10	61.2	61.2	47	
29/10/2019	15:15	62.6	63.2	46.8	
29/10/2019	15:20	61.4	62.8	47.1	
29/10/2019	15:25	62.4	64.3	48.2	62.6
29/10/2019	15:30	61.5	62.8	48.2	
29/10/2019	15:35	60.5	63.1	50	
29/10/2019	15:40	61.9	64.1	50	
29/10/2019	15:45	61.8	64.4	50.3	
29/10/2019	15:50	65.3	69.8	50.6	62.1
29/10/2019	15:55	62.9	64.8	48.9	
29/10/2019	16:00	62.7	65.2	51.2	
29/10/2019	16:05	62.4	63.9	50.2	
29/10/2019	16:10	61.6	61.8	51	
29/10/2019	16:15	64.2	64.5	50.5	62.9
29/10/2019	16:20	59.7	60.4	50.5	
29/10/2019	16:25	60.8	64.3	50.5	
29/10/2019	16:30	59.6	60.6	49.8	
29/10/2019	16:35	64.8	66.8	56.4	
29/10/2019	16:40	62	70.7	60	65.5
29/10/2019	16:45	60.7	70.5	59.8	
29/10/2019	16:50	65.4	70.4	59.3	
29/10/2019	16:55	62	69	59.1	
29/10/2019	17:00	66.4	67.9	58.5	
29/10/2019	17:05	66.7	68	60	64.2
29/10/2019	17:10	65.9	66.8	59.4	
29/10/2019	17:15	64.3	71	59.5	
29/10/2019	17:20	64.2	68.5	59.4	
29/10/2019	17:25	64.5	65.1	57.3	
29/10/2019	17:30	63.7	66.5	58.6	63.8
29/10/2019	17:35	67	70.3	58.2	
29/10/2019	17:40	64.7	69.1	56.6	
29/10/2019	17:45	61.5	66.3	58	
29/10/2019	17:50	63.3	68.1	57.8	
29/10/2019	17:55	63.1	67.1	57.4	63.4
29/10/2019	18:00	61.2	67	57.8	
29/10/2019	18:05	62.9	69.4	58.8	
29/10/2019	18:10	63.9	66.9	57.1	
29/10/2019	18:15	63.2	66.2	57.3	
29/10/2019	18:20	63.4	67.1	58.2	44.9
29/10/2019	18:25	66.5	68	53.1	
29/10/2019	18:30	65.2	68.1	51.8	
29/10/2019	18:35	62.9	63	51.8	
29/10/2019	18:40	63.7	64	52.4	
29/10/2019	18:45	59.4	63.5	51.4	45.8
29/10/2019	18:50	66.1	69.5	51.5	
29/10/2019	18:55	58.6	63.1	51.4	
30/10/2019	7:00	45.2	47.3	44.1	
30/10/2019	7:05	44.2	45	43.7	
30/10/2019	7:10	45.2	48.3	44.2	45.8
30/10/2019	7:15	44.5	45.1	44	
30/10/2019	7:20	45	46.6	44.1	
30/10/2019	7:25	45.1	47.1	44.2	
30/10/2019	7:30	45.5	46.6	44.3	
30/10/2019	7:35	46.1	49.7	44.5	45.8
30/10/2019	7:40	45.2	46	44.4	
30/10/2019	7:45	45.7	47.1	44.6	
30/10/2019	7:50	45.5	46.7	44.8	
30/10/2019	7:55	46.6	50.3	44.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	8:00	47.3	51.2	45.3	48.6
30/10/2019	8:05	47.4	49.4	45.7	
30/10/2019	8:10	50.4	55.8	45.5	
30/10/2019	8:15	47	49.8	45.7	
30/10/2019	8:20	48.5	52.6	46.2	
30/10/2019	8:25	49.9	53.6	46.2	
30/10/2019	8:30	48.4	51.6	46.1	55.3
30/10/2019	8:35	49.9	53	46.8	
30/10/2019	8:40	50.3	53.6	47.1	
30/10/2019	8:45	59.9	66.6	47.9	
30/10/2019	8:50	56.4	64.6	48	
30/10/2019	8:55	55.5	62.2	47.9	
30/10/2019	9:00	50.7	54.7	48.4	52.3
30/10/2019	9:05	51	53.9	48.9	
30/10/2019	9:10	51.1	54.4	48.9	
30/10/2019	9:15	55.3	59.6	49.1	
30/10/2019	9:20	51.2	53.3	49.4	
30/10/2019	9:25	52.5	55.4	49.9	
30/10/2019	9:30	53.6	57.2	50.3	58.8
30/10/2019	9:35	57.2	60.6	53.8	
30/10/2019	9:40	58.3	62.4	54.2	
30/10/2019	9:45	57.5	59.9	54.8	
30/10/2019	9:50	60.1	64.5	56.3	
30/10/2019	9:55	61.8	65.5	58.1	
30/10/2019	10:00	60.7	63.4	58.5	61.1
30/10/2019	10:05	60.6	63.6	57.9	
30/10/2019	10:10	60.4	62.6	58.4	
30/10/2019	10:15	60.8	62.6	59.5	
30/10/2019	10:20	62.9	66.5	59.7	
30/10/2019	10:25	60.7	62.5	58.2	
30/10/2019	10:30	61.5	63.3	60	60.9
30/10/2019	10:35	61.4	63.2	59.3	
30/10/2019	10:40	60.5	62.5	58.7	
30/10/2019	10:45	60.1	63.2	57.2	
30/10/2019	10:50	61.2	64	58.8	
30/10/2019	10:55	60.6	62.9	58.8	
30/10/2019	11:00	61.3	65.9	57.7	61.2
30/10/2019	11:05	61.7	66.1	57.5	
30/10/2019	11:10	61.5	65.9	56.4	
30/10/2019	11:15	60.7	63.1	58.2	
30/10/2019	11:20	60.8	63.5	58	
30/10/2019	11:25	61	63.4	58.7	
30/10/2019	11:30	60.1	63	57.7	60.4
30/10/2019	11:35	61.4	66.4	58.3	
30/10/2019	11:40	59.1	61	57.7	
30/10/2019	11:45	60.3	63	58.2	
30/10/2019	11:50	60	62.7	58.3	
30/10/2019	11:55	61.3	66.1	58.5	
30/10/2019	12:00	59.7	62	57.6	59.4
30/10/2019	12:05	58.7	60.3	57.5	
30/10/2019	12:10	60.4	64.3	57.8	
30/10/2019	12:15	59.3	61.6	56.5	
30/10/2019	12:20	58.9	61.4	57.1	
30/10/2019	12:25	59.4	64.1	56.8	
30/10/2019	12:30	58.9	60.8	57.5	58.6
30/10/2019	12:35	61.1	66.6	56.8	
30/10/2019	12:40	58.2	60.8	54.5	
30/10/2019	12:45	57.5	60.8	54.6	
30/10/2019	12:50	58.2	62.2	54.2	
30/10/2019	12:55	56.1	60.2	53.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	13:00	57.4	62.7	49.8	57.2
30/10/2019	13:05	56.6	63.6	49.2	
30/10/2019	13:10	55.1	61.8	48.9	
30/10/2019	13:15	54.6	62.9	48.7	
30/10/2019	13:20	60.7	61.3	48.9	
30/10/2019	13:25	55.9	56.9	55.3	
30/10/2019	13:30	61.6	63.5	56.2	58.5
30/10/2019	13:35	58.2	62	54.9	
30/10/2019	13:40	57.5	59.6	55.7	
30/10/2019	13:45	57.3	59.2	55.9	
30/10/2019	13:50	57.1	58.4	55.9	
30/10/2019	13:55	57.4	58.7	55.8	
30/10/2019	14:00	57.3	58.8	55.8	58.1
30/10/2019	14:05	57.2	59	56.1	
30/10/2019	14:10	57.3	58.2	56.4	
30/10/2019	14:15	58	61.2	56.2	
30/10/2019	14:20	58.4	60.1	56.9	
30/10/2019	14:25	59.7	61.4	57.3	
30/10/2019	14:30	60.5	62.3	58.3	60.2
30/10/2019	14:35	59.7	62	57.6	
30/10/2019	14:40	60	62.5	57.5	
30/10/2019	14:45	60	62.2	57.9	
30/10/2019	14:50	60.1	61.9	57.8	
30/10/2019	14:55	60.9	63.5	58.5	
30/10/2019	15:00	61.5	64.6	59.1	61.2
30/10/2019	15:05	62.6	65.9	59.6	
30/10/2019	15:10	60.2	62.1	58.6	
30/10/2019	15:15	60.4	62.2	58.9	
30/10/2019	15:20	60.7	64.2	58.6	
30/10/2019	15:25	61.4	64	59.1	
30/10/2019	15:30	61.8	64.8	59.7	62.2
30/10/2019	15:35	61.8	64	59.7	
30/10/2019	15:40	62	64.8	59.6	
30/10/2019	15:45	62.6	65.3	60.2	
30/10/2019	15:50	61.9	64.8	58.7	
30/10/2019	15:55	62.9	66.8	58.9	
30/10/2019	16:00	61.7	65	58.7	61.0
30/10/2019	16:05	60.9	63.8	58.6	
30/10/2019	16:10	61.6	64.1	59.3	
30/10/2019	16:15	60.8	63.3	58.4	
30/10/2019	16:20	60.1	63	57.7	
30/10/2019	16:25	60.9	64.8	58.2	
30/10/2019	16:30	59.2	60.8	58	59.2
30/10/2019	16:35	59.8	62.1	58.4	
30/10/2019	16:40	59.2	61.4	57.3	
30/10/2019	16:45	59.9	63	57.6	
30/10/2019	16:50	58.6	60.8	56.7	
30/10/2019	16:55	58.2	60.2	56.6	
30/10/2019	17:00	58.8	61	57	59.1
30/10/2019	17:05	59.4	63.2	57	
30/10/2019	17:10	58.4	60.6	56.4	
30/10/2019	17:15	59.2	60.7	57.5	
30/10/2019	17:20	59.6	62	57.5	
30/10/2019	17:25	59.3	61.6	57.3	
30/10/2019	17:30	59.7	62.7	57.4	59.4
30/10/2019	17:35	59.8	61.6	57.8	
30/10/2019	17:40	59.6	62	57.6	
30/10/2019	17:45	58.9	61	57	
30/10/2019	17:50	59	60.6	57.4	
30/10/2019	17:55	59.4	61.7	57.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	18:00	59	61	57.2	59.5
30/10/2019	18:05	59.1	61.3	57.1	
30/10/2019	18:10	59.6	62.9	57.1	
30/10/2019	18:15	59.4	62	57.4	
30/10/2019	18:20	60.4	62.9	57.8	
30/10/2019	18:25	59.3	61.6	56.9	
30/10/2019	18:30	60.4	62.8	57.6	58.5
30/10/2019	18:35	57.6	59.8	55.7	
30/10/2019	18:40	59.7	62.9	56.1	
30/10/2019	18:45	58.5	61.6	55.9	
30/10/2019	18:50	56.3	58.4	54.7	
30/10/2019	18:55	56.7	58.7	55	
31/10/2019	7:00	44.8	45.9	44.1	45.9
31/10/2019	7:05	46.6	48.7	44.2	
31/10/2019	7:10	46.2	49.3	44.6	
31/10/2019	7:15	45.5	46.9	44.6	
31/10/2019	7:20	45.5	46.7	44.6	
31/10/2019	7:25	46.3	48.3	45	
31/10/2019	7:30	46.8	48.9	45.2	46.6
31/10/2019	7:35	45.6	46.4	45.1	
31/10/2019	7:40	45.7	46.8	45.1	
31/10/2019	7:45	46.5	48.8	45.3	
31/10/2019	7:50	47.4	50.5	45.4	
31/10/2019	7:55	47.1	48.7	45.5	
31/10/2019	8:00	48	51.5	45.8	49.2
31/10/2019	8:05	47.5	49.8	45.6	
31/10/2019	8:10	48.2	50.9	46.5	
31/10/2019	8:15	50.4	56.4	46.2	
31/10/2019	8:20	50.8	56.9	46.8	
31/10/2019	8:25	49	51.4	47.1	
31/10/2019	8:30	50.7	53.3	48.2	50.9
31/10/2019	8:35	50.8	54.3	48.2	
31/10/2019	8:40	51.1	53.7	49	
31/10/2019	8:45	50.8	53.4	49.1	
31/10/2019	8:50	50.9	53.5	49	
31/10/2019	8:55	51.3	54.6	49.3	
31/10/2019	9:00	50.7	54	48.6	53.7
31/10/2019	9:05	55	56.1	49.4	
31/10/2019	9:10	52.5	54.5	50.5	
31/10/2019	9:15	52.9	55.3	50.9	
31/10/2019	9:20	54.8	57.7	52.3	
31/10/2019	9:25	54.8	57	53.1	
31/10/2019	9:30	55.1	57.2	52.9	59.1
31/10/2019	9:35	57	60.2	54.8	
31/10/2019	9:40	57.8	61.1	55.7	
31/10/2019	9:45	59.5	62.8	56.6	
31/10/2019	9:50	61.9	64.5	58.8	
31/10/2019	9:55	59.9	62.7	57.5	
31/10/2019	10:00	60.5	63.5	57.6	61.3
31/10/2019	10:05	61.5	64.5	59	
31/10/2019	10:10	59.8	62.1	57.9	
31/10/2019	10:15	62.1	64.5	58.6	
31/10/2019	10:20	61.8	65	59	
31/10/2019	10:25	61.7	64.2	58.6	
31/10/2019	10:30	61.2	64.5	58.1	61.2
31/10/2019	10:35	61.7	65	59.1	
31/10/2019	10:40	60.8	63	58.7	
31/10/2019	10:45	61.8	65.9	58.2	
31/10/2019	10:50	60.9	63.3	57.9	
31/10/2019	10:55	60.4	62.7	58.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	11:00	59.9	62.6	57.7	60.7
31/10/2019	11:05	62.3	66.6	58.4	
31/10/2019	11:10	60.9	64.4	57.9	
31/10/2019	11:15	60.1	62.6	58.5	
31/10/2019	11:20	60.2	62.2	58.8	
31/10/2019	11:25	60.4	62.5	58.6	
31/10/2019	11:30	60.5	63.1	58.5	61.3
31/10/2019	11:35	61.1	63	59.4	
31/10/2019	11:40	61.4	63.6	59.5	
31/10/2019	11:45	61.6	63.4	60	
31/10/2019	11:50	61.8	64.4	59.6	
31/10/2019	11:55	61.5	63.9	59.9	
31/10/2019	12:00	62	63.7	60.2	61.5
31/10/2019	12:05	62	63.9	60.1	
31/10/2019	12:10	62	63.7	60.2	
31/10/2019	12:15	60.1	62.8	58.2	
31/10/2019	12:20	60.5	63.3	58.3	
31/10/2019	12:25	61.9	63.9	59.9	
31/10/2019	12:30	60.8	63.4	58.3	60.2
31/10/2019	12:35	61.5	64.9	57.5	
31/10/2019	12:40	59.8	63.4	56.8	
31/10/2019	12:45	60.7	64.5	56.9	
31/10/2019	12:50	58.8	62.5	55.5	
31/10/2019	12:55	58.8	62.4	54.4	
31/10/2019	13:00	57.9	60.6	54.6	58.1
31/10/2019	13:05	56.8	57.6	53.7	
31/10/2019	13:10	57.4	59.7	53.9	
31/10/2019	13:15	59	63.5	53.6	
31/10/2019	13:20	58.5	61.4	55.3	
31/10/2019	13:25	58.4	62.1	55	
31/10/2019	13:30	58.2	60.7	55.2	57.5
31/10/2019	13:35	58.3	61.5	55.1	
31/10/2019	13:40	57.6	60.4	54.7	
31/10/2019	13:45	58.1	62	54.1	
31/10/2019	13:50	55.5	57.3	53.5	
31/10/2019	13:55	56.4	58.7	54.5	
31/10/2019	14:00	56.2	58	54.7	57.6
31/10/2019	14:05	56.8	58.5	55.1	
31/10/2019	14:10	57.1	59.1	55.7	
31/10/2019	14:15	56.7	58.6	55.3	
31/10/2019	14:20	57.3	59	55.6	
31/10/2019	14:25	60.1	62.2	57.4	
31/10/2019	14:30	60.9	62.8	57.7	60.8
31/10/2019	14:35	60.3	62.7	58.2	
31/10/2019	14:40	60.7	63.3	58.3	
31/10/2019	14:45	60.1	62	57.8	
31/10/2019	14:50	61	62.3	59.5	
31/10/2019	14:55	61.4	63.3	59.3	
31/10/2019	15:00	61.1	63.7	58.8	61.4
31/10/2019	15:05	62	64.8	59.1	
31/10/2019	15:10	60.6	64.2	57.8	
31/10/2019	15:15	60.8	62.7	58.3	
31/10/2019	15:20	62.6	66.7	59.9	
31/10/2019	15:25	60.8	63.1	57.9	
31/10/2019	15:30	61.2	64.9	57.8	61.0
31/10/2019	15:35	60.4	62.2	58	
31/10/2019	15:40	60.9	64	57.8	
31/10/2019	15:45	60.5	62.3	58.8	
31/10/2019	15:50	61.9	65.3	58.7	
31/10/2019	15:55	61.1	64.2	57.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	16:00	60.8	62.4	58.5	60.9
31/10/2019	16:05	60.8	62.3	58.6	
31/10/2019	16:10	59.7	62	57.3	
31/10/2019	16:15	60.9	62.9	58.3	
31/10/2019	16:20	61.3	62.6	60.3	
31/10/2019	16:25	61.9	64.4	58.6	
31/10/2019	16:30	60.7	62.8	58	59.4
31/10/2019	16:35	59.8	61.8	57.5	
31/10/2019	16:40	59.1	61.1	57.2	
31/10/2019	16:45	58.5	60.4	57.1	
31/10/2019	16:50	59.4	62.1	56.8	
31/10/2019	16:55	58.6	59.8	56.1	
31/10/2019	17:00	59.2	64.2	56.4	58.8
31/10/2019	17:05	58.4	60.2	56.7	
31/10/2019	17:10	58.4	59.9	56.9	
31/10/2019	17:15	58.8	61.1	57.1	
31/10/2019	17:20	58.9	61	57.2	
31/10/2019	17:25	58.9	60.8	57.2	
31/10/2019	17:30	59.1	61.3	56.9	59.2
31/10/2019	17:35	58.7	60.1	57.5	
31/10/2019	17:40	59.2	61.7	57.5	
31/10/2019	17:45	59.1	61.6	57.2	
31/10/2019	17:50	58.6	60.9	57.2	
31/10/2019	17:55	60.2	62.2	57.7	
31/10/2019	18:00	60.2	61.5	58.5	61.5
31/10/2019	18:05	59.6	60.8	58.7	
31/10/2019	18:10	61.5	64.1	58.8	
31/10/2019	18:15	60.4	63.1	58.5	
31/10/2019	18:20	62.3	65.3	59.5	
31/10/2019	18:25	63.6	69	58.9	
31/10/2019	18:30	68.5	75.5	59.2	65.1
31/10/2019	18:35	66.2	73.4	59.3	
31/10/2019	18:40	66	72	59	
31/10/2019	18:45	60.9	64.2	58.5	
31/10/2019	18:50	61.4	63.8	58.4	
31/10/2019	18:55	61.7	65.5	57.9	
01/11/2019	7:00	45.2	47	44	45.9
01/11/2019	7:05	44.8	46.3	43.8	
01/11/2019	7:10	47	50	44.3	
01/11/2019	7:15	45.5	48.1	44.2	
01/11/2019	7:20	45.9	47.5	44.1	
01/11/2019	7:25	46.6	48.3	44.5	
01/11/2019	7:30	46.9	50.4	44.7	47.0
01/11/2019	7:35	46.7	49.2	44.5	
01/11/2019	7:40	45.9	48.9	44.4	
01/11/2019	7:45	46.5	49	44.8	
01/11/2019	7:50	47	49.3	45.4	
01/11/2019	7:55	48.7	52.8	45.4	
01/11/2019	8:00	47.4	49.7	45.7	49.3
01/11/2019	8:05	48.6	51.8	46.2	
01/11/2019	8:10	49	52	46.7	
01/11/2019	8:15	49.4	51.8	47.3	
01/11/2019	8:20	49.3	52.3	46.7	
01/11/2019	8:25	51.3	55.6	48.2	
01/11/2019	8:30	50.3	52.8	48.4	51.6
01/11/2019	8:35	50.4	52.8	48.3	
01/11/2019	8:40	52.2	55.4	49.1	
01/11/2019	8:45	50.4	52.7	48.7	
01/11/2019	8:50	51.7	54.4	49.6	
01/11/2019	8:55	53.7	59.5	49.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	9:00	51.5	53.3	49.8	53.9
01/11/2019	9:05	54	57.3	50.8	
01/11/2019	9:10	52.4	55.1	50.6	
01/11/2019	9:15	54.4	56.4	51.6	
01/11/2019	9:20	55.4	57.9	52.4	
01/11/2019	9:25	54.7	56.5	52.9	
01/11/2019	9:30	55.1	56.8	53.5	59.2
01/11/2019	9:35	57.3	59	55.7	
01/11/2019	9:40	59.7	62	56.4	
01/11/2019	9:45	61.4	65.3	56.6	
01/11/2019	9:50	59.7	61.4	57.8	
01/11/2019	9:55	59.6	62	57.7	
01/11/2019	10:00	60.3	61.3	57.8	60.2
01/11/2019	10:05	61	63.9	58.3	
01/11/2019	10:10	59.7	62.3	57.1	
01/11/2019	10:15	61	64.7	57.3	
01/11/2019	10:20	59.7	62.5	57.1	
01/11/2019	10:25	59.4	61.8	57.4	
01/11/2019	10:30	60.4	63.5	57.6	62.1
01/11/2019	10:35	61.8	64.2	59	
01/11/2019	10:40	66.5	67.5	58.1	
01/11/2019	10:45	59.5	62	57.5	
01/11/2019	10:50	59.4	61.8	57	
01/11/2019	10:55	59.6	62.1	56.9	
01/11/2019	11:00	61.1	63.8	58.2	60.5
01/11/2019	11:05	60.1	62.6	57.8	
01/11/2019	11:10	61.7	65.3	57.5	
01/11/2019	11:15	60.1	63.5	57.2	
01/11/2019	11:20	59	61.9	56.8	
01/11/2019	11:25	60.4	63.9	57.3	
01/11/2019	11:30	62.3	65.6	58.5	60.8
01/11/2019	11:35	59.3	62.9	56.4	
01/11/2019	11:40	61.6	64.4	58.1	
01/11/2019	11:45	60.9	63.4	57.9	
01/11/2019	11:50	60.9	63.5	58	
01/11/2019	11:55	58.7	60.8	56.7	
01/11/2019	12:00	61.1	65.2	57.7	62.0
01/11/2019	12:05	61.5	65.6	57.9	
01/11/2019	12:10	63.5	67.7	58.5	
01/11/2019	12:15	63.5	67.5	58.2	
01/11/2019	12:20	60.6	65.8	57.4	
01/11/2019	12:25	60.7	64.9	57.2	
01/11/2019	12:30	61.3	64.4	57.1	59.0
01/11/2019	12:35	60.9	64	57.7	
01/11/2019	12:40	58.9	61.3	56.4	
01/11/2019	12:45	58	60.2	55.4	
01/11/2019	12:50	56.3	59	54.3	
01/11/2019	12:55	55.3	57.9	53.2	
01/11/2019	13:00	54.7	56.3	53.2	54.6
01/11/2019	13:05	54.8	56.7	52.8	
01/11/2019	13:10	54.9	56.4	53.4	
01/11/2019	13:15	54.1	56.5	52.4	
01/11/2019	13:20	54.3	56.6	52.2	
01/11/2019	13:25	54.6	57.6	52.4	
01/11/2019	13:30	54.6	56.4	53.3	55.0
01/11/2019	13:35	54.2	56.6	52.6	
01/11/2019	13:40	54.9	56.9	53.1	
01/11/2019	13:45	54.9	57.1	53.4	
01/11/2019	13:50	54.9	56.9	53	
01/11/2019	13:55	56.2	58	53.4	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	14:00	55.4	57	54	56.0
01/11/2019	14:05	55.4	57.6	53.6	
01/11/2019	14:10	55.4	57	54.2	
01/11/2019	14:15	55.6	57.5	54.4	
01/11/2019	14:20	56.7	58.4	55	
01/11/2019	14:25	57.3	59.5	55.2	
01/11/2019	14:30	57.9	60.5	56.1	59.3
01/11/2019	14:35	58.9	61.3	57.2	
01/11/2019	14:40	60	62.3	58	
01/11/2019	14:45	59.4	61.3	57.8	
01/11/2019	14:50	60.1	62.6	57.7	
01/11/2019	14:55	59.4	61.4	57.6	
01/11/2019	15:00	59.8	61.7	57.9	60.1
01/11/2019	15:05	60.1	62.7	58.2	
01/11/2019	15:10	59.6	62.2	57.8	
01/11/2019	15:15	59.7	62.7	57.1	
01/11/2019	15:20	60	62.9	57.6	
01/11/2019	15:25	61.2	64.5	58.6	
01/11/2019	15:30	59.7	61.8	58.4	59.7
01/11/2019	15:35	60.8	63.3	58.4	
01/11/2019	15:40	59.4	61.7	57.4	
01/11/2019	15:45	59.4	61.8	57.3	
01/11/2019	15:50	59.2	61.6	56.9	
01/11/2019	15:55	59.6	62.1	57.4	
01/11/2019	16:00	58.7	60.4	56.9	59.3
01/11/2019	16:05	58.8	61.1	56.8	
01/11/2019	16:10	59	61.2	56.8	
01/11/2019	16:15	60.1	62	57.6	
01/11/2019	16:20	59.9	63.2	57.6	
01/11/2019	16:25	59.2	61.4	57.1	
01/11/2019	16:30	60.1	62.2	57.9	59.5
01/11/2019	16:35	59	60.9	56.9	
01/11/2019	16:40	59.6	62.4	56.8	
01/11/2019	16:45	58.9	60.9	56.9	
01/11/2019	16:50	60.5	64.3	57.4	
01/11/2019	16:55	58.6	60.5	56.6	
01/11/2019	17:00	58.8	60.6	56.8	60.4
01/11/2019	17:05	58.7	61.2	56.7	
01/11/2019	17:10	59.7	63	56.8	
01/11/2019	17:15	58.1	59.8	56.3	
01/11/2019	17:20	59.3	61.8	57.6	
01/11/2019	17:25	64.2	69.7	56	
01/11/2019	17:30	58	60.7	56.1	61.8
01/11/2019	17:35	60.9	65.5	57.1	
01/11/2019	17:40	61.6	65.8	57.5	
01/11/2019	17:45	62.7	65	58.1	
01/11/2019	17:50	60.6	62.6	57.5	
01/11/2019	17:55	64.4	68.3	58.1	
01/11/2019	18:00	61.3	65.3	58.3	62.5
01/11/2019	18:05	64.4	69	57.6	
01/11/2019	18:10	62.1	66.1	57.6	
01/11/2019	18:15	62	65.4	58.3	
01/11/2019	18:20	61.2	63.6	58.6	
01/11/2019	18:25	63.1	67.1	57.2	
01/11/2019	18:30	63.2	66.9	57.4	62.1
01/11/2019	18:35	60.3	63.5	56.7	
01/11/2019	18:40	63.7	67.1	58.9	
01/11/2019	18:45	61.9	66.5	57.4	
01/11/2019	18:50	60.3	62.6	57.1	
01/11/2019	18:55	62.1	65	58.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	7:00	45.8	47.2	43.9	45.6
02/11/2019	7:05	45.4	46.8	44.3	
02/11/2019	7:10	46.3	48.2	44.3	
02/11/2019	7:15	45	46	44.2	
02/11/2019	7:20	45.5	47.1	44.3	
02/11/2019	7:25	45.3	46.5	44.2	
02/11/2019	7:30	46.9	50.4	44.5	46.6
02/11/2019	7:35	46.7	50.3	44.5	
02/11/2019	7:40	45.1	46.5	44.1	
02/11/2019	7:45	46.5	48.7	44.3	
02/11/2019	7:50	45.4	46.6	44.5	
02/11/2019	7:55	48.2	51.8	45.3	
02/11/2019	8:00	48.7	52.8	45.4	48.3
02/11/2019	8:05	47.6	51.2	45.5	
02/11/2019	8:10	47.6	50.8	45.7	
02/11/2019	8:15	47.8	52.3	45.2	
02/11/2019	8:20	48.1	51.7	45.5	
02/11/2019	8:25	49.5	53.4	45.9	
02/11/2019	8:30	49.7	52.4	47.6	50.7
02/11/2019	8:35	49.2	53.4	47.1	
02/11/2019	8:40	50.2	53.7	47.8	
02/11/2019	8:45	51.1	53.3	48.7	
02/11/2019	8:50	51.5	54.9	49.1	
02/11/2019	8:55	51.9	54	49.9	
02/11/2019	9:00	52.3	54.5	50.1	53.8
02/11/2019	9:05	53.9	57.1	50.4	
02/11/2019	9:10	51.9	54.2	50.2	
02/11/2019	9:15	53.5	56.1	51.4	
02/11/2019	9:20	54.6	57.1	52	
02/11/2019	9:25	55.7	58	53.5	
02/11/2019	9:30	55.5	58.2	53.6	57.9
02/11/2019	9:35	56.7	58.9	54.4	
02/11/2019	9:40	57.7	59.7	56.2	
02/11/2019	9:45	57.8	59.3	56.2	
02/11/2019	9:50	59.3	61.3	57.1	
02/11/2019	9:55	59.1	62.2	56.7	
02/11/2019	10:00	59.1	61	57.1	60.1
02/11/2019	10:05	59.2	61.5	57	
02/11/2019	10:10	58.4	60	57	
02/11/2019	10:15	58.5	60.5	56.8	
02/11/2019	10:20	60.4	63.1	57.1	
02/11/2019	10:25	63	66.3	57.6	
02/11/2019	10:30	61.2	64.3	57.8	62.9
02/11/2019	10:35	60.8	65.8	56.7	
02/11/2019	10:40	61	64.7	57.8	
02/11/2019	10:45	62.4	66.6	58.7	
02/11/2019	10:50	66.4	69.5	61.6	
02/11/2019	10:55	62.6	65.9	59.7	
02/11/2019	11:00	64	67.8	60	64.2
02/11/2019	11:05	64.2	68.2	57.3	
02/11/2019	11:10	63.6	66.9	56.7	
02/11/2019	11:15	64.1	67.8	57.7	
02/11/2019	11:20	63	66.7	58.9	
02/11/2019	11:25	65.6	67.6	62.1	
02/11/2019	11:30	62.9	65.7	57.4	62.0
02/11/2019	11:35	62.5	66.5	58.6	
02/11/2019	11:40	61.7	63.7	57.6	
02/11/2019	11:45	63.1	65.1	61	
02/11/2019	11:50	60.4	64.2	57.4	
02/11/2019	11:55	61	63.3	57.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	12:00	60.6	62.8	58	62.8
02/11/2019	12:05	61.1	66	57.3	
02/11/2019	12:10	66.3	72.7	58.9	
02/11/2019	12:15	61.8	69.4	57.3	
02/11/2019	12:20	60.1	63.7	56.7	
02/11/2019	12:25	63.5	66.6	60.5	
02/11/2019	12:30	61.2	64.2	56.6	60.4
02/11/2019	12:35	60.7	62.7	57.5	
02/11/2019	12:40	61.3	64.5	58	
02/11/2019	12:45	60.4	62.5	56.8	
02/11/2019	12:50	59.7	63	55.9	
02/11/2019	12:55	58.6	62.6	53.9	
02/11/2019	13:00	60.7	64	53.8	59.3
02/11/2019	13:05	60.5	65.1	53.2	
02/11/2019	13:10	58.9	63.4	51.9	
02/11/2019	13:15	58.8	62	54	
02/11/2019	13:20	56.5	61.2	52.4	
02/11/2019	13:25	59.2	63.7	53	
02/11/2019	13:30	57.3	61.5	52.5	55.2
02/11/2019	13:35	54.1	55.7	52.5	
02/11/2019	13:40	54.3	56.6	52.5	
02/11/2019	13:45	54.9	57.2	53	
02/11/2019	13:50	55.3	57.9	53.2	
02/11/2019	13:55	54.6	56.1	53	
02/11/2019	14:00	55.8	57.5	54.5	57.0
02/11/2019	14:05	56.4	58.1	54.9	
02/11/2019	14:10	55.9	57.8	54	
02/11/2019	14:15	55.4	57.1	54	
02/11/2019	14:20	57.4	59.4	55.3	
02/11/2019	14:25	59.6	63.4	55.8	
02/11/2019	14:30	62.7	66.6	58.4	61.0
02/11/2019	14:35	61.7	65.6	58	
02/11/2019	14:40	60.7	63.9	57.5	
02/11/2019	14:45	59.6	62.9	57.1	
02/11/2019	14:50	61.1	64.5	56.4	
02/11/2019	14:55	59.4	64.2	56.4	
02/11/2019	15:00	60.4	63.2	57.5	60.9
02/11/2019	15:05	58.6	61	56.5	
02/11/2019	15:10	60.4	64.6	56.7	
02/11/2019	15:15	60.6	63.5	58	
02/11/2019	15:20	60.6	65.1	57.1	
02/11/2019	15:25	63.4	67.8	58.2	
02/11/2019	15:30	60.9	63.3	58	60.7
02/11/2019	15:35	60.6	62.9	57.9	
02/11/2019	15:40	59.4	61.5	57.1	
02/11/2019	15:45	61.6	66.4	56.9	
02/11/2019	15:50	59.9	62.8	57	
02/11/2019	15:55	61.4	65.1	57	
02/11/2019	16:00	60.9	64.4	57.2	63.2
02/11/2019	16:05	60.1	63.4	56.8	
02/11/2019	16:10	62.8	65.9	58.9	
02/11/2019	16:15	65.6	68.8	61.6	
02/11/2019	16:20	64.7	68.4	60.5	
02/11/2019	16:25	62.3	65.8	57.1	
02/11/2019	16:30	62.5	66.8	57.3	60.7
02/11/2019	16:35	59	61.5	56.9	
02/11/2019	16:40	62.2	66	57.1	
02/11/2019	16:45	59.8	61.5	57.5	
02/11/2019	16:50	60	62.7	57.5	
02/11/2019	16:55	59.4	61.7	56.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	17:00	58.6	60.6	56.7	60.5
02/11/2019	17:05	58.4	60.8	56.2	
02/11/2019	17:10	62.1	67	56.1	
02/11/2019	17:15	60.4	65.6	56.6	
02/11/2019	17:20	61.3	65.7	56.5	
02/11/2019	17:25	61.2	66.4	56.5	
02/11/2019	17:30	59.5	62.3	56.6	60.9
02/11/2019	17:35	59.9	62.5	57.3	
02/11/2019	17:40	60.3	63.4	57.1	
02/11/2019	17:45	60	64.2	57	
02/11/2019	17:50	63.4	68.9	56.6	
02/11/2019	17:55	61	65.9	55.5	
02/11/2019	18:00	57	58.4	55.6	60.9
02/11/2019	18:05	62.1	68	55.4	
02/11/2019	18:10	60.4	66.1	55.4	
02/11/2019	18:15	60.1	64.7	55.5	
02/11/2019	18:20	62	67.7	55.9	
02/11/2019	18:25	61.8	67	56.8	
02/11/2019	18:30	58.1	61	55.8	58.0
02/11/2019	18:35	58.7	61.7	55.8	
02/11/2019	18:40	57.3	60.1	55.3	
02/11/2019	18:45	57	61.4	54.8	
02/11/2019	18:50	58.8	61.7	55.5	
02/11/2019	18:55	57.6	59.2	56	
04/11/2019	7:00	45.7	49.4	43.3	45.3
04/11/2019	7:05	44.6	46.1	43.8	
04/11/2019	7:10	44.8	46.3	43.7	
04/11/2019	7:15	45	46.8	43.9	
04/11/2019	7:20	44.7	47	43.7	
04/11/2019	7:25	46.4	49.9	43.9	
04/11/2019	7:30	45.4	48.3	44	46.0
04/11/2019	7:35	44.8	46.6	43.9	
04/11/2019	7:40	45.3	48.1	44.3	
04/11/2019	7:45	45.4	48.4	44.2	
04/11/2019	7:50	47.5	51.7	44.4	
04/11/2019	7:55	46.8	49.9	44.6	
04/11/2019	8:00	47.7	51.3	44.8	49.2
04/11/2019	8:05	49	53.4	45.7	
04/11/2019	8:10	47.2	50.1	45.6	
04/11/2019	8:15	48.3	52.4	45.8	
04/11/2019	8:20	49.5	53	46.2	
04/11/2019	8:25	51.7	57.4	47.3	
04/11/2019	8:30	51.3	54.2	49	52.3
04/11/2019	8:35	51.7	54.9	49	
04/11/2019	8:40	51.1	53.6	48.9	
04/11/2019	8:45	51.4	54.5	48.6	
04/11/2019	8:50	54.5	61	48.8	
04/11/2019	8:55	52.9	57.9	49	
04/11/2019	9:00	52.5	55.9	49.2	52.9
04/11/2019	9:05	52.7	55.7	49	
04/11/2019	9:10	53.2	56.1	50.5	
04/11/2019	9:15	52.5	56	50.2	
04/11/2019	9:20	53.3	56	50.7	
04/11/2019	9:25	53.1	55.4	51.6	
04/11/2019	9:30	54.6	56.6	52.9	58.4
04/11/2019	9:35	55.7	58.1	53.6	
04/11/2019	9:40	56.4	58.7	54.5	
04/11/2019	9:45	58.5	60.1	56.4	
04/11/2019	9:50	59.5	62.2	57.4	
04/11/2019	9:55	61.5	64.9	58.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	10:00	61.2	63.8	59.1	62.7
04/11/2019	10:05	61.6	64	59.6	
04/11/2019	10:10	61.5	64.7	58.9	
04/11/2019	10:15	64.5	68.4	60.3	
04/11/2019	10:20	61.6	65	59	
04/11/2019	10:25	64.4	68.4	59.6	
04/11/2019	10:30	63.7	67.3	60	64.0
04/11/2019	10:35	64.4	68.4	61.3	
04/11/2019	10:40	65.1	67.9	62	
04/11/2019	10:45	64.5	67.4	61.1	
04/11/2019	10:50	62.9	65.7	60.8	
04/11/2019	10:55	63.1	66.4	59.9	
04/11/2019	11:00	61.5	63.5	58.6	63.1
04/11/2019	11:05	62.5	64.7	58.5	
04/11/2019	11:10	64	67.5	60.6	
04/11/2019	11:15	62.9	65.4	60.3	
04/11/2019	11:20	63.5	66.2	60.2	
04/11/2019	11:25	63.6	66.4	60.2	
04/11/2019	11:30	63.4	67.6	58.2	62.4
04/11/2019	11:35	62.9	66.6	59.7	
04/11/2019	11:40	61.2	64.5	58.1	
04/11/2019	11:45	61.3	65	58.7	
04/11/2019	11:50	62.4	65	60.2	
04/11/2019	11:55	62.6	66.2	58.7	
04/11/2019	12:00	61.2	64.1	58.7	61.5
04/11/2019	12:05	61.6	64.5	58.6	
04/11/2019	12:10	59.4	60.7	57.9	
04/11/2019	12:15	58.9	60.6	57.5	
04/11/2019	12:20	61.2	64.8	56.9	
04/11/2019	12:25	64.3	67.5	60.9	
04/11/2019	12:30	62.8	66	59.7	61.9
04/11/2019	12:35	61.6	64.6	58.1	
04/11/2019	12:40	63.5	66.7	59.8	
04/11/2019	12:45	62	65.1	55.8	
04/11/2019	12:50	61.9	65	58.7	
04/11/2019	12:55	58.1	60.7	54.3	
04/11/2019	13:00	58.5	61.7	54.9	59.1
04/11/2019	13:05	57.3	60.4	54	
04/11/2019	13:10	55.4	58	53.2	
04/11/2019	13:15	57.7	60.9	54.1	
04/11/2019	13:20	62.5	66.2	58.5	
04/11/2019	13:25	59.6	63	56	
04/11/2019	13:30	58.8	62.7	53.9	58.0
04/11/2019	13:35	60.6	65.5	54.4	
04/11/2019	13:40	56.9	59.6	54.4	
04/11/2019	13:45	57.2	59.5	55.1	
04/11/2019	13:50	56.3	58.2	54.7	
04/11/2019	13:55	56.6	58.8	54.8	
04/11/2019	14:00	57.4	60.3	54.9	56.7
04/11/2019	14:05	56.4	58.3	54.7	
04/11/2019	14:10	56.2	59.2	53.6	
04/11/2019	14:15	56.4	58.3	54.5	
04/11/2019	14:20	56.5	58.4	55	
04/11/2019	14:25	57.1	59.4	55.2	
04/11/2019	14:30	58.7	61.5	55.7	62.3
04/11/2019	14:35	62.5	65.9	58.5	
04/11/2019	14:40	62.5	66.2	59	
04/11/2019	14:45	62.9	66.6	58.8	
04/11/2019	14:50	61.8	65.2	58	
04/11/2019	14:55	63.8	67.5	59.3	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	15:00	61.4	65.8	57.3	62.0
04/11/2019	15:05	62.4	66.3	58.5	
04/11/2019	15:10	63.7	67.7	59.3	
04/11/2019	15:15	61.6	64.9	58.4	
04/11/2019	15:20	61.3	64.8	58.4	
04/11/2019	15:25	61.2	64.1	58.3	
04/11/2019	15:30	61.4	64.5	58.4	63.0
04/11/2019	15:35	59.4	62.1	57.3	
04/11/2019	15:40	61.1	64.1	57.2	
04/11/2019	15:45	61.1	64.6	57.7	
04/11/2019	15:50	61.3	64.8	58.2	
04/11/2019	15:55	67.7	72.3	57.8	
04/11/2019	16:00	63.2	67.1	57.6	63.6
04/11/2019	16:05	63.9	68.9	57.6	
04/11/2019	16:10	62.7	68.5	57.5	
04/11/2019	16:15	63.4	67.7	57.7	
04/11/2019	16:20	64.8	70.2	59.2	
04/11/2019	16:25	63.3	68.3	58.2	
04/11/2019	16:30	67.8	70.5	64.9	66.1
04/11/2019	16:35	66.5	69.8	63.3	
04/11/2019	16:40	66.6	72.7	58	
04/11/2019	16:45	65.3	69	61.2	
04/11/2019	16:50	65.1	68.6	60.7	
04/11/2019	16:55	64.3	66.2	60.4	
04/11/2019	17:00	63.6	65.7	61.3	62.8
04/11/2019	17:05	62.1	65.6	57.6	
04/11/2019	17:10	62.7	66.1	59.5	
04/11/2019	17:15	61.5	64.9	58.4	
04/11/2019	17:20	63	67.2	58.3	
04/11/2019	17:25	63.6	68	58.5	
04/11/2019	17:30	61.1	65.4	56.9	61.6
04/11/2019	17:35	61.7	65.7	57.5	
04/11/2019	17:40	60.6	64.1	57.4	
04/11/2019	17:45	62	65.2	58.2	
04/11/2019	17:50	62.4	65.2	59.8	
04/11/2019	17:55	61.3	65.4	57.6	
04/11/2019	18:00	62.9	65.8	57.7	62.7
04/11/2019	18:05	63.4	66.9	60.8	
04/11/2019	18:10	62.4	64.5	60.2	
04/11/2019	18:15	61.7	64.6	57.9	
04/11/2019	18:20	61.7	63.7	59.4	
04/11/2019	18:25	63.8	67.1	59	
04/11/2019	18:30	61.4	63.8	58.8	61.7
04/11/2019	18:35	62.3	65.2	59.7	
04/11/2019	18:40	62.5	65.3	59.4	
04/11/2019	18:45	61.3	64.2	57.3	
04/11/2019	18:50	61.4	63.9	57.6	
04/11/2019	18:55	61.4	63.3	59.5	
05/11/2019	7:00	44	44.6	43.5	44.8
05/11/2019	7:05	45.3	46.3	43.9	
05/11/2019	7:10	44.7	47.4	43.5	
05/11/2019	7:15	44	44.5	43.6	
05/11/2019	7:20	44.6	46.5	43.6	
05/11/2019	7:25	45.9	49.3	44.2	
05/11/2019	7:30	46.2	50.8	44	46.0
05/11/2019	7:35	44.6	45.5	43.8	
05/11/2019	7:40	45.2	47.7	44	
05/11/2019	7:45	44.9	46.6	43.8	
05/11/2019	7:50	46.5	50.1	44.7	
05/11/2019	7:55	47.8	50.8	45.2	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	8:00	46.9	50.5	45	48.0
05/11/2019	8:05	47.8	51.8	45.1	
05/11/2019	8:10	49.4	52.7	45.1	
05/11/2019	8:15	47.6	50.8	45.6	
05/11/2019	8:20	48.2	51	46.4	
05/11/2019	8:25	47.8	50.4	46.4	
05/11/2019	8:30	49.6	53.2	47.1	50.6
05/11/2019	8:35	50.3	53.5	48.3	
05/11/2019	8:40	50.8	54.6	47.7	
05/11/2019	8:45	49.6	53.4	47.5	
05/11/2019	8:50	52.4	53.7	47.5	
05/11/2019	8:55	50.3	53.1	48	
05/11/2019	9:00	50.2	52.6	47.6	52.4
05/11/2019	9:05	51.2	53.5	48.2	
05/11/2019	9:10	52.1	55	48.9	
05/11/2019	9:15	51.8	55.4	49	
05/11/2019	9:20	54.2	55.5	50	
05/11/2019	9:25	53.4	56.9	50.7	
05/11/2019	9:30	53.9	55.6	52.2	64.1
05/11/2019	9:35	57.3	60.5	54.7	
05/11/2019	9:40	59.8	64.7	55.7	
05/11/2019	9:45	56.7	59	55.5	
05/11/2019	9:50	58.5	60.2	57.2	
05/11/2019	9:55	71	73.8	58.6	
05/11/2019	10:00	64.8	69	57.2	65.7
05/11/2019	10:05	65.5	69.9	58.3	
05/11/2019	10:10	63.3	67.8	58.3	
05/11/2019	10:15	67	71.1	58.8	
05/11/2019	10:20	66.5	71.8	58.5	
05/11/2019	10:25	66.4	70.6	58.2	
05/11/2019	10:30	64	69.5	56.6	65.9
05/11/2019	10:35	64.9	69.7	58.3	
05/11/2019	10:40	66	70.5	58.2	
05/11/2019	10:45	66.6	71.1	57.5	
05/11/2019	10:50	66.5	71.2	58.3	
05/11/2019	10:55	66.6	71.3	58.8	
05/11/2019	11:00	65.7	69.8	57.3	62.9
05/11/2019	11:05	64	67.7	58.4	
05/11/2019	11:10	64.5	69.6	58	
05/11/2019	11:15	60.7	64.6	57.4	
05/11/2019	11:20	59.7	62.9	56.8	
05/11/2019	11:25	58.1	60.5	56.3	
05/11/2019	11:30	59.2	63	56.7	60.3
05/11/2019	11:35	61.7	65.2	58	
05/11/2019	11:40	60.9	63.5	57.6	
05/11/2019	11:45	60.3	62.7	57	
05/11/2019	11:50	59.2	61.8	56.8	
05/11/2019	11:55	60.2	63.6	56.9	
05/11/2019	12:00	60.1	63.1	56.9	60.3
05/11/2019	12:05	60.5	63.8	56.4	
05/11/2019	12:10	62.5	65.9	56.4	
05/11/2019	12:15	60.1	62.8	56.6	
05/11/2019	12:20	58.7	61.1	56.3	
05/11/2019	12:25	58.7	61.4	56.6	
05/11/2019	12:30	58.2	61.3	56	57.8
05/11/2019	12:35	57.2	59.5	55.5	
05/11/2019	12:40	57.5	60.3	54.9	
05/11/2019	12:45	59.7	62.4	55.2	
05/11/2019	12:50	57.1	58.7	54.7	
05/11/2019	12:55	56.4	59.6	52.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	13:00	56.9	60.6	51.7	56.3
05/11/2019	13:05	52.9	54.8	51.2	
05/11/2019	13:10	53.3	56.3	51.2	
05/11/2019	13:15	58.3	62.3	52.6	
05/11/2019	13:20	57.7	59.7	53	
05/11/2019	13:25	56.1	57.9	53.4	
05/11/2019	13:30	56.5	57.9	55	55.6
05/11/2019	13:35	56.1	57.2	52.9	
05/11/2019	13:40	54.7	56.6	53	
05/11/2019	13:45	55.6	58.3	52.9	
05/11/2019	13:50	55.6	58	53.9	
05/11/2019	13:55	54.7	56.2	53.5	
05/11/2019	14:00	54.9	56.6	53.4	56.7
05/11/2019	14:05	54.8	56.1	53.6	
05/11/2019	14:10	55.2	57.1	53.3	
05/11/2019	14:15	55.9	57.8	54.5	
05/11/2019	14:20	59	62.4	55.4	
05/11/2019	14:25	58.5	61.3	55.8	
05/11/2019	14:30	61.2	63.5	57.9	60.2
05/11/2019	14:35	61.1	63.7	57.7	
05/11/2019	14:40	58.6	62	56	
05/11/2019	14:45	58.8	62.7	56.1	
05/11/2019	14:50	60.3	63.1	56.7	
05/11/2019	14:55	60.4	62.7	57.7	
05/11/2019	15:00	59.8	62.9	57.2	59.9
05/11/2019	15:05	60.7	63.6	57.6	
05/11/2019	15:10	60.7	62.9	58.1	
05/11/2019	15:15	60.1	61.9	58	
05/11/2019	15:20	58.3	60.5	56.5	
05/11/2019	15:25	59.5	62	57	
05/11/2019	15:30	60.7	63.8	57.1	59.6
05/11/2019	15:35	58.9	61.8	56.6	
05/11/2019	15:40	59.9	62.8	56.5	
05/11/2019	15:45	60.1	63.6	56.5	
05/11/2019	15:50	59.6	63.6	56.7	
05/11/2019	15:55	57.6	59.5	55.8	
05/11/2019	16:00	57.7	59.4	56.4	60.0
05/11/2019	16:05	60.6	63.8	56.6	
05/11/2019	16:10	60.1	63.3	57	
05/11/2019	16:15	61.2	64.9	57.2	
05/11/2019	16:20	60	63.3	57	
05/11/2019	16:25	59.7	62.2	57.4	
05/11/2019	16:30	60.1	63.8	56.6	59.1
05/11/2019	16:35	59.4	61.6	56.8	
05/11/2019	16:40	57.7	60.6	55.5	
05/11/2019	16:45	57.8	61.2	55.2	
05/11/2019	16:50	59.6	62.8	56	
05/11/2019	16:55	59.2	63.3	56	
05/11/2019	17:00	59	62.4	55.7	59.4
05/11/2019	17:05	60	63.6	56.7	
05/11/2019	17:10	59.5	63.1	56.3	
05/11/2019	17:15	59.7	62.8	56.6	
05/11/2019	17:20	58.1	60.7	56	
05/11/2019	17:25	59.7	62.7	57.1	
05/11/2019	17:30	59.1	61.3	56.6	58.7
05/11/2019	17:35	58.9	61.4	56.1	
05/11/2019	17:40	58.3	60.8	55.9	
05/11/2019	17:45	58	60.2	55.9	
05/11/2019	17:50	59.8	63.4	55.6	
05/11/2019	17:55	57.7	59.4	55.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	18:00	57.7	59	56.4	60.5
05/11/2019	18:05	59.8	66.6	55.7	
05/11/2019	18:10	60.9	66.5	56.3	
05/11/2019	18:15	61.7	66.4	56.6	
05/11/2019	18:20	61.2	66.3	56.8	
05/11/2019	18:25	60.4	65.3	55.9	59.7
05/11/2019	18:30	59.4	64.1	55.4	
05/11/2019	18:35	59.1	63.6	55.6	
05/11/2019	18:40	59.7	62.7	54.8	
05/11/2019	18:45	56.3	58	54.8	
05/11/2019	18:50	62.2	65.9	55.7	46.1
05/11/2019	18:55	59.3	63.4	55.1	
06/11/2019	7:00	47.2	49.9	44	
06/11/2019	7:05	46	48.3	44.4	
06/11/2019	7:10	46.4	48.9	45.1	
06/11/2019	7:15	46	48.2	44.7	45.8
06/11/2019	7:20	45.5	46.7	44.6	
06/11/2019	7:25	45.3	46.3	44.5	
06/11/2019	7:30	47.2	51.1	44.4	
06/11/2019	7:35	44.9	46.4	44.2	
06/11/2019	7:40	45.6	47.9	44.5	48.0
06/11/2019	7:45	45.5	48.6	44.4	
06/11/2019	7:50	45.6	47.2	44.7	
06/11/2019	7:55	45.9	48.7	44.5	
06/11/2019	8:00	47.3	51	45.4	
06/11/2019	8:05	47.4	51.1	45.5	51.4
06/11/2019	8:10	47	49.3	45.6	
06/11/2019	8:15	48.4	52.1	46.3	
06/11/2019	8:20	48.7	51.8	46.3	
06/11/2019	8:25	48.8	51.6	47.2	
06/11/2019	8:30	50.2	53.1	47.3	53.8
06/11/2019	8:35	51.4	54.3	49.2	
06/11/2019	8:40	51.1	53.9	48.9	
06/11/2019	8:45	50.2	52.8	49	
06/11/2019	8:50	52.9	57.9	49.8	
06/11/2019	8:55	51.7	54.4	49.5	58.3
06/11/2019	9:00	52.9	55.5	50.7	
06/11/2019	9:05	52.1	54	50.5	
06/11/2019	9:10	55.4	60.5	50.7	
06/11/2019	9:15	54.2	58.2	50.3	
06/11/2019	9:20	54.5	57.4	50.9	62.0
06/11/2019	9:25	53.1	55.2	51.4	
06/11/2019	9:30	54.1	56	52.2	
06/11/2019	9:35	55.6	57.5	54.1	
06/11/2019	9:40	57.3	60.9	55.1	
06/11/2019	9:45	60.5	64.3	56.4	62.0
06/11/2019	9:50	58.1	59.7	56.8	
06/11/2019	9:55	60.4	64.3	57.6	
06/11/2019	10:00	59.9	61.9	58	
06/11/2019	10:05	60.2	62.3	58.5	
06/11/2019	10:10	60.6	63.7	58.6	62.0
06/11/2019	10:15	62.3	67.1	58	
06/11/2019	10:20	62.9	66.2	59.2	
06/11/2019	10:25	64.2	67.2	59.5	
06/11/2019	10:30	61.9	65.9	58.1	
06/11/2019	10:35	62.6	67.7	58.6	60.1
06/11/2019	10:40	63.3	67.1	58.6	
06/11/2019	10:45	59.3	61.2	57.6	
06/11/2019	10:50	59.9	62.3	57.9	
06/11/2019	10:55	63.5	67.7	57.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	11:00	62.9	66	58.6	63.7
06/11/2019	11:05	64.3	68.8	59.1	
06/11/2019	11:10	64.6	67.3	59.7	
06/11/2019	11:15	61.5	64.7	58.4	
06/11/2019	11:20	62.2	67.1	57.8	
06/11/2019	11:25	65.3	68.7	58	59.1
06/11/2019	11:30	58.6	62.2	56.2	
06/11/2019	11:35	57.4	59.3	56	
06/11/2019	11:40	58	59.4	56.7	
06/11/2019	11:45	58.6	60.3	56.7	
06/11/2019	11:50	61.5	64.7	58.4	60.3
06/11/2019	11:55	59.1	60.9	57.4	
06/11/2019	12:00	58.5	60.7	57.1	
06/11/2019	12:05	58.5	60.1	57	
06/11/2019	12:10	60.1	62.7	57.7	
06/11/2019	12:15	60	61.7	57.9	60.0
06/11/2019	12:20	60.7	64.3	57.6	
06/11/2019	12:25	62.5	67.9	58.1	
06/11/2019	12:30	61	64.1	57.6	
06/11/2019	12:35	61.1	64.4	57.4	
06/11/2019	12:40	58.6	60.5	56.7	53.8
06/11/2019	12:45	61.2	65.3	56.7	
06/11/2019	12:50	59.8	63.2	56.4	
06/11/2019	12:55	56.5	60.2	54.6	
06/11/2019	13:00	55	56.8	53.3	
06/11/2019	13:05	54.5	56.7	53.2	54.3
06/11/2019	13:10	53.6	54.7	52.5	
06/11/2019	13:15	52.8	54	51.7	
06/11/2019	13:20	53.1	54.5	51.8	
06/11/2019	13:25	53.2	55.4	51.8	
06/11/2019	13:30	54.7	56.4	52.3	56.4
06/11/2019	13:35	54.2	55.7	53.1	
06/11/2019	13:40	54.3	56.1	53	
06/11/2019	13:45	53.7	55.4	52.1	
06/11/2019	13:50	53.5	55.4	52.1	
06/11/2019	13:55	55.1	57.8	52.6	61.8
06/11/2019	14:00	55.7	58.2	53.8	
06/11/2019	14:05	56.1	58	54.1	
06/11/2019	14:10	56.3	58.3	54.6	
06/11/2019	14:15	56.4	58.4	54.4	
06/11/2019	14:20	56.7	58.1	55.3	61.3
06/11/2019	14:25	57.2	59.4	55.2	
06/11/2019	14:30	60.3	63.5	56.1	
06/11/2019	14:35	61.9	66	56.4	
06/11/2019	14:40	62.7	66.1	58.1	
06/11/2019	14:45	62.5	65.9	58.2	60.1
06/11/2019	14:50	61.6	64.7	57.5	
06/11/2019	14:55	61.5	64.5	58.4	
06/11/2019	15:00	61.8	64.8	57.7	
06/11/2019	15:05	61.9	64.8	58.2	
06/11/2019	15:10	61	64.4	58.3	60.1
06/11/2019	15:15	60.6	63.7	58.2	
06/11/2019	15:20	61.3	64.6	57.5	
06/11/2019	15:25	61.1	63.4	57.4	
06/11/2019	15:30	59.9	62.5	57.5	
06/11/2019	15:35	58.8	61.9	56	60.1
06/11/2019	15:40	60.8	64.3	59	
06/11/2019	15:45	60.2	62.2	58.4	
06/11/2019	15:50	59.6	61.5	56.6	
06/11/2019	15:55	61.1	64.2	58.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	16:00	61.2	63.9	58.6	62.0
06/11/2019	16:05	59	61.2	57.3	
06/11/2019	16:10	57.5	59.5	55.9	
06/11/2019	16:15	61.2	64.8	57.4	
06/11/2019	16:20	65.7	69.8	56.9	
06/11/2019	16:25	62.4	65.7	57.7	
06/11/2019	16:30	60.7	66.6	57.1	60.2
06/11/2019	16:35	59.8	62.2	57	
06/11/2019	16:40	60.2	61.8	58.8	
06/11/2019	16:45	59.7	61.7	58.1	
06/11/2019	16:50	59.9	62.3	58.3	
06/11/2019	16:55	60.6	63.6	58.2	
06/11/2019	17:00	60.9	62.9	59.2	59.8
06/11/2019	17:05	60	61.6	58.3	
06/11/2019	17:10	60	65.6	57.5	
06/11/2019	17:15	59.5	62	57.8	
06/11/2019	17:20	59.4	62	57.5	
06/11/2019	17:25	58.9	62.1	57.3	
06/11/2019	17:30	60.4	63.6	57.7	60.7
06/11/2019	17:35	60.1	63.5	57.1	
06/11/2019	17:40	58.8	61.1	57.1	
06/11/2019	17:45	60.8	64.2	57.8	
06/11/2019	17:50	62.1	64.7	58.6	
06/11/2019	17:55	61.5	65.4	59.5	
06/11/2019	18:00	64	68.4	59	62.5
06/11/2019	18:05	64.8	67.5	59.7	
06/11/2019	18:10	61.3	66.5	58.5	
06/11/2019	18:15	59.9	62.6	57.4	
06/11/2019	18:20	62.2	66.1	57.9	
06/11/2019	18:25	60.6	64.5	58	
06/11/2019	18:30	62.7	65.5	57.9	62.3
06/11/2019	18:35	61	66.1	57	
06/11/2019	18:40	63.3	68.4	56.5	
06/11/2019	18:45	64.3	67.3	60.3	
06/11/2019	18:50	58.9	63	55.7	
06/11/2019	18:55	61.6	65.2	58.4	
07/11/2019	7:00	45.9	48.1	43.5	45.4
07/11/2019	7:05	46.3	50.1	43.8	
07/11/2019	7:10	45.2	47.7	43.9	
07/11/2019	7:15	45	47.6	43.7	
07/11/2019	7:20	44.6	46.4	43.9	
07/11/2019	7:25	45.1	47.4	43.9	
07/11/2019	7:30	46.3	49.6	44.5	46.2
07/11/2019	7:35	45	46.6	44.3	
07/11/2019	7:40	45.9	46.9	44.7	
07/11/2019	7:45	46	47.8	45	
07/11/2019	7:50	47.2	50.8	45.3	
07/11/2019	7:55	46.5	48.5	45.4	
07/11/2019	8:00	47.9	51.2	45.2	47.9
07/11/2019	8:05	47.6	51.1	45.6	
07/11/2019	8:10	47.7	49.9	45.9	
07/11/2019	8:15	47.8	50.9	46	
07/11/2019	8:20	48.4	51.8	46.2	
07/11/2019	8:25	47.8	50.3	46.5	
07/11/2019	8:30	48.5	50.8	47.2	50.1
07/11/2019	8:35	50	53.7	47.8	
07/11/2019	8:40	49.7	52.2	47.9	
07/11/2019	8:45	50	51.9	48.7	
07/11/2019	8:50	50.9	54.1	48.9	
07/11/2019	8:55	51.1	53.8	49.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	9:00	51.8	54.2	50.2	54.5
07/11/2019	9:05	51.7	53.6	50.4	
07/11/2019	9:10	52.3	54.2	50.7	
07/11/2019	9:15	56.8	61.5	51.7	
07/11/2019	9:20	56.7	60.2	51.8	
07/11/2019	9:25	54.1	57.4	51.6	
07/11/2019	9:30	54.9	56.5	53.2	61.5
07/11/2019	9:35	56.5	58.5	55	
07/11/2019	9:40	58.5	63	56	
07/11/2019	9:45	61.8	67.4	56.7	
07/11/2019	9:50	65.2	69.6	60.7	
07/11/2019	9:55	63.3	68.2	59.1	
07/11/2019	10:00	66.2	69	62.4	64.4
07/11/2019	10:05	65.8	69.9	61.1	
07/11/2019	10:10	64.6	67.6	61.3	
07/11/2019	10:15	63.3	67.9	61	
07/11/2019	10:20	62.4	66.7	60	
07/11/2019	10:25	62.4	66.5	59.7	
07/11/2019	10:30	64.7	67.1	61.8	64.2
07/11/2019	10:35	62.2	65.9	59.7	
07/11/2019	10:40	65.6	68.6	61.6	
07/11/2019	10:45	63.5	67.4	59.5	
07/11/2019	10:50	63.5	67.9	59.3	
07/11/2019	10:55	65	68.2	61.3	
07/11/2019	11:00	64.1	67.2	61.1	63.6
07/11/2019	11:05	65	68.7	60.2	
07/11/2019	11:10	62.6	67.5	58.9	
07/11/2019	11:15	63.6	67.3	58.6	
07/11/2019	11:20	62.1	65.4	59.1	
07/11/2019	11:25	63.6	67	59.6	
07/11/2019	11:30	60.3	63	58.2	60.3
07/11/2019	11:35	61	64.1	57	
07/11/2019	11:40	58.9	60.9	57.3	
07/11/2019	11:45	59.9	61.7	58.4	
07/11/2019	11:50	61.1	63.7	58.3	
07/11/2019	11:55	60.1	62.8	58.3	
07/11/2019	12:00	60.9	63	59.1	60.4
07/11/2019	12:05	62.4	66.3	59.1	
07/11/2019	12:10	59.7	61.2	58.4	
07/11/2019	12:15	59.3	60.9	58	
07/11/2019	12:20	59.4	61.5	57.9	
07/11/2019	12:25	60.1	62.6	58.3	
07/11/2019	12:30	60.2	62.7	58.3	58.9
07/11/2019	12:35	60.3	62.7	58.1	
07/11/2019	12:40	59.8	62.6	57.5	
07/11/2019	12:45	58.2	60.7	56.3	
07/11/2019	12:50	56.9	58.6	55.4	
07/11/2019	12:55	56.8	58.8	55	
07/11/2019	13:00	57.7	60.4	55.1	58.7
07/11/2019	13:05	57.8	60	55.7	
07/11/2019	13:10	58.9	62.8	53.2	
07/11/2019	13:15	60.6	64	54.9	
07/11/2019	13:20	57.6	59.9	53.4	
07/11/2019	13:25	58.8	61.1	53.5	
07/11/2019	13:30	60.4	62.1	58.9	58.1
07/11/2019	13:35	57.5	60.4	53.8	
07/11/2019	13:40	58.5	60	56.9	
07/11/2019	13:45	57.7	59.2	56.1	
07/11/2019	13:50	56	57.6	54.6	
07/11/2019	13:55	56.9	58.8	55.2	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	14:00	60.6	67.2	55.4	61.2
07/11/2019	14:05	60.3	67.7	54.6	
07/11/2019	14:10	59.7	67.1	54.1	
07/11/2019	14:15	63.1	68.8	55.8	
07/11/2019	14:20	60.6	65.5	56.4	
07/11/2019	14:25	62.1	67.6	56.9	66.1
07/11/2019	14:30	67.7	73.9	60.7	
07/11/2019	14:35	65	71.4	59.5	
07/11/2019	14:40	67.7	72.9	61.7	
07/11/2019	14:45	66.4	70.7	61	
07/11/2019	14:50	64.7	69.5	60.3	63.5
07/11/2019	14:55	63.8	67.3	59	
07/11/2019	15:00	62.5	65.8	58.6	
07/11/2019	15:05	64.9	69	60.2	
07/11/2019	15:10	63.7	68	59.5	
07/11/2019	15:15	63.4	67.1	59.7	65.1
07/11/2019	15:20	63.1	67.1	58.4	
07/11/2019	15:25	63.1	67.3	59.2	
07/11/2019	15:30	66.1	70.7	59.4	
07/11/2019	15:35	64.3	67.9	61.1	
07/11/2019	15:40	64.9	70.3	60.1	64.5
07/11/2019	15:45	63.8	66.9	59.8	
07/11/2019	15:50	65	69.5	60	
07/11/2019	15:55	65.8	68.7	62.4	
07/11/2019	16:00	65.7	70.6	60.8	
07/11/2019	16:05	64.3	68.3	60.2	64.1
07/11/2019	16:10	63.7	66.9	60	
07/11/2019	16:15	64.7	68.2	61.9	
07/11/2019	16:20	63.8	67.6	61.3	
07/11/2019	16:25	64.2	70.5	58.2	
07/11/2019	16:30	60.1	62.9	58.1	63.6
07/11/2019	16:35	64.3	69	57.6	
07/11/2019	16:40	61.5	66.3	57.1	
07/11/2019	16:45	65.9	69.9	60.9	
07/11/2019	16:50	66	70.2	59.5	
07/11/2019	16:55	63.7	66.1	60.8	67.0
07/11/2019	17:00	63.9	67.3	60.1	
07/11/2019	17:05	62.4	64.9	59	
07/11/2019	17:10	63.2	67.9	58.6	
07/11/2019	17:15	62.9	66.5	58.2	
07/11/2019	17:20	65	69.5	61.4	65.6
07/11/2019	17:25	63.6	66.3	61.1	
07/11/2019	17:30	65	68.6	61.1	
07/11/2019	17:35	65.2	69.2	60.8	
07/11/2019	17:40	65.3	70.2	60.4	
07/11/2019	17:45	66.3	71.3	58.5	64.9
07/11/2019	17:50	70	73.6	64.3	
07/11/2019	17:55	67.6	71.9	63.4	
07/11/2019	18:00	63.4	66.6	59.8	
07/11/2019	18:05	66.2	70	58.4	
07/11/2019	18:10	66	70	61.1	63.0
07/11/2019	18:15	67.4	71.1	58.3	
07/11/2019	18:20	66.9	71.8	58	
07/11/2019	18:25	60.9	65.9	57	
07/11/2019	18:30	62.2	67.7	57.8	
07/11/2019	18:35	65.7	73	56.9	63.0
07/11/2019	18:40	64.1	71.4	56.5	
07/11/2019	18:45	66.5	71.9	57.4	
07/11/2019	18:50	64.4	70.5	56.9	
07/11/2019	18:55	65.2	68.8	60.3	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	7:00	46.6	49.6	44.1	46.0
08/11/2019	7:05	45	46.3	43.9	
08/11/2019	7:10	47.2	50.8	45.1	
08/11/2019	7:15	46.2	49.5	44.7	
08/11/2019	7:20	45.2	46.1	44.6	
08/11/2019	7:25	45	45.6	44.6	47.0
08/11/2019	7:30	48	53.2	44.9	
08/11/2019	7:35	45.7	46.6	45.2	
08/11/2019	7:40	46.3	47.7	45.4	
08/11/2019	7:45	46.4	48	45.6	
08/11/2019	7:50	47	50.5	45.3	48.3
08/11/2019	7:55	48	51.5	45.9	
08/11/2019	8:00	47.8	50.5	46.1	
08/11/2019	8:05	47.9	51.1	46	
08/11/2019	8:10	47.6	50.7	46.1	
08/11/2019	8:15	48	50.5	46.3	52.2
08/11/2019	8:20	48.7	52	47.2	
08/11/2019	8:25	49.4	51.6	47.9	
08/11/2019	8:30	50.6	52.8	48.7	
08/11/2019	8:35	51.9	54.8	49.2	
08/11/2019	8:40	50.9	53.3	49.2	55.3
08/11/2019	8:45	51.4	54.2	49.6	
08/11/2019	8:50	54.1	57.7	50.7	
08/11/2019	8:55	53.2	56.1	50.9	
08/11/2019	9:00	52.4	54.9	50.5	
08/11/2019	9:05	54.7	57.7	51.4	59.4
08/11/2019	9:10	55.8	60	53.1	
08/11/2019	9:15	55.1	56.4	53.9	
08/11/2019	9:20	56.1	57.7	54.5	
08/11/2019	9:25	56.4	58.5	55.1	
08/11/2019	9:30	56.1	57.5	54.7	63.9
08/11/2019	9:35	57	58.3	55.3	
08/11/2019	9:40	58.7	60.3	57.1	
08/11/2019	9:45	59	61.1	57.6	
08/11/2019	9:50	60.9	62.6	58.9	
08/11/2019	9:55	61.8	63.7	58.8	63.8
08/11/2019	10:00	63	69.1	58.8	
08/11/2019	10:05	63.4	65.3	59.6	
08/11/2019	10:10	65.2	71.6	60.4	
08/11/2019	10:15	65.6	71.5	60.2	
08/11/2019	10:20	62.2	64.9	59.1	63.8
08/11/2019	10:25	63	65	60.1	
08/11/2019	10:30	63.1	64.7	61	
08/11/2019	10:35	63.5	66.1	61	
08/11/2019	10:40	63.8	66.7	59.8	
08/11/2019	10:45	64.7	67.1	60.7	63.0
08/11/2019	10:50	64.2	66.7	61.8	
08/11/2019	10:55	63.3	66.1	59.6	
08/11/2019	11:00	64.6	65.8	63.6	
08/11/2019	11:05	64.5	66	63.1	
08/11/2019	11:10	62.9	65.4	59.5	63.0
08/11/2019	11:15	63.9	64.9	62.6	
08/11/2019	11:20	63.3	65.1	61.5	
08/11/2019	11:25	63	64.6	61.5	
08/11/2019	11:30	62.7	64.6	60.8	
08/11/2019	11:35	64.2	66.3	60.6	63.0
08/11/2019	11:40	64.9	66.6	63.4	
08/11/2019	11:45	63	65.7	59.9	
08/11/2019	11:50	60.9	62.5	59.7	
08/11/2019	11:55	60.2	62.4	58.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	12:00	61.2	64.3	58.7	62.1
08/11/2019	12:05	60	63.4	57.9	
08/11/2019	12:10	60.3	63.8	57.5	
08/11/2019	12:15	63.5	65.9	59.5	
08/11/2019	12:20	62.8	63.8	61.8	
08/11/2019	12:25	63.3	65.6	60.7	
08/11/2019	12:30	61.5	64.1	58.2	62.0
08/11/2019	12:35	62.5	64	61.3	
08/11/2019	12:40	62.5	64.7	58.7	
08/11/2019	12:45	63.7	66	61.3	
08/11/2019	12:50	62.5	64.7	59.1	
08/11/2019	12:55	57.2	58.9	55.4	
08/11/2019	13:00	55.5	57.4	53.5	54.8
08/11/2019	13:05	54.2	55.5	52.8	
08/11/2019	13:10	54.5	56.1	53.2	
08/11/2019	13:15	54.1	55.4	52.6	
08/11/2019	13:20	54.8	56.9	53	
08/11/2019	13:25	55.3	57.9	53.2	
08/11/2019	13:30	55.9	58.3	53.3	62.0
08/11/2019	13:35	56.3	57.5	55	
08/11/2019	13:40	56.5	58.2	55	
08/11/2019	13:45	62.5	64	60.6	
08/11/2019	13:50	62.2	65.1	60	
08/11/2019	13:55	66.8	72	58.9	
08/11/2019	14:00	65.3	70.7	59.2	64.4
08/11/2019	14:05	61.4	64.2	58.4	
08/11/2019	14:10	66.7	72.1	60.8	
08/11/2019	14:15	65.5	70.8	58.2	
08/11/2019	14:20	61.7	67	58.6	
08/11/2019	14:25	62.8	67.9	58.8	
08/11/2019	14:30	60.7	62.4	59.2	63.2
08/11/2019	14:35	60.7	61.6	58.3	
08/11/2019	14:40	62	64.9	58.2	
08/11/2019	14:45	67.2	72.8	60.7	
08/11/2019	14:50	63	66.1	60	
08/11/2019	14:55	61.5	63.8	59.5	
08/11/2019	15:00	62	65.8	59	61.4
08/11/2019	15:05	61.7	65.5	58.2	
08/11/2019	15:10	62.6	65.8	59	
08/11/2019	15:15	61.2	63.9	58.4	
08/11/2019	15:20	60.1	62.5	58.2	
08/11/2019	15:25	60.2	62.6	58.3	
08/11/2019	15:30	59.2	60.4	58.3	62.3
08/11/2019	15:35	59.2	61.5	57.6	
08/11/2019	15:40	62.7	66	59.9	
08/11/2019	15:45	62.1	65.5	59.3	
08/11/2019	15:50	64.3	71.3	60	
08/11/2019	15:55	63.5	67.8	60.6	
08/11/2019	16:00	62.2	65.4	60.1	61.4
08/11/2019	16:05	62.2	63.4	60	
08/11/2019	16:10	60.8	61.9	59.9	
08/11/2019	16:15	61.8	64.4	59.2	
08/11/2019	16:20	60.8	62.4	59.2	
08/11/2019	16:25	60.5	61.7	59.4	
08/11/2019	16:30	61.9	65.2	59.1	62.0
08/11/2019	16:35	60.7	63.2	58.7	
08/11/2019	16:40	62.1	64.2	60	
08/11/2019	16:45	62.6	65.1	60.8	
08/11/2019	16:50	61.8	64.5	59.7	
08/11/2019	16:55	62.4	66	59.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	17:00	61.2	64.3	59	61.8
08/11/2019	17:05	62.6	66.1	60	
08/11/2019	17:10	62.8	65.7	60.4	
08/11/2019	17:15	62.9	66.1	58.5	
08/11/2019	17:20	60.1	61.7	58.7	
08/11/2019	17:25	60.2	61.7	58.5	
08/11/2019	17:30	60.1	61.6	58.6	60.3
08/11/2019	17:35	60.5	62	58.8	
08/11/2019	17:40	61.4	63.6	59.4	
08/11/2019	17:45	59.6	61.2	58.2	
08/11/2019	17:50	60.2	61.8	58.7	
08/11/2019	17:55	60	61.6	58.2	
08/11/2019	18:00	60.2	62.1	58.6	61.8
08/11/2019	18:05	59.6	60.9	58.4	
08/11/2019	18:10	59.8	61.5	58.3	
08/11/2019	18:15	59.1	60.7	57.6	
08/11/2019	18:20	64.4	71.1	58.1	
08/11/2019	18:25	64.1	68.9	58.8	63.5
08/11/2019	18:30	61.6	67.9	58.2	
08/11/2019	18:35	63.8	71	58.3	
08/11/2019	18:40	66.5	71.8	58.7	
08/11/2019	18:45	64.2	69.5	58.1	
08/11/2019	18:50	61.2	67.8	57.4	
08/11/2019	18:55	61	65.8	56.6	47.1
09/11/2019	7:00	47.1	49.8	45.1	
09/11/2019	7:05	47.1	50.7	45	
09/11/2019	7:10	46.1	48.4	45	
09/11/2019	7:15	47.2	50.5	45	
09/11/2019	7:20	47.3	51	45	
09/11/2019	7:25	47.4	50.8	45.1	48.3
09/11/2019	7:30	48.5	52.2	45.5	
09/11/2019	7:35	49.5	53.1	46.2	
09/11/2019	7:40	47.5	50.5	45.4	
09/11/2019	7:45	48.3	51.5	45.7	
09/11/2019	7:50	48	50.5	46	
09/11/2019	7:55	47.5	50.4	46.2	49.0
09/11/2019	8:00	48.5	51.9	46.2	
09/11/2019	8:05	49.3	54	46.4	
09/11/2019	8:10	48.5	51.9	46.3	
09/11/2019	8:15	49.3	52.9	46.5	
09/11/2019	8:20	48.6	52.2	46.4	
09/11/2019	8:25	49.4	52.7	46.9	51.0
09/11/2019	8:30	48.9	51.6	47	
09/11/2019	8:35	50.4	53.8	48.2	
09/11/2019	8:40	51.1	54	48.1	
09/11/2019	8:45	50.4	53	48.2	
09/11/2019	8:50	51.1	54.3	48.3	
09/11/2019	8:55	52.9	56.8	48.8	53.2
09/11/2019	9:00	52	56.2	48.5	
09/11/2019	9:05	52.8	56.3	49.4	
09/11/2019	9:10	53.3	57.9	49.8	
09/11/2019	9:15	53	55	50.6	
09/11/2019	9:20	53.7	56.6	51.1	
09/11/2019	9:25	54.2	56.8	51.8	63.3
09/11/2019	9:30	56.1	58.8	54.2	
09/11/2019	9:35	59.3	62.7	57.3	
09/11/2019	9:40	59.3	61.6	57.5	
09/11/2019	9:45	60.4	63.7	58	
09/11/2019	9:50	66.1	72.8	59.2	
09/11/2019	9:55	67.5	72.6	60	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	10:00	64.4	70	59.4	62.4
09/11/2019	10:05	65.1	70	60.5	
09/11/2019	10:10	61.2	63.5	59.4	
09/11/2019	10:15	60.3	61.6	59.1	
09/11/2019	10:20	60.3	62.2	58.7	
09/11/2019	10:25	59.9	61.2	58.7	
09/11/2019	10:30	59.2	60.4	58	60.0
09/11/2019	10:35	61.3	65.9	57.7	
09/11/2019	10:40	60.1	62.5	58.4	
09/11/2019	10:45	59.8	61.5	58.4	
09/11/2019	10:50	59	60.3	57.7	
09/11/2019	10:55	60	62.8	57.9	
09/11/2019	11:00	59.3	60.8	57.8	60.3
09/11/2019	11:05	59	61.5	57.2	
09/11/2019	11:10	60.1	63.1	58	
09/11/2019	11:15	62.5	67.6	58	
09/11/2019	11:20	59.4	61	57.7	
09/11/2019	11:25	60.4	62.8	57.8	
09/11/2019	11:30	59.5	61.4	58	60.9
09/11/2019	11:35	59.8	62.1	57.4	
09/11/2019	11:40	60.8	63.2	58.3	
09/11/2019	11:45	61	63.3	59.3	
09/11/2019	11:50	62.4	66	58.9	
09/11/2019	11:55	61.1	64.4	58.3	
09/11/2019	12:00	60.9	64.1	58.3	61.3
09/11/2019	12:05	61.5	66	57.8	
09/11/2019	12:10	62.1	64.7	59.1	
09/11/2019	12:15	61	62.1	60	
09/11/2019	12:20	61.5	62.6	60.4	
09/11/2019	12:25	60.9	62.3	59.5	
09/11/2019	12:30	60.3	61.6	59.2	59.7
09/11/2019	12:35	61.4	65.1	58.9	
09/11/2019	12:40	59.9	62	57.6	
09/11/2019	12:45	58.2	60	56.8	
09/11/2019	12:50	59.8	64.9	56.1	
09/11/2019	12:55	57.3	59.7	54.3	
09/11/2019	13:00	55.9	58.4	53.9	55.9
09/11/2019	13:05	56	58	54.2	
09/11/2019	13:10	54.8	56.2	53.4	
09/11/2019	13:15	54.3	56.1	52.7	
09/11/2019	13:20	56.2	59.4	53.1	
09/11/2019	13:25	57.6	59.8	54.8	
09/11/2019	13:30	58	61.1	55.2	60.9
09/11/2019	13:35	56.2	57.9	54	
09/11/2019	13:40	55.4	57.3	53.7	
09/11/2019	13:45	56.5	57.9	53.8	
09/11/2019	13:50	64	72.2	54.8	
09/11/2019	13:55	64.7	72.3	56	
09/11/2019	14:00	66.6	73.7	56.6	67.7
09/11/2019	14:05	68.7	75	56.2	
09/11/2019	14:10	67.5	73.8	56.7	
09/11/2019	14:15	67.4	73.8	56.8	
09/11/2019	14:20	68.5	74.1	57.8	
09/11/2019	14:25	67.1	73	57.9	
09/11/2019	14:30	60.6	65.4	56.6	64.2
09/11/2019	14:35	66.5	75	56.8	
09/11/2019	14:40	66.5	72.7	58	
09/11/2019	14:45	65	70.9	59.1	
09/11/2019	14:50	60.1	62.4	58.5	
09/11/2019	14:55	61.5	64.4	58.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	15:00	60.8	63.9	58.5	60.6
09/11/2019	15:05	59.3	60.7	58	
09/11/2019	15:10	59.8	61.8	58	
09/11/2019	15:15	62.8	66.3	58.7	
09/11/2019	15:20	60.2	62.8	58	
09/11/2019	15:25	59.8	62.3	58.1	
09/11/2019	15:30	60.1	62.6	58.2	62.0
09/11/2019	15:35	61.5	64	59.7	
09/11/2019	15:40	62.4	65.4	60	
09/11/2019	15:45	61.5	64.1	59.7	
09/11/2019	15:50	62.4	65.4	59.9	
09/11/2019	15:55	63.3	68.6	59.3	
09/11/2019	16:00	63.3	66.5	59.4	61.8
09/11/2019	16:05	61.8	65.3	58.3	
09/11/2019	16:10	62.8	66.1	58.9	
09/11/2019	16:15	61.8	65	57.8	
09/11/2019	16:20	59	60.8	57.4	
09/11/2019	16:25	60.5	62.8	58.4	
09/11/2019	16:30	60.8	62.6	58.4	60.7
09/11/2019	16:35	59.5	61.4	57.5	
09/11/2019	16:40	61.1	63.9	58.1	
09/11/2019	16:45	61.9	65.3	58.8	
09/11/2019	16:50	60.4	62.7	58.6	
09/11/2019	16:55	60.3	62.1	58.2	
09/11/2019	17:00	59.1	61.4	57.1	60.6
09/11/2019	17:05	59.1	61.5	57.4	
09/11/2019	17:10	60.7	63.6	58	
09/11/2019	17:15	60	61.8	58	
09/11/2019	17:20	61.6	64.2	59.4	
09/11/2019	17:25	62.2	64	58.9	
09/11/2019	17:30	66	71.8	58.9	62.9
09/11/2019	17:35	63.1	66	59.8	
09/11/2019	17:40	61.9	66.3	57.3	
09/11/2019	17:45	61.3	64.7	57.8	
09/11/2019	17:50	60.8	64.6	57.7	
09/11/2019	17:55	62	66.5	57.8	
09/11/2019	18:00	61.7	66.2	58.2	63.1
09/11/2019	18:05	61.8	65.2	58.9	
09/11/2019	18:10	60.6	63.2	58.4	
09/11/2019	18:15	59.6	61.7	57.6	
09/11/2019	18:20	64.9	71.4	58	
09/11/2019	18:25	66.2	71.4	58.4	
09/11/2019	18:30	66.5	71.8	58.8	63.7
09/11/2019	18:35	65.5	71.7	57.6	
09/11/2019	18:40	62.9	70.4	56.4	
09/11/2019	18:45	58.8	61.4	56.6	
09/11/2019	18:50	63.3	70.4	57.6	
09/11/2019	18:55	60.8	62.9	57.6	
Average		61.9			61.9
Max		76.9	80.2	75.7	74.6
Min		44	44.5	41.4	44.8

**Appendix N – Evening-time (weekdays) and Day-time & Evening-time
(Holidays) noise monitoring data**

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	19:00	59.9	64.4	55.1	62.1
28/10/2019	19:05	60.8	65.6	51.9	
28/10/2019	19:10	62.8	67.5	53	
28/10/2019	19:15	63	67.9	50.9	
28/10/2019	19:20	61.3	66.1	51.8	
28/10/2019	19:25	63.5	69.2	52.7	
28/10/2019	19:30	64	66.3	52.4	62.7
28/10/2019	19:35	62	67.1	50.9	
28/10/2019	19:40	63.3	68.2	53.1	
28/10/2019	19:45	61.3	66.7	52.7	
28/10/2019	19:50	63	68.2	53.5	
28/10/2019	19:55	62.2	67.6	54	
28/10/2019	20:00	62.1	67.6	53	71.8
28/10/2019	20:05	65.3	72.1	55.7	
28/10/2019	20:10	62.5	67.7	55.2	
28/10/2019	20:15	77.8	79.2	55.9	
28/10/2019	20:20	72.8	74.9	56.8	
28/10/2019	20:25	67.6	70.3	58.1	
28/10/2019	20:30	61.7	67.7	55.7	62.1
28/10/2019	20:35	60.6	64.8	55.7	
28/10/2019	20:40	63.2	68.1	55.7	
28/10/2019	20:45	62.6	67.5	56.4	
28/10/2019	20:50	61.9	67.6	55.3	
28/10/2019	20:55	62.1	68	55.1	
28/10/2019	21:00	62.7	67.7	55.7	70.0
28/10/2019	21:05	61.2	66.9	52.4	
28/10/2019	21:10	61.5	67.6	51	
28/10/2019	21:15	58.8	65	50.8	
28/10/2019	21:20	77.2	78.9	52.1	
28/10/2019	21:25	61.8	67.5	51.3	
28/10/2019	21:30	66.9	67.4	51	65.4
28/10/2019	21:35	60.2	65.7	50.5	
28/10/2019	21:40	66.3	67.3	53.2	
28/10/2019	21:45	61.7	69.4	50.3	
28/10/2019	21:50	67.9	70.3	50.9	
28/10/2019	21:55	64.6	70.1	50.8	
28/10/2019	22:00	62.9	69.5	51.1	62.1
28/10/2019	22:05	59.5	65.2	51.8	
28/10/2019	22:10	62.9	68.3	55.5	
28/10/2019	22:15	63	69.2	54.9	
28/10/2019	22:20	62.2	67.4	54.6	
28/10/2019	22:25	60.7	66.5	54.6	
28/10/2019	22:30	60.2	66	54.5	62.5
28/10/2019	22:35	65.8	69.9	54.6	
28/10/2019	22:40	61.5	66.8	54.5	
28/10/2019	22:45	62.3	68.5	54.2	
28/10/2019	22:50	61.9	67.6	54.6	
28/10/2019	22:55	60.9	67	54.7	
29/10/2019	19:00	62.3	66.6	54.8	61.5
29/10/2019	19:05	63.1	67.5	56.7	
29/10/2019	19:10	58.7	64.5	51.4	
29/10/2019	19:15	59.2	64.7	51	
29/10/2019	19:20	60.6	66.7	52	
29/10/2019	19:25	62.9	68	54	
29/10/2019	19:30	58.1	64.1	51.1	60.6
29/10/2019	19:35	61.3	67	52.8	
29/10/2019	19:40	61.6	66.9	51.9	
29/10/2019	19:45	60.3	65.6	51.9	
29/10/2019	19:50	58.8	64.7	51.3	
29/10/2019	19:55	62.2	67.7	51.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	20:00	60.9	66.5	51.2	61.8
29/10/2019	20:05	61.5	67.2	51.9	
29/10/2019	20:10	62.2	67.1	56	
29/10/2019	20:15	60.9	66.3	55.1	
29/10/2019	20:20	62.9	69	55.7	
29/10/2019	20:25	61.8	67.5	55	
29/10/2019	20:30	61	66.1	55.1	60.3
29/10/2019	20:35	59.9	65	55	
29/10/2019	20:40	60	65.6	55.5	
29/10/2019	20:45	59.6	64.3	54.7	
29/10/2019	20:50	59.4	64.7	55	
29/10/2019	20:55	61.5	66.5	55	
29/10/2019	21:00	58.5	62.4	55.1	59.2
29/10/2019	21:05	60.2	65.7	51.2	
29/10/2019	21:10	59.5	64.9	50.5	
29/10/2019	21:15	60.5	67.3	50.2	
29/10/2019	21:20	56.9	62.8	50	
29/10/2019	21:25	58.8	64.5	51	
29/10/2019	21:30	58	63.9	50.5	59.6
29/10/2019	21:35	60	66.5	50.3	
29/10/2019	21:40	57.5	63.1	50.4	
29/10/2019	21:45	58.5	65.5	49.4	
29/10/2019	21:50	62.7	69.3	50.1	
29/10/2019	21:55	58.3	63.6	49.5	
29/10/2019	22:00	59.3	66	49.8	60.8
29/10/2019	22:05	58	63.8	49.8	
29/10/2019	22:10	60.4	66	54.7	
29/10/2019	22:15	61.1	67.5	54.4	
29/10/2019	22:20	63.5	68.5	56.5	
29/10/2019	22:25	60.3	65.7	54.3	
29/10/2019	22:30	59.3	65.7	54.2	59.8
29/10/2019	22:35	60.3	66.5	54.4	
29/10/2019	22:40	58.4	64	54	
29/10/2019	22:45	60.2	65.1	54.4	
29/10/2019	22:50	59.2	64	53.9	
29/10/2019	22:55	60.7	66.5	54.3	
30/10/2019	19:00	62.6	67.4	54	67.6
30/10/2019	19:05	61.8	67.2	51.6	
30/10/2019	19:10	64	68.8	52.6	
30/10/2019	19:15	74.1	77.6	51.9	
30/10/2019	19:20	62.7	67.8	53.2	
30/10/2019	19:25	60.8	66.1	52.2	
30/10/2019	19:30	63.7	68.4	53.2	66.0
30/10/2019	19:35	69.3	70.9	54	
30/10/2019	19:40	62.6	68.9	53.2	
30/10/2019	19:45	67.5	71.7	55	
30/10/2019	19:50	63.6	68.9	52.5	
30/10/2019	19:55	65	69	56.1	
30/10/2019	20:00	63.8	68.6	55.7	65.9
30/10/2019	20:05	64.5	69	57	
30/10/2019	20:10	70.4	71	56.2	
30/10/2019	20:15	63.7	68.9	55.8	
30/10/2019	20:20	64.9	69.6	56.8	
30/10/2019	20:25	62.8	67.3	56.2	
30/10/2019	20:30	65.5	70.4	55.9	63.7
30/10/2019	20:35	63.8	68.1	55.8	
30/10/2019	20:40	63	67.4	56.5	
30/10/2019	20:45	64.1	69.5	55.1	
30/10/2019	20:50	62.2	66.8	56.3	
30/10/2019	20:55	62.8	67	55.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	21:00	63.6	67.9	57	61.4
30/10/2019	21:05	59.2	64.9	51.7	
30/10/2019	21:10	59.7	65.1	51.3	
30/10/2019	21:15	61.1	67.1	52.3	
30/10/2019	21:20	63.4	68.4	54.3	
30/10/2019	21:25	58.6	64.5	51.4	
30/10/2019	21:30	61.8	67.4	53.1	61.5
30/10/2019	21:35	62.1	67.3	52.2	
30/10/2019	21:40	60.8	66	52.2	
30/10/2019	21:45	59.3	65.1	51.6	
30/10/2019	21:50	62.7	68.1	52.1	
30/10/2019	21:55	61.4	66.9	51.5	
30/10/2019	22:00	62	67.6	52.2	62.4
30/10/2019	22:05	62.7	67.5	56.3	
30/10/2019	22:10	61.4	66.7	55.4	
30/10/2019	22:15	63.6	69.4	56	
30/10/2019	22:20	62.5	67.9	55.3	
30/10/2019	22:25	61.7	66.5	55.4	
30/10/2019	22:30	60.6	65.4	55.3	60.6
30/10/2019	22:35	60.7	66	55.8	
30/10/2019	22:40	60.3	64.7	55	
30/10/2019	22:45	60.1	65.1	55.3	
30/10/2019	22:50	62.2	66.9	55.3	
30/10/2019	22:55	59.2	62.8	55.4	
31/10/2019	19:00	68.7	71	66.3	68.7
31/10/2019	19:05	68.5	71.9	64.9	
31/10/2019	19:10	68.4	71.5	65.5	
31/10/2019	19:15	68.4	71.5	64.3	
31/10/2019	19:20	68.3	70.3	65.5	
31/10/2019	19:25	69.6	71.9	66.9	
31/10/2019	19:30	71.2	73.7	68.2	71.6
31/10/2019	19:35	70.8	72.8	68.8	
31/10/2019	19:40	71	73.1	69	
31/10/2019	19:45	72.3	74.7	68.8	
31/10/2019	19:50	72.4	74.9	69.4	
31/10/2019	19:55	71.6	73.7	68.7	
31/10/2019	20:00	70.9	73	68.8	70.3
31/10/2019	20:05	70.6	72.9	68.3	
31/10/2019	20:10	70.6	73.1	67.8	
31/10/2019	20:15	70.1	72.1	68	
31/10/2019	20:20	69.5	72.1	66.4	
31/10/2019	20:25	69.8	73	66.4	
31/10/2019	20:30	69.6	72.7	67.1	69.5
31/10/2019	20:35	69.3	72.7	65.7	
31/10/2019	20:40	69.6	72.4	66.6	
31/10/2019	20:45	69.6	72.2	67	
31/10/2019	20:50	69.4	72	66.2	
31/10/2019	20:55	69.5	71.6	65.6	
31/10/2019	21:00	70.5	72.7	67.4	70.2
31/10/2019	21:05	70.5	72.8	67.2	
31/10/2019	21:10	70.4	73.1	67.8	
31/10/2019	21:15	69.9	72.5	66.1	
31/10/2019	21:20	69.7	72.1	66.4	
31/10/2019	21:25	70.4	73.8	67.1	
31/10/2019	21:30	69.9	72.3	66.3	69.5
31/10/2019	21:35	70.1	72.4	65.8	
31/10/2019	21:40	69.5	72.3	65.2	
31/10/2019	21:45	69.2	73.4	62.6	
31/10/2019	21:50	69.3	72	63.7	
31/10/2019	21:55	69.1	72.8	64.2	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	22:00	67.4	69.8	63.1	67.6
31/10/2019	22:05	68.1	71.5	64.5	
31/10/2019	22:10	68.1	70.8	64.2	
31/10/2019	22:15	66.9	69.9	62.4	
31/10/2019	22:20	66.5	70	60.6	
31/10/2019	22:25	68.1	71.8	63.9	
31/10/2019	22:30	67.8	71.8	61	67.1
31/10/2019	22:35	67.1	70.3	61.5	
31/10/2019	22:40	67.2	70.7	62.3	
31/10/2019	22:45	66.1	69.7	60.6	
31/10/2019	22:50	67.8	71.4	63.7	
31/10/2019	22:55	66.6	70	61.8	
01/11/2019	19:00	68.1	70.6	65.7	68.4
01/11/2019	19:05	68.1	70.9	65.1	
01/11/2019	19:10	68.4	71.3	64.7	
01/11/2019	19:15	68.4	71.6	65.5	
01/11/2019	19:20	68.6	71	65.6	
01/11/2019	19:25	68.5	71.8	64.9	
01/11/2019	19:30	67.9	70.7	65.2	68.2
01/11/2019	19:35	68.2	70.9	65.1	
01/11/2019	19:40	67.9	70.1	65.6	
01/11/2019	19:45	68.7	72.2	65.1	
01/11/2019	19:50	68.1	71.6	64.9	
01/11/2019	19:55	68.3	72.1	64	
01/11/2019	20:00	68.5	71.4	65.6	68.3
01/11/2019	20:05	68	70.1	64.7	
01/11/2019	20:10	68.4	71	65.7	
01/11/2019	20:15	68.2	71.5	65.2	
01/11/2019	20:20	68.2	70.8	65.2	
01/11/2019	20:25	68.3	70.9	65.6	
01/11/2019	20:30	68.7	72.7	65.1	68.2
01/11/2019	20:35	68.6	71.2	65.4	
01/11/2019	20:40	68.5	71.2	66.1	
01/11/2019	20:45	68.1	70.5	64.9	
01/11/2019	20:50	67.6	70.6	64.5	
01/11/2019	20:55	67.7	70.9	63.9	
01/11/2019	21:00	67.7	70.2	64.2	68.0
01/11/2019	21:05	68.5	71.6	65.3	
01/11/2019	21:10	67.5	70	65.3	
01/11/2019	21:15	68	70.6	65.1	
01/11/2019	21:20	67.6	71	63.5	
01/11/2019	21:25	68.4	71.9	64.4	
01/11/2019	21:30	67.9	71.6	63.7	67.5
01/11/2019	21:35	68	71.7	64.2	
01/11/2019	21:40	67.6	70.7	63.4	
01/11/2019	21:45	67.1	70.3	62.5	
01/11/2019	21:50	66.6	69.5	61.9	
01/11/2019	21:55	67.6	71.6	63.5	
01/11/2019	22:00	67.8	70.4	63.7	67.0
01/11/2019	22:05	66.4	69.5	61.8	
01/11/2019	22:10	67.3	70.7	62.2	
01/11/2019	22:15	67.2	70.1	63.1	
01/11/2019	22:20	66.6	70.1	61.7	
01/11/2019	22:25	66.6	69.3	62.9	
01/11/2019	22:30	66.8	70.6	60.6	66.5
01/11/2019	22:35	66.9	69.9	63.1	
01/11/2019	22:40	66.4	69.6	62	
01/11/2019	22:45	66.6	69.9	61.9	
01/11/2019	22:50	66.2	69.6	61.6	
01/11/2019	22:55	65.9	70.1	61.2	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	19:00	73.3	76.1	58.3	68.5
02/11/2019	19:05	66.6	72.1	57.5	
02/11/2019	19:10	64.7	70.5	54.5	
02/11/2019	19:15	68.1	71.1	54.7	
02/11/2019	19:20	66.1	70.3	57.1	
02/11/2019	19:25	64.6	68.9	54.1	63.4
02/11/2019	19:30	63.1	68.4	53.5	
02/11/2019	19:35	63.4	67.2	54.1	
02/11/2019	19:40	63.8	69.2	55.9	
02/11/2019	19:45	62.6	67.6	54.9	
02/11/2019	19:50	64.3	69.4	53	64.7
02/11/2019	19:55	63.1	69.9	52.5	
02/11/2019	20:00	61.8	67.6	51.9	
02/11/2019	20:05	62	67.7	55.9	
02/11/2019	20:10	65.9	72.6	56	
02/11/2019	20:15	64.9	69.9	55.9	65.7
02/11/2019	20:20	65.6	69.5	57.6	
02/11/2019	20:25	66	70.7	56.9	
02/11/2019	20:30	65.5	69.4	56.5	
02/11/2019	20:35	62.8	67.2	56.2	
02/11/2019	20:40	66	70.1	56.4	62.8
02/11/2019	20:45	63.6	67.9	56.3	
02/11/2019	20:50	64.9	71.3	55.3	
02/11/2019	20:55	68.7	73.8	55.4	
02/11/2019	21:00	62.9	68.3	55.3	
02/11/2019	21:05	63.3	68.1	52	65.6
02/11/2019	21:10	62	67.6	52.4	
02/11/2019	21:15	61.9	67.7	53	
02/11/2019	21:20	64	69	52	
02/11/2019	21:25	62.2	67.8	52.7	
02/11/2019	21:30	61.5	66.6	52.8	63.3
02/11/2019	21:35	71.3	74.6	52.8	
02/11/2019	21:40	63.4	68.3	55.4	
02/11/2019	21:45	62.8	68.1	53.1	
02/11/2019	21:50	62.3	67.3	52.5	
02/11/2019	21:55	60.8	66.1	52.3	63.3
02/11/2019	22:00	64.6	70.2	53.3	
02/11/2019	22:05	64	68.4	56.1	
02/11/2019	22:10	62.3	68.3	56.1	
02/11/2019	22:15	62.3	66.3	55.8	
02/11/2019	22:20	63	67	55.7	63.7
02/11/2019	22:25	63	67.7	55.7	
02/11/2019	22:30	65.4	71.1	56.2	
02/11/2019	22:35	64.9	70.5	56.3	
02/11/2019	22:40	63.6	68.7	55.5	
02/11/2019	22:45	61.6	66.5	55.3	64.2
02/11/2019	22:50	60.8	66	55.6	
02/11/2019	22:55	61.4	67.5	55.3	
03/11/2019	7:00	62	67	55.2	
03/11/2019	7:05	62.2	68.5	51.9	
03/11/2019	7:10	63.7	68.5	52.5	69.8
03/11/2019	7:15	65.5	70.1	54.7	
03/11/2019	7:20	64.2	69.2	52.1	
03/11/2019	7:25	63.8	69.1	52.6	
03/11/2019	7:30	65.9	71.3	54.2	
03/11/2019	7:35	62.9	69	52.8	72.6
03/11/2019	7:40	65.2	70.6	55.6	
03/11/2019	7:45	64	69.3	54.3	
03/11/2019	7:50	63	67.8	54.1	
03/11/2019	7:55	63.1	67.6	52.9	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	8:00	61.7	66.4	54.7	64.8
03/11/2019	8:05	65.4	71	57.7	
03/11/2019	8:10	64.6	69.2	57.3	
03/11/2019	8:15	65.1	70.1	57.3	
03/11/2019	8:20	66.2	71	58.5	
03/11/2019	8:25	64.4	69.4	56.3	68.7
03/11/2019	8:30	66.4	72.3	56.9	
03/11/2019	8:35	67.6	73.5	58	
03/11/2019	8:40	73.3	75.6	56.6	
03/11/2019	8:45	68.9	73.5	59.1	
03/11/2019	8:50	63.6	67.5	57.9	64.7
03/11/2019	8:55	65.1	70.5	56.3	
03/11/2019	9:00	65	68.5	57.6	
03/11/2019	9:05	64	68.6	53.8	
03/11/2019	9:10	64.6	69.3	54.3	
03/11/2019	9:15	65.9	71.6	53.8	63.5
03/11/2019	9:20	64	69.6	54	
03/11/2019	9:25	64.1	69.7	53	
03/11/2019	9:30	63.4	69.1	53.1	
03/11/2019	9:35	60.5	65.7	52.5	
03/11/2019	9:40	62.1	66.9	53	65.5
03/11/2019	9:45	66.3	72	52.1	
03/11/2019	9:50	63.3	65.4	52.4	
03/11/2019	9:55	62.9	67.8	53.4	
03/11/2019	10:00	64.3	69.9	53.2	
03/11/2019	10:05	62.9	67.7	56.1	68.8
03/11/2019	10:10	64.7	70.1	56.2	
03/11/2019	10:15	66.8	72	56.5	
03/11/2019	10:20	66.3	71	57.3	
03/11/2019	10:25	66.5	70.3	60.2	
03/11/2019	10:30	68.7	70.7	66.8	68.9
03/11/2019	10:35	68.9	71.4	65.9	
03/11/2019	10:40	68.6	70.4	66.5	
03/11/2019	10:45	69	71.6	66.7	
03/11/2019	10:50	68.8	71	65.8	
03/11/2019	10:55	68.5	70.4	66.4	68.9
03/11/2019	11:00	68.9	70.7	66.6	
03/11/2019	11:05	69.1	71.6	66.9	
03/11/2019	11:10	68.8	71.4	66.1	
03/11/2019	11:15	69	71.2	66.9	
03/11/2019	11:20	68.8	70.7	66.4	69.8
03/11/2019	11:25	68.7	70.8	66.4	
03/11/2019	11:30	68.7	70.1	67	
03/11/2019	11:35	68.9	71.1	66.5	
03/11/2019	11:40	68.9	71.2	66.3	
03/11/2019	11:45	68.5	70.2	66.8	72.6
03/11/2019	11:50	68.9	71.5	66.6	
03/11/2019	11:55	69.4	71.2	67.1	
03/11/2019	12:00	68.6	70.6	66.6	
03/11/2019	12:05	68.9	71.3	66.3	
03/11/2019	12:10	68.8	70.5	66.8	72.6
03/11/2019	12:15	69.1	70.8	67.1	
03/11/2019	12:20	69.1	70.9	66.8	
03/11/2019	12:25	72.6	76.6	65.9	
03/11/2019	12:30	72.8	76.8	66.7	
03/11/2019	12:35	73.4	77.6	67.5	72.6
03/11/2019	12:40	72.9	77.4	66	
03/11/2019	12:45	71.4	76	65.5	
03/11/2019	12:50	71.7	76.1	66	
03/11/2019	12:55	72.9	77.3	65.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	13:00	70.1	74.2	64.8	71.6
03/11/2019	13:05	71.1	75.3	65.2	
03/11/2019	13:10	70.7	75.1	65.3	
03/11/2019	13:15	72.4	77	66.2	
03/11/2019	13:20	73.4	77.6	67.3	
03/11/2019	13:25	70.7	75.2	65.8	70.8
03/11/2019	13:30	72.3	76	66.6	
03/11/2019	13:35	70.5	73.8	65.1	
03/11/2019	13:40	70.7	73.9	64.9	
03/11/2019	13:45	71.1	75.7	65.1	
03/11/2019	13:50	70.1	73.2	65.1	69.6
03/11/2019	13:55	69.7	73.2	64.9	
03/11/2019	14:00	69.4	73.8	64.5	
03/11/2019	14:05	69.3	72.8	65.5	
03/11/2019	14:10	70.3	73.6	66.5	
03/11/2019	14:15	71.6	74.9	66.2	68.3
03/11/2019	14:20	67.1	70.5	64	
03/11/2019	14:25	68.6	72	64.9	
03/11/2019	14:30	69	71.9	65.3	
03/11/2019	14:35	69	72.9	64.2	
03/11/2019	14:40	67.5	70.6	63.4	68.9
03/11/2019	14:45	68	71.1	64.4	
03/11/2019	14:50	67.7	70.9	64.3	
03/11/2019	14:55	68.3	71.6	64	
03/11/2019	15:00	69.5	73.2	65.5	
03/11/2019	15:05	68.8	72.7	64.6	68.3
03/11/2019	15:10	70.4	75.7	63.9	
03/11/2019	15:15	69.2	72.7	63.7	
03/11/2019	15:20	67	70.7	62.7	
03/11/2019	15:25	67.9	71.6	63.5	
03/11/2019	15:30	67.7	71.5	62.6	68.8
03/11/2019	15:35	68.4	72	62.1	
03/11/2019	15:40	68.2	72.6	62.8	
03/11/2019	15:45	68.3	73.1	62.7	
03/11/2019	15:50	68.3	71.7	62.3	
03/11/2019	15:55	68.8	73.4	61.6	73.0
03/11/2019	16:00	68.9	73.2	63.2	
03/11/2019	16:05	68.5	72.2	63.7	
03/11/2019	16:10	70.7	75.4	64.1	
03/11/2019	16:15	68.4	72.4	64	
03/11/2019	16:20	66.7	70.3	61.8	71.6
03/11/2019	16:25	68.5	72	62.7	
03/11/2019	16:30	70.2	73.5	65.6	
03/11/2019	16:35	72.7	76.5	67.8	
03/11/2019	16:40	75.4	77.9	72	
03/11/2019	16:45	72.6	76.5	67.2	72.2
03/11/2019	16:50	73.4	77.2	68.7	
03/11/2019	16:55	71.7	75	67.5	
03/11/2019	17:00	71.8	74.9	67.2	
03/11/2019	17:05	72	74.7	68.4	
03/11/2019	17:10	71.9	75.2	67.5	63.6
03/11/2019	17:15	71.8	74.7	67.7	
03/11/2019	17:20	71.6	74.7	66.7	
03/11/2019	17:25	70.6	73.9	65.7	
03/11/2019	17:30	72.7	76.2	67.4	
03/11/2019	17:35	71	75.1	64.9	63.1
03/11/2019	17:40	72.7	76.6	66.6	
03/11/2019	17:45	72.9	75.9	68.2	
03/11/2019	17:50	72	74.7	67.9	
03/11/2019	17:55	71.8	76.6	65.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	18:00	72.1	75.9	66.5	71.3
03/11/2019	18:05	72.3	75.7	67.4	
03/11/2019	18:10	71.4	74.9	65.4	
03/11/2019	18:15	70.1	73.6	63.4	
03/11/2019	18:20	71.1	74.9	64.2	
03/11/2019	18:25	70.7	74.1	62.8	66.0
03/11/2019	18:30	65.7	69.4	59.2	
03/11/2019	18:35	67.9	72.2	60.8	
03/11/2019	18:40	65.4	70	58.8	
03/11/2019	18:45	65.2	70.6	57.6	
03/11/2019	18:50	64.2	68.7	58.6	65.5
03/11/2019	18:55	66.4	70.7	58.4	
03/11/2019	19:00	65.2	70.7	57	
03/11/2019	19:05	65.2	69.6	58.6	
03/11/2019	19:10	65.8	70.5	56.8	
03/11/2019	19:15	66.4	71.1	57.4	66.0
03/11/2019	19:20	65.6	70.7	54.3	
03/11/2019	19:25	64.6	69	54.3	
03/11/2019	19:30	65.1	70.8	56.1	
03/11/2019	19:35	65.7	70.9	53.1	
03/11/2019	19:40	67.1	71.4	56	64.5
03/11/2019	19:45	63.4	68.3	54.4	
03/11/2019	19:50	68	74	55.8	
03/11/2019	19:55	65.4	70.6	53	
03/11/2019	20:00	62.9	69	51.7	
03/11/2019	20:05	65.9	70.8	56.7	62.4
03/11/2019	20:10	63.1	68.2	55.8	
03/11/2019	20:15	67.7	72.1	55.9	
03/11/2019	20:20	61.6	67.1	55.7	
03/11/2019	20:25	62.7	67.7	55.9	
03/11/2019	20:30	62.3	67.2	56.5	62.4
03/11/2019	20:35	63.6	68.7	56.7	
03/11/2019	20:40	61.3	66.5	55.6	
03/11/2019	20:45	61.8	66.4	55.6	
03/11/2019	20:50	61.4	67.2	55.8	
03/11/2019	20:55	63.4	67.9	56	62.4
03/11/2019	21:00	63.8	68.9	56.1	
03/11/2019	21:05	61.8	67	51.7	
03/11/2019	21:10	61.1	66.9	51.7	
03/11/2019	21:15	61.2	66.4	52	
03/11/2019	21:20	63.4	68.7	52.8	64.2
03/11/2019	21:25	62.2	67.6	52.9	
03/11/2019	21:30	62.3	68	51.8	
03/11/2019	21:35	62.3	67.2	53	
03/11/2019	21:40	62.4	68.6	51.7	
03/11/2019	21:45	65.7	69.3	51.7	63.6
03/11/2019	21:50	62.8	68.4	51.8	
03/11/2019	21:55	67.1	72	52	
03/11/2019	22:00	65.7	71.6	53.7	
03/11/2019	22:05	63.2	67.7	56.1	
03/11/2019	22:10	65.4	70.4	56.9	63.1
03/11/2019	22:15	62.6	67.4	56.4	
03/11/2019	22:20	61.3	66.8	55.3	
03/11/2019	22:25	60.7	66.3	55.5	
03/11/2019	22:30	63.3	67	55.7	
03/11/2019	22:35	62.7	68.3	56.2	63.1
03/11/2019	22:40	63.5	68.1	57.2	
03/11/2019	22:45	64.9	70.8	56.3	
03/11/2019	22:50	62.3	68.1	55.1	
03/11/2019	22:55	60.7	65.1	55.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	19:00	67	69.3	64	67.0
04/11/2019	19:05	67.3	69.9	64	
04/11/2019	19:10	67.3	70	63.6	
04/11/2019	19:15	66.7	69.4	64	
04/11/2019	19:20	67	69.2	64.3	
04/11/2019	19:25	66.9	69.6	63.1	67.0
04/11/2019	19:30	67	69.6	64.2	
04/11/2019	19:35	66.7	69.2	63.6	
04/11/2019	19:40	66.8	69.8	63.8	
04/11/2019	19:45	67.2	69.7	64.2	
04/11/2019	19:50	66.8	69.7	63.9	67.0
04/11/2019	19:55	67.2	70.7	63.8	
04/11/2019	20:00	67.5	70.5	64.1	
04/11/2019	20:05	67	70	63.8	
04/11/2019	20:10	66.9	69.5	63.8	
04/11/2019	20:15	66.7	69	64.2	67.0
04/11/2019	20:20	66.9	69.9	64.2	
04/11/2019	20:25	66.8	69.9	64	
04/11/2019	20:30	67.1	70.7	63.8	
04/11/2019	20:35	67.4	70.7	64.2	
04/11/2019	20:40	66.8	69.8	64.1	67.0
04/11/2019	20:45	66.7	69.9	64	
04/11/2019	20:50	66.8	69.7	63.8	
04/11/2019	20:55	67.2	70.4	63.5	
04/11/2019	21:00	66.8	69.5	64.1	
04/11/2019	21:05	66.1	68.7	62.3	66.5
04/11/2019	21:10	66.5	69.3	63	
04/11/2019	21:15	66.2	69.4	62.4	
04/11/2019	21:20	66.9	70.1	63.6	
04/11/2019	21:25	66.7	69.8	63.6	
04/11/2019	21:30	66.5	69.7	62.3	66.2
04/11/2019	21:35	66.4	69.6	62.2	
04/11/2019	21:40	66.4	69.7	63.1	
04/11/2019	21:45	66.4	70.1	61.9	
04/11/2019	21:50	66.2	69.2	62	
04/11/2019	21:55	65.5	68.5	62	65.6
04/11/2019	22:00	65.3	68.5	61	
04/11/2019	22:05	66.3	70.5	60.6	
04/11/2019	22:10	65.5	68.7	61.1	
04/11/2019	22:15	65	68.1	60.2	
04/11/2019	22:20	65.8	69.5	61.9	65.1
04/11/2019	22:25	65.6	68.6	61.9	
04/11/2019	22:30	65.8	70.1	60.3	
04/11/2019	22:35	65.2	68.9	59.9	
04/11/2019	22:40	64.9	68.2	60.2	
04/11/2019	22:45	64.5	67.7	58.9	66.2
04/11/2019	22:50	64.9	68.2	60.4	
04/11/2019	22:55	64.9	68.6	59.4	
05/11/2019	19:00	66.4	70	63	
05/11/2019	19:05	66	69	60.7	
05/11/2019	19:10	66.5	69.6	63	66.2
05/11/2019	19:15	66	68.4	62.9	
05/11/2019	19:20	66.3	68.9	63	
05/11/2019	19:25	66.2	69.3	63.4	
05/11/2019	19:30	66.8	71.1	63.2	
05/11/2019	19:35	67	70.1	63.7	66.7
05/11/2019	19:40	66.5	68.8	64.1	
05/11/2019	19:45	66.5	69.5	63.6	
05/11/2019	19:50	66.3	69.3	63	
05/11/2019	19:55	66.8	69.3	64.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	20:00	67	70.1	64	66.8
05/11/2019	20:05	66.6	70.5	63.3	
05/11/2019	20:10	66.5	70	63.3	
05/11/2019	20:15	66.4	69.6	63.3	
05/11/2019	20:20	67.4	70.8	64.3	
05/11/2019	20:25	66.7	70.3	63.7	66.6
05/11/2019	20:30	66.7	70	63.7	
05/11/2019	20:35	66.2	68.6	62.8	
05/11/2019	20:40	66.5	69.4	63.7	
05/11/2019	20:45	66.5	70.2	63	
05/11/2019	20:50	67.1	71.9	63	66.3
05/11/2019	20:55	66.3	69.1	63.1	
05/11/2019	21:00	66.1	69	62.4	
05/11/2019	21:05	66.4	69.5	62.8	
05/11/2019	21:10	66.6	70.8	61.9	
05/11/2019	21:15	65.6	67.3	63.7	65.9
05/11/2019	21:20	66.2	69.2	63	
05/11/2019	21:25	66.6	70.9	62.3	
05/11/2019	21:30	65.9	69	62.9	
05/11/2019	21:35	66.2	68.8	63.4	
05/11/2019	21:40	66.2	69.7	61.5	65.6
05/11/2019	21:45	66	69.6	62.1	
05/11/2019	21:50	65.1	67.7	61.4	
05/11/2019	21:55	65.6	69.7	60.9	
05/11/2019	22:00	65.3	68.1	61.2	
05/11/2019	22:05	65.4	68.2	61.5	65.6
05/11/2019	22:10	65.3	68.3	61.8	
05/11/2019	22:15	65.3	69.4	60.7	
05/11/2019	22:20	65.3	67.6	61.9	
05/11/2019	22:25	66.9	70.4	60.4	
05/11/2019	22:30	65.2	70.3	60.4	66.4
05/11/2019	22:35	68	69.6	60.4	
05/11/2019	22:40	65.1	69	60.6	
05/11/2019	22:45	64.8	68.2	60.6	
05/11/2019	22:50	65.1	68.8	61	
05/11/2019	22:55	64.6	68.7	59.3	66.7
06/11/2019	19:00	66.9	70.4	63.7	
06/11/2019	19:05	65.8	68.1	62.2	
06/11/2019	19:10	66.4	68.9	63	
06/11/2019	19:15	66.1	68.7	63.3	
06/11/2019	19:20	66.4	70.1	63.3	66.5
06/11/2019	19:25	66.7	70.8	62.9	
06/11/2019	19:30	67	69.9	64.4	
06/11/2019	19:35	66.2	69.2	63.8	
06/11/2019	19:40	67.2	70.7	63.8	
06/11/2019	19:45	66.6	69.9	63.8	66.1
06/11/2019	19:50	66.5	68.9	63.4	
06/11/2019	19:55	66.4	70.3	61.5	
06/11/2019	20:00	66.7	69.4	64.1	
06/11/2019	20:05	66	68.1	63.3	
06/11/2019	20:10	66.5	69.8	62.5	66.1
06/11/2019	20:15	66.5	69.5	63.9	
06/11/2019	20:20	66.6	69.9	62.4	
06/11/2019	20:25	66.9	70.6	63	
06/11/2019	20:30	65.2	68.1	61.1	
06/11/2019	20:35	66.6	69.6	63.1	66.1
06/11/2019	20:40	66.4	68.8	63.7	
06/11/2019	20:45	66.5	70.2	61.8	
06/11/2019	20:50	65.8	69.5	61.6	
06/11/2019	20:55	65.9	68.5	62.4	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	21:00	65.4	68.1	62.7	65.5
06/11/2019	21:05	66.2	70.1	61.7	
06/11/2019	21:10	65.5	68.5	60.9	
06/11/2019	21:15	65.2	69.2	60.8	
06/11/2019	21:20	65.7	68.8	61.8	
06/11/2019	21:25	64.8	67.4	60.9	
06/11/2019	21:30	66.1	69.8	61.7	65.4
06/11/2019	21:35	65.3	68.5	60	
06/11/2019	21:40	65.4	69.3	61	
06/11/2019	21:45	65.4	69.2	60.4	
06/11/2019	21:50	65.5	69	59.1	
06/11/2019	21:55	64.8	67.8	60.5	
06/11/2019	22:00	65.1	69	60.4	64.9
06/11/2019	22:05	64.5	68.4	59.6	
06/11/2019	22:10	64.8	68.1	59.3	
06/11/2019	22:15	64.2	67.2	60.8	
06/11/2019	22:20	65.1	69	60.4	
06/11/2019	22:25	65.6	68.2	59.6	
06/11/2019	22:30	64.3	67.5	60.1	64.3
06/11/2019	22:35	64.6	68.9	59.6	
06/11/2019	22:40	64	68.1	58.4	
06/11/2019	22:45	64.5	68.5	59.8	
06/11/2019	22:50	63.7	67.4	59.2	
06/11/2019	22:55	64.6	70.2	58.4	
07/11/2019	19:00	63.5	67.5	58	65.0
07/11/2019	19:05	66.3	71.3	59	
07/11/2019	19:10	64.1	69	54.4	
07/11/2019	19:15	64.6	70.8	54.8	
07/11/2019	19:20	66.5	71.7	58.5	
07/11/2019	19:25	64.4	69.4	54.6	
07/11/2019	19:30	63.7	68.7	55.3	64.8
07/11/2019	19:35	66.9	72.5	55.1	
07/11/2019	19:40	64.7	70.5	55.1	
07/11/2019	19:45	63.2	67.6	54.7	
07/11/2019	19:50	65.8	71.7	54.9	
07/11/2019	19:55	63.4	69.2	54.9	
07/11/2019	20:00	64.1	69.2	55.5	63.5
07/11/2019	20:05	62.4	67.7	54.2	
07/11/2019	20:10	64.7	69.6	58	
07/11/2019	20:15	63.5	68.5	57.1	
07/11/2019	20:20	61.7	65.9	56.6	
07/11/2019	20:25	64	70.1	56.6	
07/11/2019	20:30	62.3	67.6	56.4	62.8
07/11/2019	20:35	62.9	68.7	56.3	
07/11/2019	20:40	63.7	69.4	57.3	
07/11/2019	20:45	61.3	66	56.3	
07/11/2019	20:50	62.4	67.9	56.8	
07/11/2019	20:55	63.9	68.8	57.2	
07/11/2019	21:00	65.5	71	57.5	63.1
07/11/2019	21:05	63.3	68.1	56.4	
07/11/2019	21:10	61.7	66.7	54.3	
07/11/2019	21:15	61.8	67.8	54.8	
07/11/2019	21:20	62	67	55.5	
07/11/2019	21:25	62.7	67.7	54.3	
07/11/2019	21:30	62.6	67.7	55	62.7
07/11/2019	21:35	61.4	66.9	54.5	
07/11/2019	21:40	63.2	68.7	55.7	
07/11/2019	21:45	60.2	65	55.1	
07/11/2019	21:50	62.8	67.9	55.6	
07/11/2019	21:55	64.5	68.9	56.3	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	22:00	63.8	67.7	55.3	63.9
07/11/2019	22:05	63.2	69.1	55	
07/11/2019	22:10	63.5	68.4	56.9	
07/11/2019	22:15	63.2	68	57.3	
07/11/2019	22:20	64.8	70.2	57.4	
07/11/2019	22:25	64.7	70.4	56.7	
07/11/2019	22:30	61.4	66.5	56.7	63.9
07/11/2019	22:35	67.2	71.1	56.8	
07/11/2019	22:40	65.8	70.7	57.1	
07/11/2019	22:45	62.2	67.5	56.3	
07/11/2019	22:50	61.3	65.4	56.2	
07/11/2019	22:55	61.5	66.7	56.3	
08/11/2019	19:00	65.6	70.1	57.7	65.4
08/11/2019	19:05	65.6	69.9	58.9	
08/11/2019	19:10	65	69.7	57.1	
08/11/2019	19:15	64.4	69	56.5	
08/11/2019	19:20	66.6	71.1	56.6	
08/11/2019	19:25	64.7	69.1	54.8	
08/11/2019	19:30	64.9	69.1	58.3	65.3
08/11/2019	19:35	64.5	69.1	56.2	
08/11/2019	19:40	65	69.8	56	
08/11/2019	19:45	66.2	71.1	55.1	
08/11/2019	19:50	66.2	71.1	56.2	
08/11/2019	19:55	64.5	70	55.7	
08/11/2019	20:00	66.1	69.2	55.3	64.8
08/11/2019	20:05	65.2	69.9	56.7	
08/11/2019	20:10	64.6	69.5	57.4	
08/11/2019	20:15	63.7	68.6	56.5	
08/11/2019	20:20	64.8	69.5	58	
08/11/2019	20:25	63.8	68.5	57.2	
08/11/2019	20:30	64.6	69.8	56.6	63.9
08/11/2019	20:35	64.1	69.7	57.1	
08/11/2019	20:40	64.6	69.1	58	
08/11/2019	20:45	63.4	68.7	57	
08/11/2019	20:50	64.2	69	56.3	
08/11/2019	20:55	62.2	66.4	56.5	
08/11/2019	21:00	65.4	70	57.1	63.1
08/11/2019	21:05	63.3	68.7	56.3	
08/11/2019	21:10	63	68.5	53.8	
08/11/2019	21:15	63.3	67.9	55.6	
08/11/2019	21:20	61.9	67.9	54.1	
08/11/2019	21:25	59.7	64.7	52.7	
08/11/2019	21:30	60.7	65.8	53.1	62.1
08/11/2019	21:35	62.9	68.9	53	
08/11/2019	21:40	61.6	65.8	54.2	
08/11/2019	21:45	63	68	55.1	
08/11/2019	21:50	62.7	69.2	53.1	
08/11/2019	21:55	61.5	67.5	53.5	
08/11/2019	22:00	59.4	64.3	53.5	63.1
08/11/2019	22:05	63.3	68.7	54.4	
08/11/2019	22:10	63.4	68.9	57.4	
08/11/2019	22:15	65.6	71.1	57.1	
08/11/2019	22:20	63.3	68	56.7	
08/11/2019	22:25	61.2	66.7	56.3	
08/11/2019	22:30	61.1	65.1	56.6	63.7
08/11/2019	22:35	63.1	67.8	57.2	
08/11/2019	22:40	63.9	68.7	57.5	
08/11/2019	22:45	63.8	69.4	55.8	
08/11/2019	22:50	63	68.3	56	
08/11/2019	22:55	66	69.8	59	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	19:00	63.7	68.3	55.3	64.8
09/11/2019	19:05	65.8	70.2	54.5	
09/11/2019	19:10	61.7	66.8	53.8	
09/11/2019	19:15	65.9	71	54.9	
09/11/2019	19:20	64.7	70.4	55.4	
09/11/2019	19:25	65.7	70.2	54.4	65.1
09/11/2019	19:30	63.5	68.8	52.6	
09/11/2019	19:35	66	69.8	53	
09/11/2019	19:40	62.1	68.4	52.4	
09/11/2019	19:45	61.4	66.6	52.9	
09/11/2019	19:50	66.7	67.7	52.3	62.5
09/11/2019	19:55	67.3	70.6	56	
09/11/2019	20:00	62	67.1	55.9	
09/11/2019	20:05	63.5	68.6	55.9	
09/11/2019	20:10	62.7	67.5	56.2	
09/11/2019	20:15	62.5	67.8	56	62.1
09/11/2019	20:20	61.6	66.3	56.1	
09/11/2019	20:25	62.6	66.9	56.2	
09/11/2019	20:30	62.1	67	55.5	
09/11/2019	20:35	62.4	68.2	55.9	
09/11/2019	20:40	62.9	68.2	55.9	63.3
09/11/2019	20:45	60.3	64.8	55.4	
09/11/2019	20:50	61.2	66	52.2	
09/11/2019	20:55	63.2	67.9	53.3	
09/11/2019	21:00	63.4	68.3	51.2	
09/11/2019	21:05	61.7	66.5	52.1	63.3
09/11/2019	21:10	63.9	69.6	53	
09/11/2019	21:15	64.4	66.7	52.7	
09/11/2019	21:20	62.4	67.5	51.2	
09/11/2019	21:25	63.7	68.6	53.4	
09/11/2019	21:30	61.7	67.1	53	63.3
09/11/2019	21:35	63.4	68.6	53.8	
09/11/2019	21:40	62.6	68	54.3	
09/11/2019	21:45	62.5	68	53.3	
09/11/2019	21:50	65.7	72.5	56	
09/11/2019	21:55	62.9	68.1	55.5	72.2
09/11/2019	22:00	78.2	79.1	56.2	
09/11/2019	22:05	73.2	75.3	57.1	
09/11/2019	22:10	68	70.7	58.4	
09/11/2019	22:15	62.1	68.1	56	
09/11/2019	22:20	61	65.2	56	62.4
09/11/2019	22:25	63.6	68.5	56	
09/11/2019	22:30	63	67.9	56.7	
09/11/2019	22:35	62.3	68	55.6	
09/11/2019	22:40	62.5	68.4	55.4	
09/11/2019	22:45	63.1	68.1	56	62.5
09/11/2019	22:50	61.6	67.3	52.7	
09/11/2019	22:55	61.9	68	51.3	
10/11/2019	7:00	62.1	67.9	52.1	
10/11/2019	7:05	61.3	67.1	52.7	
10/11/2019	7:10	62.3	67.9	53.1	64.0
10/11/2019	7:15	62.1	66.9	51.7	
10/11/2019	7:20	63.7	69.5	53.6	
10/11/2019	7:25	63.2	68	53.2	
10/11/2019	7:30	64.2	69.4	53.8	
10/11/2019	7:35	65.7	70.3	54.9	64.0
10/11/2019	7:40	64.5	68.9	54.8	
10/11/2019	7:45	63.4	69.7	53.1	
10/11/2019	7:50	63.7	69.1	54.4	
10/11/2019	7:55	61.9	67.2	56.3	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	8:00	63.6	68.3	56.4	64.1
10/11/2019	8:05	63.7	68.4	56.1	
10/11/2019	8:10	63.6	68.2	56.9	
10/11/2019	8:15	65.8	70.8	56.9	
10/11/2019	8:20	62.7	67.5	56.2	
10/11/2019	8:25	64.5	69	57.7	62.1
10/11/2019	8:30	63.8	68.3	57.2	
10/11/2019	8:35	61.4	66.2	56.5	
10/11/2019	8:40	62.9	68	56.1	
10/11/2019	8:45	62.3	66.6	56.7	
10/11/2019	8:50	62.2	67.2	53.9	63.2
10/11/2019	8:55	58.7	63.9	53	
10/11/2019	9:00	63.3	68.5	53.7	
10/11/2019	9:05	64	68.9	54.5	
10/11/2019	9:10	64.2	69.4	53.7	
10/11/2019	9:15	62.1	66.5	54.5	62.5
10/11/2019	9:20	63.6	68.8	54.8	
10/11/2019	9:25	61.7	66.4	54.4	
10/11/2019	9:30	59	63.8	53.2	
10/11/2019	9:35	64	68.6	56.5	
10/11/2019	9:40	61.8	66.5	54	63.2
10/11/2019	9:45	59.4	64.2	52.3	
10/11/2019	9:50	64.8	70.6	54.7	
10/11/2019	9:55	63.1	68.8	56.4	
10/11/2019	10:00	61.9	66.6	56.3	
10/11/2019	10:05	64.9	69.7	56.8	63.2
10/11/2019	10:10	62.6	66.9	56.6	
10/11/2019	10:15	62.9	68.2	56.1	
10/11/2019	10:20	62.5	66.2	55.7	
10/11/2019	10:25	63.8	68.4	56.2	
10/11/2019	10:30	64	69.4	55.9	63.2
10/11/2019	10:35	63.1	68.3	56.4	
10/11/2019	10:40	63.2	68	56	
10/11/2019	10:45	63.4	67.8	56.4	
10/11/2019	10:50	63	67.7	56.6	
10/11/2019	10:55	62.6	66.6	56.8	64.2
10/11/2019	11:00	64	68.4	57	
10/11/2019	11:05	65.3	70	57.7	
10/11/2019	11:10	62.7	67.3	56.7	
10/11/2019	11:15	63.5	68.6	55.5	
10/11/2019	11:20	63.6	67.7	57.7	70.8
10/11/2019	11:25	65.6	70.6	58.1	
10/11/2019	11:30	77.7	78.9	58.6	
10/11/2019	11:35	63.3	66.9	57.5	
10/11/2019	11:40	66.9	68	58.1	
10/11/2019	11:45	63.6	67.9	57.1	64.2
10/11/2019	11:50	61.9	65.8	55.7	
10/11/2019	11:55	63	67.1	58.4	
10/11/2019	12:00	65	69.6	58.1	
10/11/2019	12:05	64.2	67.8	58.5	
10/11/2019	12:10	63.2	67.9	56.9	65.9
10/11/2019	12:15	62.6	66.5	56.8	
10/11/2019	12:20	65.4	69.3	56.9	
10/11/2019	12:25	64.4	68.5	57.8	
10/11/2019	12:30	65	69.8	57.4	
10/11/2019	12:35	64.2	68.1	57.3	65.9
10/11/2019	12:40	65.1	69.7	57.9	
10/11/2019	12:45	65.3	69.9	58.7	
10/11/2019	12:50	66.7	72.9	59.9	
10/11/2019	12:55	68	70.8	59	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	13:00	66.2	71.7	58.2	65.7
10/11/2019	13:05	64.6	69.8	55.4	
10/11/2019	13:10	68.3	74.8	56.3	
10/11/2019	13:15	64.5	68.6	57.8	
10/11/2019	13:20	62.9	67.3	54.5	
10/11/2019	13:25	65.6	69.4	56	64.3
10/11/2019	13:30	63	67.8	55.3	
10/11/2019	13:35	64.3	69	55.6	
10/11/2019	13:40	65.2	70.1	55.9	
10/11/2019	13:45	63.4	69.1	54.4	
10/11/2019	13:50	64	68.7	56	66.1
10/11/2019	13:55	65.4	69.8	58.2	
10/11/2019	14:00	66	70.2	58.2	
10/11/2019	14:05	63.7	68.1	56.8	
10/11/2019	14:10	68.3	72.7	56.2	
10/11/2019	14:15	66.3	70.6	58.5	65.5
10/11/2019	14:20	65.3	70.2	57.4	
10/11/2019	14:25	65.7	69.5	58.5	
10/11/2019	14:30	65.8	70	59	
10/11/2019	14:35	65.1	69.2	59	
10/11/2019	14:40	65	69	57.6	64.5
10/11/2019	14:45	68.1	74.7	58.1	
10/11/2019	14:50	64	68.1	56.4	
10/11/2019	14:55	63.6	68.5	53.5	
10/11/2019	15:00	61.7	67.2	53	
10/11/2019	15:05	65.3	69.2	52.8	65.2
10/11/2019	15:10	64.4	68.8	53.1	
10/11/2019	15:15	65.6	70.3	54.2	
10/11/2019	15:20	64	68.8	54.2	
10/11/2019	15:25	64.9	69.1	56	
10/11/2019	15:30	65.2	70.1	56	63.4
10/11/2019	15:35	66	70.4	56.3	
10/11/2019	15:40	64.7	69.2	56.6	
10/11/2019	15:45	65.4	70.8	54.9	
10/11/2019	15:50	65.6	71.2	57.2	
10/11/2019	15:55	64	69.9	56.2	63.2
10/11/2019	16:00	63	67.8	57	
10/11/2019	16:05	65.1	70.5	56.5	
10/11/2019	16:10	61.9	66.4	56.5	
10/11/2019	16:15	64.3	70.3	56.5	
10/11/2019	16:20	61.7	66.6	55.8	66.8
10/11/2019	16:25	63.1	67.9	55.5	
10/11/2019	16:30	61.3	65.6	55.7	
10/11/2019	16:35	62.4	66.6	55.9	
10/11/2019	16:40	63.5	67.8	56.3	
10/11/2019	16:45	65.5	70.5	56.2	64.6
10/11/2019	16:50	63	68.3	52.7	
10/11/2019	16:55	62.2	67	53	
10/11/2019	17:00	62.3	67.5	52.6	
10/11/2019	17:05	62.2	67.3	53.9	
10/11/2019	17:10	66.5	71.8	56.9	60.6
10/11/2019	17:15	71.8	75.9	56.8	
10/11/2019	17:20	64.1	68.7	55.8	
10/11/2019	17:25	65.1	70	54.9	
10/11/2019	17:30	62.7	67.2	54.9	
10/11/2019	17:35	64.3	70.2	54.5	60.6
10/11/2019	17:40	66.8	72.6	55.1	
10/11/2019	17:45	64.4	69.5	54.1	
10/11/2019	17:50	63.1	68.7	55	
10/11/2019	17:55	65.2	69.5	58.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	18:00	63.1	68.5	56.2	63.6
10/11/2019	18:05	64.9	69.2	56.3	
10/11/2019	18:10	64	68.8	55.6	
10/11/2019	18:15	62.7	67.9	55.7	
10/11/2019	18:20	64.3	70.2	55.8	
10/11/2019	18:25	62	66.9	55.9	62.9
10/11/2019	18:30	62.4	66.5	56.2	
10/11/2019	18:35	64.3	69.4	56.3	
10/11/2019	18:40	63	68.8	55.7	
10/11/2019	18:45	63	68.3	55.6	
10/11/2019	18:50	62.6	67.4	54	68.5
10/11/2019	18:55	61.8	67.2	51.6	
10/11/2019	19:00	64	68.8	52.6	
10/11/2019	19:05	74.1	75.1	51.9	
10/11/2019	19:10	62.7	67.8	53.2	
10/11/2019	19:15	60.8	66.1	52.2	64.8
10/11/2019	19:20	63.7	68.4	53.2	
10/11/2019	19:25	69.3	70.9	54	
10/11/2019	19:30	62.6	68.9	53.2	
10/11/2019	19:35	67.5	71.7	55	
10/11/2019	19:40	63.6	68.9	52.5	66.1
10/11/2019	19:45	65	69	56.1	
10/11/2019	19:50	63.8	68.6	55.7	
10/11/2019	19:55	64.5	69	57	
10/11/2019	20:00	70.4	71	56.2	
10/11/2019	20:05	63.7	68.9	55.8	62.7
10/11/2019	20:10	64.9	69.6	56.8	
10/11/2019	20:15	62.8	67.3	56.2	
10/11/2019	20:20	65.5	70.4	55.9	
10/11/2019	20:25	63.8	68.1	55.8	
10/11/2019	20:30	63	67.4	56.5	61.4
10/11/2019	20:35	64.1	69.5	55.1	
10/11/2019	20:40	62.2	66.8	56.3	
10/11/2019	20:45	62.8	67	55.1	
10/11/2019	20:50	63.6	67.9	57	
10/11/2019	20:55	59.2	64.9	51.7	61.6
10/11/2019	21:00	59.7	65.1	51.3	
10/11/2019	21:05	61.1	67.1	52.3	
10/11/2019	21:10	63.4	68.4	54.3	
10/11/2019	21:15	58.6	64.5	51.4	
10/11/2019	21:20	61.8	67.4	53.1	61.9
10/11/2019	21:25	62.1	67.3	52.2	
10/11/2019	21:30	60.8	66	52.2	
10/11/2019	21:35	59.3	65.1	51.6	
10/11/2019	21:40	62.7	68.1	52.1	
10/11/2019	21:45	61.4	66.9	51.5	60.6
10/11/2019	21:50	62	67.6	52.2	
10/11/2019	21:55	62.7	67.5	56.3	
10/11/2019	22:00	61.4	66.7	55.4	
10/11/2019	22:05	63.6	69.4	56	
10/11/2019	22:10	62.5	67.9	55.3	60.6
10/11/2019	22:15	61.7	66.5	55.4	
10/11/2019	22:20	60.6	65.4	55.3	
10/11/2019	22:25	60.7	66	55.8	
10/11/2019	22:30	60.3	64.7	55	
10/11/2019	22:35	60.1	65.1	55.3	60.6
10/11/2019	22:40	62.2	66.9	55.3	
10/11/2019	22:45	59.2	62.8	55.4	
10/11/2019	22:50	60.9	66.1	51.5	
10/11/2019	22:55	60.2	65.3	50.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
	Average	66.5			66.5
	Max	78.2	79.2	72	73.0
	Min	56.9	62.4	49.4	59.2

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	19:00	62.2	65.7	55.6	62.4
28/10/2019	19:05	61.2	67.7	55.4	
28/10/2019	19:10	63.4	67.7	54	
28/10/2019	19:15	62.2	66.6	55.6	
28/10/2019	19:20	62.2	67.5	53.8	
28/10/2019	19:25	62.8	68.1	54.4	62.8
28/10/2019	19:30	63.4	67.7	51.3	
28/10/2019	19:35	62.6	66	51.3	
28/10/2019	19:40	61.6	67.8	53.1	
28/10/2019	19:45	62.1	67.9	50.1	
28/10/2019	19:50	62.7	68.4	53	62.2
28/10/2019	19:55	64.1	65.3	51.4	
28/10/2019	20:00	60.4	71	52.8	
28/10/2019	20:05	65	67.6	50	
28/10/2019	20:10	62.4	66	48.7	
28/10/2019	20:15	59.9	67.8	53.7	60.8
28/10/2019	20:20	62.9	65.2	52.8	
28/10/2019	20:25	60.1	69.1	52.9	
28/10/2019	20:30	64.7	65.2	52.7	
28/10/2019	20:35	58.6	64.7	52.9	
28/10/2019	20:40	59.7	64.2	53.5	59.3
28/10/2019	20:45	59.3	65.7	53.7	
28/10/2019	20:50	60.6	63.5	52.6	
28/10/2019	20:55	58.3	63.4	52.6	
28/10/2019	21:00	58.8	64.2	52.8	
28/10/2019	21:05	58.4	64.9	53	59.3
28/10/2019	21:10	60.4	65.9	53.1	
28/10/2019	21:15	60.8	64	48.7	
28/10/2019	21:20	58.8	63.9	48.7	
28/10/2019	21:25	58.1	63.4	49	
28/10/2019	21:30	58.2	65.7	49.8	59.3
28/10/2019	21:35	60.4	64.6	49.9	
28/10/2019	21:40	59.2	65	48.8	
28/10/2019	21:45	59.3	64.2	50	
28/10/2019	21:50	59.3	65.6	48.7	
28/10/2019	21:55	59.4	66.3	48.7	62.2
28/10/2019	22:00	62.7	65.4	48.8	
28/10/2019	22:05	59.8	69	49	
28/10/2019	22:10	64.1	68.6	50.7	
28/10/2019	22:15	62.7	64.7	53.1	
28/10/2019	22:20	60.2	67.4	53.9	59.5
28/10/2019	22:25	62.4	64.4	53.4	
28/10/2019	22:30	59.6	63.8	52.3	
28/10/2019	22:35	58.3	63.3	52.5	
28/10/2019	22:40	57.7	64	52.7	
28/10/2019	22:45	60.3	65.3	53.2	62.1
28/10/2019	22:50	59.7	65.1	54.2	
28/10/2019	22:55	60.5	67.8	53.3	
29/10/2019	19:00	62.9	67.1	53.5	
29/10/2019	19:05	62.1	66.3	51.8	
29/10/2019	19:10	62.9	68.2	51.6	61.7
29/10/2019	19:15	61.7	67	51.9	
29/10/2019	19:20	61.5	64.2	51.9	
29/10/2019	19:25	61.3	67.2	51.5	
29/10/2019	19:30	62.2	69.6	52.1	
29/10/2019	19:35	60.7	66.5	51.1	61.7
29/10/2019	19:40	62.8	65.7	52	
29/10/2019	19:45	58.7	66.5	55.1	
29/10/2019	19:50	62.9	65.5	53.2	
29/10/2019	19:55	61.7	66.2	53.3	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	20:00	62.7	65.8	52.6	61.7
29/10/2019	20:05	60.5	64.9	52.7	
29/10/2019	20:10	63	67.2	52.8	
29/10/2019	20:15	59.1	63.9	52.9	
29/10/2019	20:20	58.4	63.5	53.2	
29/10/2019	20:25	63.7	66.4	53.3	
29/10/2019	20:30	64.3	65.8	52.7	60.8
29/10/2019	20:35	59	65.3	52.6	
29/10/2019	20:40	60.5	64.4	51	
29/10/2019	20:45	59.7	64.2	48.6	
29/10/2019	20:50	59.5	65.8	49.6	
29/10/2019	20:55	58.6	70.6	48.9	
29/10/2019	21:00	59.6	64.8	50.2	59.0
29/10/2019	21:05	59.1	63.1	49.2	
29/10/2019	21:10	59.4	65.4	50.2	
29/10/2019	21:15	59.9	69.8	59.4	
29/10/2019	21:20	57.3	73.7	56.8	
29/10/2019	21:25	58.2	73.5	55.1	
29/10/2019	21:30	60.2	73.4	56.2	60.3
29/10/2019	21:35	60.4	72	58.1	
29/10/2019	21:40	58.7	70.9	52.5	
29/10/2019	21:45	60.9	71	57.1	
29/10/2019	21:50	61.4	69.8	59.6	
29/10/2019	21:55	59.4	74	55.1	
29/10/2019	22:00	60.7	71.5	57	60.6
29/10/2019	22:05	60.4	68.1	60.3	
29/10/2019	22:10	59.6	69.5	57.6	
29/10/2019	22:15	59.5	69.7	55.6	
29/10/2019	22:20	62.7	67.6	59.6	
29/10/2019	22:25	59.9	69.3	54.2	
29/10/2019	22:30	75.2	76.5	60.8	69.2
29/10/2019	22:35	70.2	72.8	60.4	
29/10/2019	22:40	65	70	60.8	
29/10/2019	22:45	59.1	72.4	51.8	
29/10/2019	22:50	58	69.9	54.1	
29/10/2019	22:55	60.6	69.2	60.3	
30/10/2019	19:00	59.3	61.5	56.6	59.0
30/10/2019	19:05	60.5	65.2	56.9	
30/10/2019	19:10	59.4	61.6	57.1	
30/10/2019	19:15	58.2	60.6	56.3	
30/10/2019	19:20	58.2	61.6	55.9	
30/10/2019	19:25	57.8	60.4	55.2	
30/10/2019	19:30	56.6	58.6	54.7	54.5
30/10/2019	19:35	54.9	57	52.8	
30/10/2019	19:40	55.2	58.5	52.4	
30/10/2019	19:45	53.1	54.4	51.9	
30/10/2019	19:50	53	55.4	50.9	
30/10/2019	19:55	52.7	55.8	50	
30/10/2019	20:00	52.1	55.1	50	52.1
30/10/2019	20:05	51.8	54.1	50.2	
30/10/2019	20:10	53.1	56.6	50.3	
30/10/2019	20:15	51.7	54.3	49.7	
30/10/2019	20:20	52.1	54.6	49.7	
30/10/2019	20:25	51.5	54	49.6	
30/10/2019	20:30	51.6	54.5	49.3	52.0
30/10/2019	20:35	51.5	53.4	49.6	
30/10/2019	20:40	53.5	55.9	51.3	
30/10/2019	20:45	51.7	54.3	50	
30/10/2019	20:50	51.7	54.7	49.6	
30/10/2019	20:55	51.3	53.5	49.9	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	21:00	51.7	54.7	49.4	51.9
30/10/2019	21:05	51.9	54.4	49.3	
30/10/2019	21:10	50.9	53.6	48.7	
30/10/2019	21:15	51.6	54.3	48.8	
30/10/2019	21:20	53	55.7	49.7	
30/10/2019	21:25	51.9	54.6	49.8	
30/10/2019	21:30	52.3	55.2	50.1	53.0
30/10/2019	21:35	52.6	56.3	49.6	
30/10/2019	21:40	51.4	53.7	49.4	
30/10/2019	21:45	56.4	62.8	49.1	
30/10/2019	21:50	51.2	53.9	48.9	
30/10/2019	21:55	51	53.8	48.1	
30/10/2019	22:00	50.4	53.1	48.4	50.6
30/10/2019	22:05	51.9	56.7	48.1	
30/10/2019	22:10	50	52.3	48.3	
30/10/2019	22:15	50.4	53.2	48.3	
30/10/2019	22:20	50.7	54.1	48.5	
30/10/2019	22:25	49.8	51.8	48.5	
30/10/2019	22:30	50.4	53	48.5	50.5
30/10/2019	22:35	51.4	56.7	47.8	
30/10/2019	22:40	49.9	54.3	48.1	
30/10/2019	22:45	49.7	52.5	47.8	
30/10/2019	22:50	50.9	54.8	48.1	
30/10/2019	22:55	50.6	53.6	48.1	
31/10/2019	19:00	64.1	67.7	59.9	62.4
31/10/2019	19:05	62.5	65.8	59.5	
31/10/2019	19:10	63.1	66.9	58.8	
31/10/2019	19:15	63.5	67.3	59.1	
31/10/2019	19:20	59.7	62.2	57.4	
31/10/2019	19:25	58.9	61.6	55.8	
31/10/2019	19:30	56.1	58.2	54.2	54.6
31/10/2019	19:35	55.8	57.9	54	
31/10/2019	19:40	54.7	56.6	53.1	
31/10/2019	19:45	52.8	55.2	51.4	
31/10/2019	19:50	53.4	56.2	51.3	
31/10/2019	19:55	53.7	56.2	51.6	
31/10/2019	20:00	54.1	57.8	51.1	53.4
31/10/2019	20:05	53	55.4	50.9	
31/10/2019	20:10	54	58.2	51	
31/10/2019	20:15	52.6	55.3	50.3	
31/10/2019	20:20	52.4	54.5	50.6	
31/10/2019	20:25	53.7	57.5	50.2	
31/10/2019	20:30	51.5	53.6	50.1	54.5
31/10/2019	20:35	52.5	55.1	50.8	
31/10/2019	20:40	51.8	54.6	50	
31/10/2019	20:45	59.4	64.2	50.5	
31/10/2019	20:50	51.8	54	50.2	
31/10/2019	20:55	52.6	55	50.8	
31/10/2019	21:00	52.7	55.4	50.9	53.0
31/10/2019	21:05	51.9	54.1	50.2	
31/10/2019	21:10	52.6	55.5	50.4	
31/10/2019	21:15	55.7	62.6	50.8	
31/10/2019	21:20	51.5	54.3	49.9	
31/10/2019	21:25	52.2	55.6	50	
31/10/2019	21:30	51.9	54	50.2	51.6
31/10/2019	21:35	51.4	53.7	50.1	
31/10/2019	21:40	51.6	53.9	49.7	
31/10/2019	21:45	52	54.2	50	
31/10/2019	21:50	50.9	53.4	49.1	
31/10/2019	21:55	51.7	55.3	48.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	22:00	50.6	53.7	48.8	50.6
31/10/2019	22:05	51.6	54.1	49.1	
31/10/2019	22:10	50.4	53.1	48.6	
31/10/2019	22:15	50.6	53.5	48.7	
31/10/2019	22:20	50.7	53.9	48.6	
31/10/2019	22:25	49.6	53	48.1	
31/10/2019	22:30	50.8	55.2	47.8	51.0
31/10/2019	22:35	50.4	53.6	48.2	
31/10/2019	22:40	51.7	56.4	48.5	
31/10/2019	22:45	50.5	54	48.6	
31/10/2019	22:50	50.7	54.1	47.9	
31/10/2019	22:55	51.5	54.4	49.2	
01/11/2019	19:00	64.9	69	60.3	62.0
01/11/2019	19:05	61.7	63.3	60.1	
01/11/2019	19:10	61	62.4	59.7	
01/11/2019	19:15	61.2	63.3	59.6	
01/11/2019	19:20	60.7	62.2	59.5	
01/11/2019	19:25	60.8	62.8	59.3	
01/11/2019	19:30	60.2	61.9	58.3	61.8
01/11/2019	19:35	59.8	61.7	57.8	
01/11/2019	19:40	62	67.4	56.6	
01/11/2019	19:45	60.2	64.1	55.5	
01/11/2019	19:50	62.9	68.8	55.2	
01/11/2019	19:55	63.9	68.9	56.5	
01/11/2019	20:00	59.7	66.3	54.6	57.9
01/11/2019	20:05	57.3	60.4	54.1	
01/11/2019	20:10	60.1	64.1	55.1	
01/11/2019	20:15	56.1	59.3	52.5	
01/11/2019	20:20	56.4	58.9	53.4	
01/11/2019	20:25	55.8	58.4	52.4	
01/11/2019	20:30	56.4	58.6	53.8	55.8
01/11/2019	20:35	55.4	57.8	53.1	
01/11/2019	20:40	56.4	58.8	53.2	
01/11/2019	20:45	55.3	58	53	
01/11/2019	20:50	56.1	58.8	52.9	
01/11/2019	20:55	55.3	57.9	52.6	
01/11/2019	21:00	56	58.7	52.8	54.7
01/11/2019	21:05	55.8	57.9	52.5	
01/11/2019	21:10	53.9	55.9	50.8	
01/11/2019	21:15	54.3	57.3	51.5	
01/11/2019	21:20	54.1	56.5	51.5	
01/11/2019	21:25	53.5	56.5	51.5	
01/11/2019	21:30	53.5	55.9	51.9	53.5
01/11/2019	21:35	53.4	55.4	51.7	
01/11/2019	21:40	54.9	57.6	51.6	
01/11/2019	21:45	53.1	55.8	50.7	
01/11/2019	21:50	53	56.6	50	
01/11/2019	21:55	52.7	56.3	50	
01/11/2019	22:00	53.3	56.3	50.9	52.8
01/11/2019	22:05	52.6	54.7	50.5	
01/11/2019	22:10	52.7	55.5	50.5	
01/11/2019	22:15	53.2	56.7	50.1	
01/11/2019	22:20	52.3	55.6	49.7	
01/11/2019	22:25	52.9	57.5	50	
01/11/2019	22:30	52.3	55.9	49.6	54.1
01/11/2019	22:35	55.8	62.7	49.5	
01/11/2019	22:40	57.4	63.8	49.5	
01/11/2019	22:45	51.4	53.7	49.6	
01/11/2019	22:50	50.7	53.1	49.3	
01/11/2019	22:55	53.1	57.2	50.5	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	19:00	61.2	65.3	58.2	59.4
02/11/2019	19:05	59.6	63.4	56.7	
02/11/2019	19:10	59.5	61.6	57.7	
02/11/2019	19:15	59	61.3	57.1	
02/11/2019	19:20	58.2	60.2	56.6	
02/11/2019	19:25	58.4	60.7	56.3	
02/11/2019	19:30	58.4	60.5	57	58.2
02/11/2019	19:35	56.6	58.8	54.1	
02/11/2019	19:40	56.3	59	53.7	
02/11/2019	19:45	55.5	57.9	53.6	
02/11/2019	19:50	58.7	65.4	53.4	
02/11/2019	19:55	61	65.8	54.7	
02/11/2019	20:00	54.6	57.9	51.3	58.7
02/11/2019	20:05	54.2	57.8	50.8	
02/11/2019	20:10	56.2	60.3	52	
02/11/2019	20:15	56.9	62.2	52.4	
02/11/2019	20:20	63.5	68	55.4	
02/11/2019	20:25	59	61.8	53.3	
02/11/2019	20:30	56.5	62.1	51.5	57.2
02/11/2019	20:35	54.6	57.1	52	
02/11/2019	20:40	54.8	58.4	51.7	
02/11/2019	20:45	54	57	51.8	
02/11/2019	20:50	54.6	59.4	50.6	
02/11/2019	20:55	62	71.3	50.8	
02/11/2019	21:00	51.7	55.1	50	52.4
02/11/2019	21:05	53.3	57.5	50.2	
02/11/2019	21:10	52.1	54.4	50.2	
02/11/2019	21:15	52.1	54.2	50.2	
02/11/2019	21:20	52.2	54.4	50.3	
02/11/2019	21:25	52.8	56.5	50.2	
02/11/2019	21:30	52.7	55.2	50.8	52.1
02/11/2019	21:35	52.3	56	50.3	
02/11/2019	21:40	53.7	58.3	50.3	
02/11/2019	21:45	51.4	54.5	49.1	
02/11/2019	21:50	51.1	54.3	48.7	
02/11/2019	21:55	51	53.5	48.7	
02/11/2019	22:00	51.9	54.8	49.9	51.7
02/11/2019	22:05	52.3	55.5	50	
02/11/2019	22:10	51.9	56.4	49.3	
02/11/2019	22:15	51.2	54.4	48.6	
02/11/2019	22:20	50.7	53.1	49.4	
02/11/2019	22:25	51.8	54.2	49.7	
02/11/2019	22:30	52.1	55.3	48.6	52.5
02/11/2019	22:35	52.1	56.9	48.4	
02/11/2019	22:40	51	53.5	49.1	
02/11/2019	22:45	54.1	56.8	49.5	
02/11/2019	22:50	53.7	59.1	49.2	
02/11/2019	22:55	50.9	53.2	48.6	
03/11/2019	7:00	48.8	53.6	46.7	48.1
03/11/2019	7:05	47.2	48.8	46.5	
03/11/2019	7:10	46.9	47.3	46.5	
03/11/2019	7:15	46.9	47.3	46.6	
03/11/2019	7:20	48.8	50.9	46.8	
03/11/2019	7:25	49.2	52	46.6	
03/11/2019	7:30	49.1	53	47	50.1
03/11/2019	7:35	48.6	51.8	46.7	
03/11/2019	7:40	49.4	53.2	46.8	
03/11/2019	7:45	51.1	57	47.1	
03/11/2019	7:50	50.1	53.6	47.1	
03/11/2019	7:55	51.4	55	47.9	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	8:00	51.2	55.7	47.4	51.1
03/11/2019	8:05	50.9	54.3	47.8	
03/11/2019	8:10	52.3	55.8	49.2	
03/11/2019	8:15	50.9	54	47.9	
03/11/2019	8:20	51.1	55.1	48.3	
03/11/2019	8:25	49.5	52.7	47.5	51.0
03/11/2019	8:30	52.3	55.9	48.7	
03/11/2019	8:35	50.6	54.4	48.3	
03/11/2019	8:40	50.4	53.4	48.2	
03/11/2019	8:45	50.9	54.1	48.6	
03/11/2019	8:50	50.5	53.8	48.4	51.5
03/11/2019	8:55	50.9	54.1	48.7	
03/11/2019	9:00	51.3	54	48.7	
03/11/2019	9:05	51.2	53.8	49	
03/11/2019	9:10	51	54.7	48.3	
03/11/2019	9:15	51.1	54.2	48.6	54.2
03/11/2019	9:20	51.7	55	49.3	
03/11/2019	9:25	52.7	56.6	49.7	
03/11/2019	9:30	54.8	59.8	50.3	
03/11/2019	9:35	53	55.3	50.7	
03/11/2019	9:40	53.4	56.6	51.1	57.2
03/11/2019	9:45	54.7	57.9	51.1	
03/11/2019	9:50	54.1	57	50.9	
03/11/2019	9:55	54.7	58	51.8	
03/11/2019	10:00	55.9	58.7	53.1	
03/11/2019	10:05	57.6	60.9	54.3	57.4
03/11/2019	10:10	57.3	59.4	54	
03/11/2019	10:15	57.4	59.6	54.8	
03/11/2019	10:20	57.2	59.9	53.8	
03/11/2019	10:25	57.7	59.8	54.6	
03/11/2019	10:30	58.1	61.7	55.3	56.7
03/11/2019	10:35	57.2	59.7	54.3	
03/11/2019	10:40	57.5	59	55	
03/11/2019	10:45	57.5	60.7	54.7	
03/11/2019	10:50	56.9	59.2	54	
03/11/2019	10:55	57.3	59.8	54.3	56.2
03/11/2019	11:00	56.6	58.5	54.5	
03/11/2019	11:05	56.5	59.1	53.8	
03/11/2019	11:10	56.5	58.7	54	
03/11/2019	11:15	57.2	60.4	53.5	
03/11/2019	11:20	56.9	59.3	54.5	55.2
03/11/2019	11:25	56.6	58.7	54.4	
03/11/2019	11:30	56.5	59.1	53.6	
03/11/2019	11:35	57	59.8	54.4	
03/11/2019	11:40	55.9	58.4	53.5	
03/11/2019	11:45	55.7	57.8	53.4	55.1
03/11/2019	11:50	56.2	59.2	53.5	
03/11/2019	11:55	55.9	58.4	52.3	
03/11/2019	12:00	55.8	58.2	53	
03/11/2019	12:05	55.8	57.8	52.6	
03/11/2019	12:10	54.1	57.1	51.2	53.1
03/11/2019	12:15	55.5	58.1	52.4	
03/11/2019	12:20	55.3	58	52.3	
03/11/2019	12:25	54.6	56.9	52.1	
03/11/2019	12:30	55	57.9	52.1	
03/11/2019	12:35	55.3	58.6	51.9	53.2
03/11/2019	12:40	54.8	58.4	51.8	
03/11/2019	12:45	56.8	62.2	51.6	
03/11/2019	12:50	54	56.5	51.5	
03/11/2019	12:55	54.2	57.9	50.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	13:00	55.2	57.7	52.4	54.3
03/11/2019	13:05	54.4	56.9	51.5	
03/11/2019	13:10	55	58.7	51.3	
03/11/2019	13:15	54.1	57.2	50.5	
03/11/2019	13:20	54.3	56.6	51.2	
03/11/2019	13:25	52.6	55	50.6	55.6
03/11/2019	13:30	53.6	56.6	51	
03/11/2019	13:35	54.4	57.6	51.4	
03/11/2019	13:40	55.7	59	51.8	
03/11/2019	13:45	57	60.5	53	
03/11/2019	13:50	56.1	59.8	52.6	56.0
03/11/2019	13:55	56.1	59.9	52.1	
03/11/2019	14:00	56.1	59.8	52.2	
03/11/2019	14:05	56.3	60	52.4	
03/11/2019	14:10	55	59.1	51.7	
03/11/2019	14:15	56.1	58.8	51.9	55.3
03/11/2019	14:20	56.4	58.2	51.8	
03/11/2019	14:25	55.9	58.9	52.1	
03/11/2019	14:30	55.6	58.7	52.5	
03/11/2019	14:35	56.2	59.1	52.9	
03/11/2019	14:40	54.8	57.4	52.4	56.1
03/11/2019	14:45	53.7	55.7	51.7	
03/11/2019	14:50	54.6	56.9	52.2	
03/11/2019	14:55	56.1	59.2	52.7	
03/11/2019	15:00	55.6	58	52.9	
03/11/2019	15:05	55.5	58.3	52.4	56.0
03/11/2019	15:10	55.6	58.5	52.4	
03/11/2019	15:15	57.2	61.4	53.1	
03/11/2019	15:20	56	58.8	53	
03/11/2019	15:25	56.3	59.2	52.7	
03/11/2019	15:30	54.9	57.9	51.5	56.5
03/11/2019	15:35	56.3	59.6	53.4	
03/11/2019	15:40	57.5	60.6	54.1	
03/11/2019	15:45	56.1	59.1	52.6	
03/11/2019	15:50	55.2	58.3	51.9	
03/11/2019	15:55	55.2	59	51.3	55.4
03/11/2019	16:00	55.3	57.9	52.4	
03/11/2019	16:05	55.9	59.2	52.4	
03/11/2019	16:10	56.2	59.2	52.8	
03/11/2019	16:15	57	60.1	53.1	
03/11/2019	16:20	56.8	60.4	52.5	53.1
03/11/2019	16:25	57.4	60.8	52.3	
03/11/2019	16:30	55.9	58.6	52.7	
03/11/2019	16:35	57	60.1	53.2	
03/11/2019	16:40	56	58.9	52.3	
03/11/2019	16:45	54.5	57.8	50.8	53.2
03/11/2019	16:50	54	56.4	50.8	
03/11/2019	16:55	53.8	57.4	49.9	
03/11/2019	17:00	54.2	57.5	50.6	
03/11/2019	17:05	53.2	56.4	50.2	
03/11/2019	17:10	53.4	56.7	50.2	53.1
03/11/2019	17:15	52.6	57.1	49.3	
03/11/2019	17:20	52.8	56.1	48.9	
03/11/2019	17:25	51.8	54.9	49.2	
03/11/2019	17:30	52.7	55.8	48.9	
03/11/2019	17:35	53.4	56.8	49.3	53.2
03/11/2019	17:40	53	57.7	49.4	
03/11/2019	17:45	52.2	54.8	49.8	
03/11/2019	17:50	52.4	55.5	49.4	
03/11/2019	17:55	55	58.4	51	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	18:00	53.7	56.8	49.8	53.7
03/11/2019	18:05	53.8	56.6	50.5	
03/11/2019	18:10	52.8	55.2	50.4	
03/11/2019	18:15	53	55.2	50	
03/11/2019	18:20	55.6	61.9	49.7	
03/11/2019	18:25	52.7	55.8	49.4	53.8
03/11/2019	18:30	52.1	55.9	49.5	
03/11/2019	18:35	52.5	55.7	49.3	
03/11/2019	18:40	52.5	55.9	49.5	
03/11/2019	18:45	57.2	63.2	49.6	
03/11/2019	18:50	53.1	57	49.5	53.0
03/11/2019	18:55	52.8	55.5	50.1	
03/11/2019	19:00	53.4	56.4	50	
03/11/2019	19:05	54.1	57.1	49.7	
03/11/2019	19:10	52.5	55.4	49.8	
03/11/2019	19:15	52.5	56.2	49.2	53.3
03/11/2019	19:20	52.9	55.6	49.7	
03/11/2019	19:25	52.3	55.9	48.7	
03/11/2019	19:30	56.1	61.4	49.9	
03/11/2019	19:35	52.2	54.5	49	
03/11/2019	19:40	52.7	56.2	49.3	50.9
03/11/2019	19:45	52.5	55.3	49.4	
03/11/2019	19:50	51.9	55.1	48.5	
03/11/2019	19:55	53.1	57.7	49.1	
03/11/2019	20:00	53.5	59.1	48.5	
03/11/2019	20:05	50.5	52.6	47.5	49.4
03/11/2019	20:10	50.7	53.4	48.4	
03/11/2019	20:15	49.2	52.1	47.2	
03/11/2019	20:20	50.1	53.3	47.5	
03/11/2019	20:25	49.6	52.3	47.3	
03/11/2019	20:30	48.9	52.7	47.4	49.0
03/11/2019	20:35	49.8	52.5	47.5	
03/11/2019	20:40	51.1	54.5	47.9	
03/11/2019	20:45	49.1	53	47.3	
03/11/2019	20:50	48.6	51.2	47.4	
03/11/2019	20:55	48.5	51.2	47.2	52.6
03/11/2019	21:00	49.9	53	47.6	
03/11/2019	21:05	49.2	52.4	47.3	
03/11/2019	21:10	48.2	51.4	47.2	
03/11/2019	21:15	48.7	51.3	47.3	
03/11/2019	21:20	48.5	50.7	47.4	51.2
03/11/2019	21:25	49	51.7	47.9	
03/11/2019	21:30	49.9	53.6	47.6	
03/11/2019	21:35	49.3	52.4	47.8	
03/11/2019	21:40	49.3	51.5	47.9	
03/11/2019	21:45	56.4	56.4	47.8	51.8
03/11/2019	21:50	54	60.8	48.4	
03/11/2019	21:55	51.7	55.7	48	
03/11/2019	22:00	50.7	53.6	48	
03/11/2019	22:05	52.7	53.9	47.8	
03/11/2019	22:10	52.7	56.9	48	51.2
03/11/2019	22:15	49.9	52.5	48	
03/11/2019	22:20	50.2	52.9	48	
03/11/2019	22:25	49.9	52.5	48	
03/11/2019	22:30	50.4	53	48.5	
03/11/2019	22:35	55.7	61.8	48.2	51.8
03/11/2019	22:40	51.7	56	48.3	
03/11/2019	22:45	49.8	53.2	48	
03/11/2019	22:50	49	51.5	47.8	
03/11/2019	22:55	50.1	53.6	47.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	19:00	61	63.4	58.4	60.8
04/11/2019	19:05	60.5	62.2	58.8	
04/11/2019	19:10	61.5	63.6	59.5	
04/11/2019	19:15	60.9	62.8	59.3	
04/11/2019	19:20	61.2	64	58.3	
04/11/2019	19:25	59.5	61.7	57.5	57.0
04/11/2019	19:30	59.8	61.8	56.9	
04/11/2019	19:35	58.7	61.1	56.5	
04/11/2019	19:40	56.3	58.3	54.4	
04/11/2019	19:45	54.6	56.9	52.6	
04/11/2019	19:50	55.1	57.7	52.3	53.8
04/11/2019	19:55	54.3	57	52.2	
04/11/2019	20:00	53.5	55.7	51.7	
04/11/2019	20:05	53.8	56.4	51.8	
04/11/2019	20:10	53.3	55.5	51.6	
04/11/2019	20:15	55.1	58.4	51.9	53.4
04/11/2019	20:20	53.3	55.7	51.4	
04/11/2019	20:25	53.6	57.5	51.3	
04/11/2019	20:30	54.4	57.6	51.4	
04/11/2019	20:35	53.2	56.6	51	
04/11/2019	20:40	52.6	54.3	51	54.8
04/11/2019	20:45	53.9	56.8	51.2	
04/11/2019	20:50	53.2	55.7	51.3	
04/11/2019	20:55	53	55.6	51	
04/11/2019	21:00	52.4	54.4	50.9	
04/11/2019	21:05	52.3	54.7	50.5	51.4
04/11/2019	21:10	53	54.7	51.3	
04/11/2019	21:15	54.1	57.5	51.8	
04/11/2019	21:20	59.1	60.9	50.8	
04/11/2019	21:25	52.6	54.9	50.8	
04/11/2019	21:30	52	53.9	50.5	51.5
04/11/2019	21:35	51.8	53.9	50.4	
04/11/2019	21:40	51.9	55.5	49.8	
04/11/2019	21:45	51.4	54.2	49.8	
04/11/2019	21:50	50.8	53.5	49.5	
04/11/2019	21:55	50.3	52.4	49.2	52.8
04/11/2019	22:00	51.9	54.5	49.4	
04/11/2019	22:05	52.2	56.2	49.6	
04/11/2019	22:10	52	53.8	50.1	
04/11/2019	22:15	50.4	52.8	49.2	
04/11/2019	22:20	50.3	52.8	48.2	62.8
04/11/2019	22:25	52	55.2	49.1	
04/11/2019	22:30	50.8	53.9	48.8	
04/11/2019	22:35	52.4	56	49.2	
04/11/2019	22:40	51.3	53.9	48.9	
04/11/2019	22:45	52.9	56.9	49.9	57.0
04/11/2019	22:50	54.4	59.4	49.6	
04/11/2019	22:55	53.7	59.2	49.5	
05/11/2019	19:00	65.6	69.9	58.6	
05/11/2019	19:05	63.9	68.7	57.7	
05/11/2019	19:10	64.3	67.8	58.5	57.0
05/11/2019	19:15	59.2	61.2	57	
05/11/2019	19:20	59.6	61.4	57.9	
05/11/2019	19:25	59.6	61.8	57.2	
05/11/2019	19:30	59	61.2	57	
05/11/2019	19:35	58.3	60.6	56	57.0
05/11/2019	19:40	57.9	60.6	55.1	
05/11/2019	19:45	56	59.5	53.5	
05/11/2019	19:50	54.7	57	52.5	
05/11/2019	19:55	53.7	55.8	52	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	20:00	53.7	55.7	52	53.6
05/11/2019	20:05	53.5	55.4	52	
05/11/2019	20:10	53.1	54.8	51.7	
05/11/2019	20:15	53.2	54.7	51.8	
05/11/2019	20:20	54.3	56.9	52.2	
05/11/2019	20:25	53.4	55.9	51.5	
05/11/2019	20:30	52.8	55.3	51	52.8
05/11/2019	20:35	52.4	54.4	51	
05/11/2019	20:40	52.8	56.2	50.9	
05/11/2019	20:45	52.5	54.4	51	
05/11/2019	20:50	53.3	54.9	51.9	
05/11/2019	20:55	53.1	56	51.2	
05/11/2019	21:00	52.4	53.9	51.1	52.5
05/11/2019	21:05	53.1	55.4	51.3	
05/11/2019	21:10	52.3	55	50.9	
05/11/2019	21:15	52.8	54.9	50.9	
05/11/2019	21:20	51.9	53.4	50.8	
05/11/2019	21:25	52.2	54.2	51	
05/11/2019	21:30	52.4	54.6	51.2	52.2
05/11/2019	21:35	52.5	55.1	50.8	
05/11/2019	21:40	52.5	54.6	51.3	
05/11/2019	21:45	52.4	54.8	51	
05/11/2019	21:50	52.1	54.7	50.7	
05/11/2019	21:55	51.3	52.3	50.6	
05/11/2019	22:00	51.9	54.3	50.7	51.3
05/11/2019	22:05	51.4	54.8	49.4	
05/11/2019	22:10	52.3	56.3	49.6	
05/11/2019	22:15	51.4	53.8	49.1	
05/11/2019	22:20	51.1	53	49	
05/11/2019	22:25	48.8	50.3	48	
05/11/2019	22:30	50.4	53.1	48.7	50.1
05/11/2019	22:35	49.8	52.9	48.2	
05/11/2019	22:40	49.5	51.9	48.1	
05/11/2019	22:45	50.4	53.7	48.4	
05/11/2019	22:50	50.4	53.4	48.5	
05/11/2019	22:55	50.3	52.5	48.7	
06/11/2019	19:00	64.5	67.2	60.8	63.1
06/11/2019	19:05	62.2	63.9	59.7	
06/11/2019	19:10	64.1	69.7	58.8	
06/11/2019	19:15	65.2	69.5	58.4	
06/11/2019	19:20	59.7	63	58	
06/11/2019	19:25	59.6	61.2	57.7	
06/11/2019	19:30	59	62.2	56.4	57.2
06/11/2019	19:35	57.5	60.7	55.6	
06/11/2019	19:40	57.7	59.7	55.1	
06/11/2019	19:45	56.6	59.4	54.5	
06/11/2019	19:50	56.1	58.2	54.4	
06/11/2019	19:55	55.3	57	53.9	
06/11/2019	20:00	54.9	56.8	53.6	55.0
06/11/2019	20:05	54.5	56.7	53.2	
06/11/2019	20:10	54.7	56	53.6	
06/11/2019	20:15	54.2	55.3	53.2	
06/11/2019	20:20	56.7	60.8	53.4	
06/11/2019	20:25	54.3	55.5	53.2	
06/11/2019	20:30	54.9	56.7	53.6	55.9
06/11/2019	20:35	54.8	56.2	53.5	
06/11/2019	20:40	56.6	60.1	53.5	
06/11/2019	20:45	55.1	56.5	53.7	
06/11/2019	20:50	57.1	60.9	53.9	
06/11/2019	20:55	56.2	60	54.4	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	21:00	55.7	57.1	54.4	55.7
06/11/2019	21:05	55.8	57.2	54.4	
06/11/2019	21:10	55.9	58	54.4	
06/11/2019	21:15	55.4	56.8	54.3	
06/11/2019	21:20	55.4	56.3	54.4	
06/11/2019	21:25	55.9	58	54.2	
06/11/2019	21:30	55.3	56.8	54	55.2
06/11/2019	21:35	55.5	57.7	54	
06/11/2019	21:40	55.3	56.9	53.9	
06/11/2019	21:45	56.2	58.3	54.5	
06/11/2019	21:50	54.5	59.1	51.8	
06/11/2019	21:55	54.1	57	51.3	
06/11/2019	22:00	52.3	54	50.9	50.9
06/11/2019	22:05	51.3	54.4	49.5	
06/11/2019	22:10	49.9	51.3	49.1	
06/11/2019	22:15	50.7	54	49.1	
06/11/2019	22:20	50.1	52	49	
06/11/2019	22:25	50.9	54	48.6	
06/11/2019	22:30	49.9	52.7	48.4	50.5
06/11/2019	22:35	49.8	52.8	48.4	
06/11/2019	22:40	49.8	52.4	48.3	
06/11/2019	22:45	51.7	55	49.1	
06/11/2019	22:50	51.2	54.6	48.9	
06/11/2019	22:55	50.3	53.1	48.6	
07/11/2019	19:00	65.8	70.3	62.5	66.1
07/11/2019	19:05	64.2	67.2	59.9	
07/11/2019	19:10	66.8	70.9	60.3	
07/11/2019	19:15	69.9	73.7	64.8	
07/11/2019	19:20	62.9	66.3	60.2	
07/11/2019	19:25	61.4	63	59.8	
07/11/2019	19:30	60.4	61.6	59.1	58.1
07/11/2019	19:35	59.2	60.7	57.3	
07/11/2019	19:40	58.3	60	56.7	
07/11/2019	19:45	57.3	59.7	54.9	
07/11/2019	19:50	55.5	57.2	54	
07/11/2019	19:55	56.1	58.9	53.7	
07/11/2019	20:00	55.1	57.3	53.5	54.8
07/11/2019	20:05	55.2	58.4	53.6	
07/11/2019	20:10	54	55.3	52.9	
07/11/2019	20:15	54.6	56.6	52.9	
07/11/2019	20:20	54.5	57	52.8	
07/11/2019	20:25	55.3	57.9	53	
07/11/2019	20:30	55.5	57.4	53.7	54.9
07/11/2019	20:35	55.4	58.8	53	
07/11/2019	20:40	54	55.8	52.5	
07/11/2019	20:45	54.6	57	52.8	
07/11/2019	20:50	54.9	56.9	53.1	
07/11/2019	20:55	54.6	56.5	53.3	
07/11/2019	21:00	54.2	55.7	52.7	54.8
07/11/2019	21:05	55.6	58.4	53.1	
07/11/2019	21:10	54.5	57.1	52.3	
07/11/2019	21:15	55.7	58.2	53.3	
07/11/2019	21:20	53.9	56.5	52.1	
07/11/2019	21:25	54.5	57.1	52.7	
07/11/2019	21:30	54.2	56.5	52.6	54.5
07/11/2019	21:35	55.4	58.7	53.4	
07/11/2019	21:40	54.2	56.2	52.8	
07/11/2019	21:45	55.4	59.5	52.9	
07/11/2019	21:50	54.5	56.8	51.7	
07/11/2019	21:55	52.8	54.9	49.6	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	22:00	50.8	54	48.8	57.9
07/11/2019	22:05	63.7	69.2	48.5	
07/11/2019	22:10	59.3	66.8	48.7	
07/11/2019	22:15	50.3	53.3	48.3	
07/11/2019	22:20	50.5	53.4	48.4	
07/11/2019	22:25	51.2	55.7	48.4	52.8
07/11/2019	22:30	52.1	55.1	49.6	
07/11/2019	22:35	52.8	57.6	48.8	
07/11/2019	22:40	53.4	57.1	50.2	
07/11/2019	22:45	53.9	57.4	50.3	
07/11/2019	22:50	52.6	56.4	49.3	65.7
07/11/2019	22:55	51.3	54.7	48.3	
08/11/2019	19:00	66.7	74.1	60.4	
08/11/2019	19:05	67.6	74	61.1	
08/11/2019	19:10	65.9	72.2	61	
08/11/2019	19:15	66.7	71.6	61.3	59.1
08/11/2019	19:20	62.3	65.8	59.6	
08/11/2019	19:25	61.6	63.9	59.7	
08/11/2019	19:30	61.1	63.5	59.2	
08/11/2019	19:35	60.1	62.3	58.7	
08/11/2019	19:40	59.7	61.6	57.8	56.4
08/11/2019	19:45	58.1	59.9	55.7	
08/11/2019	19:50	57.4	59.3	55.3	
08/11/2019	19:55	56.2	58	54.1	
08/11/2019	20:00	56.1	58.7	54	
08/11/2019	20:05	57.1	59.9	54.1	55.8
08/11/2019	20:10	56.6	58.9	54.4	
08/11/2019	20:15	56.4	58.2	54.7	
08/11/2019	20:20	55.7	57.6	53.8	
08/11/2019	20:25	56.5	59.2	53.7	
08/11/2019	20:30	55.8	57.8	53.5	55.1
08/11/2019	20:35	56.2	58.5	53.3	
08/11/2019	20:40	55.4	57.7	52.7	
08/11/2019	20:45	57	60.4	53	
08/11/2019	20:50	55.1	57	53.1	
08/11/2019	20:55	55.1	58.1	52.6	54.6
08/11/2019	21:00	55	57.5	53	
08/11/2019	21:05	54.6	56.6	52.4	
08/11/2019	21:10	53.7	55.6	51.6	
08/11/2019	21:15	55	57.6	52.9	
08/11/2019	21:20	54.5	56.7	52.1	53.2
08/11/2019	21:25	57.2	62.8	51.8	
08/11/2019	21:30	56.1	60.8	52.2	
08/11/2019	21:35	55.2	57.8	53	
08/11/2019	21:40	54.4	56.5	52.4	
08/11/2019	21:45	54.2	55.5	52.2	52.5
08/11/2019	21:50	53.2	55.4	51.5	
08/11/2019	21:55	53.8	55.5	51.9	
08/11/2019	22:00	54.6	56.8	52.2	
08/11/2019	22:05	54.4	57.6	50.2	
08/11/2019	22:10	53	55.9	50.4	49.2
08/11/2019	22:15	51.1	53.2	49.6	
08/11/2019	22:20	52.5	55.7	49.4	
08/11/2019	22:25	52.8	56.1	49.9	
08/11/2019	22:30	55.3	58.2	49.8	
08/11/2019	22:35	51.7	55.4	49.5	50.4
08/11/2019	22:40	51.5	54.5	49.6	
08/11/2019	22:45	52.1	55.7	49.3	
08/11/2019	22:50	51.6	55.1	49	
08/11/2019	22:55	51.1	54.4	49	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	19:00	62.7	64.7	60.4	63.8
09/11/2019	19:05	63.9	69.7	60.5	
09/11/2019	19:10	68.8	75.4	60.2	
09/11/2019	19:15	59.7	61.3	58.1	
09/11/2019	19:20	59	60.2	57.7	
09/11/2019	19:25	58.9	60.2	57.5	56.4
09/11/2019	19:30	58.7	60.4	57.2	
09/11/2019	19:35	58	61.1	54.6	
09/11/2019	19:40	55.9	58	54.4	
09/11/2019	19:45	56	59	53.6	
09/11/2019	19:50	54.1	56.2	51.7	53.2
09/11/2019	19:55	53.4	56.7	50.6	
09/11/2019	20:00	54.5	57.7	51.1	
09/11/2019	20:05	52.2	54.9	49.8	
09/11/2019	20:10	54.3	59.8	50.2	
09/11/2019	20:15	52	54.1	50.3	55.2
09/11/2019	20:20	53	55.3	50.7	
09/11/2019	20:25	52.5	55.4	50.1	
09/11/2019	20:30	55.1	59	50.3	
09/11/2019	20:35	58.6	60.4	50.4	
09/11/2019	20:40	52.8	55.5	49.9	52.2
09/11/2019	20:45	52.3	55.9	49.4	
09/11/2019	20:50	56.5	59.1	49.7	
09/11/2019	20:55	51.8	54.5	49.9	
09/11/2019	21:00	53.4	58.2	50.2	
09/11/2019	21:05	51.3	54	49.6	51.2
09/11/2019	21:10	52.4	56.1	49.8	
09/11/2019	21:15	51.5	54.3	49.5	
09/11/2019	21:20	52.5	56.3	49.6	
09/11/2019	21:25	51.4	54.2	49	
09/11/2019	21:30	50.9	53.6	49	51.6
09/11/2019	21:35	51.7	54.4	49.1	
09/11/2019	21:40	53.2	58.1	48.3	
09/11/2019	21:45	50	52.2	48.4	
09/11/2019	21:50	49.7	52	48.4	
09/11/2019	21:55	50.5	53.8	48.2	52.7
09/11/2019	22:00	50.3	52.9	48.7	
09/11/2019	22:05	54.3	61.5	48.6	
09/11/2019	22:10	50.2	53.3	48	
09/11/2019	22:15	50.6	53.3	48.7	
09/11/2019	22:20	51.1	54.4	48.7	49.2
09/11/2019	22:25	51.5	56.1	48.4	
09/11/2019	22:30	51.1	53.7	48.6	
09/11/2019	22:35	51.8	55	49.6	
09/11/2019	22:40	55.7	60.3	48.7	
09/11/2019	22:45	51.6	54.7	49	50.4
09/11/2019	22:50	52.1	56	49	
09/11/2019	22:55	52.2	55.7	49.4	
10/11/2019	7:00	48.9	50.5	47.9	
10/11/2019	7:05	48.8	50.5	48	
10/11/2019	7:10	49.7	52.1	47.8	50.4
10/11/2019	7:15	49.3	52.2	48.1	
10/11/2019	7:20	49.4	51.8	48	
10/11/2019	7:25	48.8	50.4	48.1	
10/11/2019	7:30	50.2	54.3	47.9	
10/11/2019	7:35	49.7	52.3	48.2	50.4
10/11/2019	7:40	50.3	52.1	48.7	
10/11/2019	7:45	51	53.7	48.8	
10/11/2019	7:50	50	53.3	48.4	
10/11/2019	7:55	51	54.8	48.7	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	8:00	50.8	54	48.4	51.4
10/11/2019	8:05	51.7	55.2	48.7	
10/11/2019	8:10	51.8	55.9	48.8	
10/11/2019	8:15	51.2	54.7	48.6	
10/11/2019	8:20	50.4	53	48.6	
10/11/2019	8:25	52.4	55.9	49.3	
10/11/2019	8:30	52.4	56.1	49.1	51.3
10/11/2019	8:35	51.5	54.4	49.1	
10/11/2019	8:40	52.3	56.5	48.9	
10/11/2019	8:45	50.3	53.5	48.3	
10/11/2019	8:50	50.5	54.2	48.4	
10/11/2019	8:55	50.1	53.3	48.4	
10/11/2019	9:00	51.4	54.7	48.7	51.4
10/11/2019	9:05	51.1	53.8	49.3	
10/11/2019	9:10	52.5	56.8	49.4	
10/11/2019	9:15	50.5	52.5	49.2	
10/11/2019	9:20	50.2	52.1	49	
10/11/2019	9:25	52.4	55.6	49.7	
10/11/2019	9:30	52.3	54.9	50	54.5
10/11/2019	9:35	53.3	57	50.7	
10/11/2019	9:40	54.6	57.4	51	
10/11/2019	9:45	55.4	56.6	54	
10/11/2019	9:50	54.9	56.5	53.4	
10/11/2019	9:55	55.4	57.2	53	
10/11/2019	10:00	55.4	57.4	53.5	57.3
10/11/2019	10:05	56.7	59.2	54.6	
10/11/2019	10:10	57.5	59.8	55.3	
10/11/2019	10:15	57.9	60.5	55.1	
10/11/2019	10:20	58	60	55.7	
10/11/2019	10:25	57.8	60	55.6	
10/11/2019	10:30	58.2	60.1	56.3	58.6
10/11/2019	10:35	59.1	61	56.8	
10/11/2019	10:40	58.8	61.2	56.9	
10/11/2019	10:45	58.8	60.9	56.6	
10/11/2019	10:50	58.6	60.1	56.7	
10/11/2019	10:55	57.9	60.4	54.4	
10/11/2019	11:00	56.5	59.2	53.2	55.4
10/11/2019	11:05	56.3	58.9	52.9	
10/11/2019	11:10	55.4	58.4	52.2	
10/11/2019	11:15	54.8	57.3	52.3	
10/11/2019	11:20	55.2	58.3	51.5	
10/11/2019	11:25	54	57	50.7	
10/11/2019	11:30	55.4	59	52.1	55.6
10/11/2019	11:35	55.3	58.3	52	
10/11/2019	11:40	55.1	57.7	51.5	
10/11/2019	11:45	56.4	59.7	53.2	
10/11/2019	11:50	56.1	58.9	50.8	
10/11/2019	11:55	55.1	58	51.7	
10/11/2019	12:00	55.4	58.8	50.8	55.4
10/11/2019	12:05	54.8	57.7	51.6	
10/11/2019	12:10	56.5	58.2	52	
10/11/2019	12:15	55	58.4	50.7	
10/11/2019	12:20	55.6	59.6	51.9	
10/11/2019	12:25	54.8	57.2	51	
10/11/2019	12:30	56.1	61.1	50.7	54.3
10/11/2019	12:35	54.1	58.2	50.4	
10/11/2019	12:40	53.8	57	50.6	
10/11/2019	12:45	53.9	56.7	50.7	
10/11/2019	12:50	53.1	55.3	50.7	
10/11/2019	12:55	54.4	57.4	50.2	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	13:00	54.1	57.3	50.3	53.6
10/11/2019	13:05	52.8	55.2	50.4	
10/11/2019	13:10	53.8	56.6	51	
10/11/2019	13:15	53.8	56.3	50.6	
10/11/2019	13:20	53.3	56.2	50.7	
10/11/2019	13:25	53.5	57	49.2	
10/11/2019	13:30	52.6	55.2	49.7	52.4
10/11/2019	13:35	52.4	55.3	49.1	
10/11/2019	13:40	52.2	56.3	48.9	
10/11/2019	13:45	52.1	55	49.6	
10/11/2019	13:50	52.1	55.3	49.2	
10/11/2019	13:55	52.9	55.7	49.1	
10/11/2019	14:00	53.6	57.4	50.1	53.7
10/11/2019	14:05	52.1	55.3	49.2	
10/11/2019	14:10	52.6	55.4	48.8	
10/11/2019	14:15	52.5	56	49.3	
10/11/2019	14:20	55.1	58.3	51.1	
10/11/2019	14:25	55	58.2	51.1	
10/11/2019	14:30	57.4	60.5	51.6	56.2
10/11/2019	14:35	55.9	58.9	51.5	
10/11/2019	14:40	55.7	58.8	51.5	
10/11/2019	14:45	54.4	57.6	50.7	
10/11/2019	14:50	56.2	60.6	51.2	
10/11/2019	14:55	56.9	59.9	53.1	
10/11/2019	15:00	58.6	61.8	53.1	57.0
10/11/2019	15:05	57.1	60.4	52.7	
10/11/2019	15:10	57.6	61.2	53	
10/11/2019	15:15	56.2	59.5	51.4	
10/11/2019	15:20	56.1	59.6	51.6	
10/11/2019	15:25	55.7	58.5	51.9	
10/11/2019	15:30	56.3	59.8	52.2	56.3
10/11/2019	15:35	55.8	58.8	51.2	
10/11/2019	15:40	55.8	59	52.1	
10/11/2019	15:45	55.2	58.8	51.4	
10/11/2019	15:50	56.6	61.1	51.5	
10/11/2019	15:55	57.7	62.4	52.1	
10/11/2019	16:00	58.5	63.2	52.8	57.7
10/11/2019	16:05	57.3	61.3	52.5	
10/11/2019	16:10	57.6	60.2	49.7	
10/11/2019	16:15	57.4	61.8	51.2	
10/11/2019	16:20	58.3	61.4	52.4	
10/11/2019	16:25	57.1	60.5	52.7	
10/11/2019	16:30	56.3	59.8	52.2	56.4
10/11/2019	16:35	56.5	59.9	52.3	
10/11/2019	16:40	56.7	59.8	52.5	
10/11/2019	16:45	56.7	60.3	52	
10/11/2019	16:50	56.8	59.5	53	
10/11/2019	16:55	55.4	58.6	51.4	
10/11/2019	17:00	55.1	58.3	50.3	55.9
10/11/2019	17:05	53.9	57.4	50	
10/11/2019	17:10	54.5	58	49.8	
10/11/2019	17:15	55.9	60	50.3	
10/11/2019	17:20	58.3	62.8	51.6	
10/11/2019	17:25	56.2	59.4	51.7	
10/11/2019	17:30	57.9	61	51.3	55.7
10/11/2019	17:35	56.8	60.3	52.6	
10/11/2019	17:40	55.1	58.7	50.3	
10/11/2019	17:45	56	62.7	50.5	
10/11/2019	17:50	53.4	55.4	50.3	
10/11/2019	17:55	52.9	56.1	49.7	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	18:00	53.6	56.7	50.1	53.3
10/11/2019	18:05	52.6	57.7	49.1	
10/11/2019	18:10	53.6	58.5	49.1	
10/11/2019	18:15	53.7	57.8	49	
10/11/2019	18:20	53.3	56.4	49	
10/11/2019	18:25	53.2	56	50	
10/11/2019	18:30	53.2	56.1	50.1	53.0
10/11/2019	18:35	52.2	55.2	49.9	
10/11/2019	18:40	53.2	57	49.6	
10/11/2019	18:45	54.6	58.6	49.3	
10/11/2019	18:50	52.4	56	49.2	
10/11/2019	18:55	51.8	54.3	49.4	
10/11/2019	19:00	53	55.8	49.9	53.7
10/11/2019	19:05	53.1	55.8	50.1	
10/11/2019	19:10	53.7	57.2	50.3	
10/11/2019	19:15	53.2	55.9	49.4	
10/11/2019	19:20	53.5	56.5	50.8	
10/11/2019	19:25	55.3	59.3	50.9	
10/11/2019	19:30	53.7	56.7	50.1	53.4
10/11/2019	19:35	53.5	56.5	50.3	
10/11/2019	19:40	55	58.3	50.6	
10/11/2019	19:45	52.8	55.9	49.2	
10/11/2019	19:50	53.3	57.4	49.5	
10/11/2019	19:55	50.8	53.7	48.7	
10/11/2019	20:00	51.7	55	48.6	50.8
10/11/2019	20:05	50.9	53.8	48.4	
10/11/2019	20:10	50.1	53.5	48.3	
10/11/2019	20:15	50.1	52.8	48.1	
10/11/2019	20:20	50.3	53.5	48.7	
10/11/2019	20:25	51.2	54.6	48.5	
10/11/2019	20:30	53.3	56.5	50.9	51.5
10/11/2019	20:35	51.9	55.4	49.2	
10/11/2019	20:40	50.3	52.8	48.3	
10/11/2019	20:45	50.3	53.4	48.5	
10/11/2019	20:50	52.1	58.3	48	
10/11/2019	20:55	50.2	53.1	48	
10/11/2019	21:00	51.3	54.2	48.1	51.2
10/11/2019	21:05	50.7	54	48.4	
10/11/2019	21:10	53.6	61.5	48	
10/11/2019	21:15	50.1	52.7	48.4	
10/11/2019	21:20	50.4	54.4	48.1	
10/11/2019	21:25	49.8	52.7	48	
10/11/2019	21:30	50.4	53.3	48.5	50.5
10/11/2019	21:35	50.7	54	48.4	
10/11/2019	21:40	51.7	54.6	48.7	
10/11/2019	21:45	49.8	53.4	48	
10/11/2019	21:50	50.4	54	47.9	
10/11/2019	21:55	49.4	52	47.6	
10/11/2019	22:00	50.8	54.1	47.9	50.2
10/11/2019	22:05	50.8	54.5	47.9	
10/11/2019	22:10	49.5	52.1	48	
10/11/2019	22:15	50.3	53.6	48.4	
10/11/2019	22:20	49.8	52.6	48.3	
10/11/2019	22:25	50.1	53.9	47.6	
10/11/2019	22:30	52.1	56.4	48	51.3
10/11/2019	22:35	52.5	56.4	48.8	
10/11/2019	22:40	50.7	54.3	48.2	
10/11/2019	22:45	50.1	54.2	48	
10/11/2019	22:50	51.5	54.5	48.8	
10/11/2019	22:55	50.1	53	48.5	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
	Average	57.3			57.3
	Max	75.2	76.5	64.8	69.2
	Min	46.9	47.3	46.5	48.1

Appendix O – Night-time (all days) noise monitoring data

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	0:00	57.5	63.7	40.8	57.8
28/10/2019	0:05	59.9	66.1	43.6	
28/10/2019	0:10	58.3	64.7	42.2	
28/10/2019	0:15	58.5	64	41.6	
28/10/2019	0:20	55.3	61.7	39.3	
28/10/2019	0:25	55.6	61.9	42.7	57.3
28/10/2019	0:30	57.3	63.1	42.7	
28/10/2019	0:35	57.1	63.6	39.4	
28/10/2019	0:40	56.3	62.3	39.9	
28/10/2019	0:45	57.7	64.3	39.1	
28/10/2019	0:50	58.1	64.1	43	56.9
28/10/2019	0:55	56.9	63.1	39.7	
28/10/2019	1:00	56.4	62.9	36.9	
28/10/2019	1:05	55.6	62.4	40.1	
28/10/2019	1:10	56.9	63.9	39.9	
28/10/2019	1:15	58.5	63.8	41.2	55.5
28/10/2019	1:20	57.1	63	38.3	
28/10/2019	1:25	56.6	63.1	41.1	
28/10/2019	1:30	56.4	62.1	36.2	
28/10/2019	1:35	55.6	62.3	38.2	
28/10/2019	1:40	53.3	60.1	38.4	55.0
28/10/2019	1:45	56.1	63.2	38.6	
28/10/2019	1:50	56.2	62.8	40.9	
28/10/2019	1:55	54.6	61.3	38.5	
28/10/2019	2:00	55.3	62	39.6	
28/10/2019	2:05	54.5	61.3	38.8	55.3
28/10/2019	2:10	53.5	60.4	39.5	
28/10/2019	2:15	56.3	62.6	38.3	
28/10/2019	2:20	55.3	61.9	38.6	
28/10/2019	2:25	54.4	61.1	39.6	
28/10/2019	2:30	55.2	61.6	39.7	55.3
28/10/2019	2:35	51.7	57.3	39.2	
28/10/2019	2:40	54.6	60.7	38.4	
28/10/2019	2:45	57.3	62.6	36.7	
28/10/2019	2:50	53.3	60.4	37.6	
28/10/2019	2:55	57.3	63.3	40.2	55.3
28/10/2019	3:00	55.6	62	36.7	
28/10/2019	3:05	54.4	61.5	39.8	
28/10/2019	3:10	54.2	60.8	39	
28/10/2019	3:15	56.1	63.3	39.3	
28/10/2019	3:20	53.8	60.5	38.4	56.6
28/10/2019	3:25	56.9	63.5	37.5	
28/10/2019	3:30	56	62.6	40.3	
28/10/2019	3:35	54.8	61.6	41.6	
28/10/2019	3:40	58.5	65.7	43.2	
28/10/2019	3:45	57	63.2	41.7	58.7
28/10/2019	3:50	54.8	61.5	40.6	
28/10/2019	3:55	57.1	63.6	40.8	
28/10/2019	4:00	56.4	62.7	43	
28/10/2019	4:05	57.3	63.5	42.9	
28/10/2019	4:10	57.1	63.2	43	59.2
28/10/2019	4:15	57.3	63.5	43.8	
28/10/2019	4:20	58	63.9	45.6	
28/10/2019	4:25	62.6	65.3	44.6	
28/10/2019	4:30	58	64	46.3	
28/10/2019	4:35	58.7	64.8	46.5	59.2
28/10/2019	4:40	58.9	65.1	44	
28/10/2019	4:45	60.1	65.7	46	
28/10/2019	4:50	60.1	66.2	46.6	
28/10/2019	4:55	59	65.3	46.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	5:00	58.5	64.2	48.9	59.3
28/10/2019	5:05	58.8	65	47.3	
28/10/2019	5:10	59	64.6	47.5	
28/10/2019	5:15	59.5	65.3	47.6	
28/10/2019	5:20	59.6	64.7	48.8	
28/10/2019	5:25	60.2	65.2	48.9	60.9
28/10/2019	5:30	59.7	65	48.1	
28/10/2019	5:35	61.1	66.3	48.3	
28/10/2019	5:40	61.3	66.4	51.6	
28/10/2019	5:45	61.5	66.6	50.5	
28/10/2019	5:50	60.9	66.3	49.4	62.5
28/10/2019	5:55	60.5	65.8	47.9	
28/10/2019	6:00	61.7	67.8	50	
28/10/2019	6:05	60.9	66	50.5	
28/10/2019	6:10	60.9	65.8	50.9	
28/10/2019	6:15	65.8	66.7	50.8	61.6
28/10/2019	6:20	61.8	66.8	51	
28/10/2019	6:25	61.4	66	53	
28/10/2019	6:30	61.3	66.1	50.6	
28/10/2019	6:35	61	66.2	49.6	
28/10/2019	6:40	61.6	66.6	52	62.6
28/10/2019	6:45	62.7	67.4	54.6	
28/10/2019	6:50	61.7	66.4	51.4	
28/10/2019	6:55	60.9	65.6	51.8	
28/10/2019	23:00	66.7	71.7	54.8	
28/10/2019	23:05	62.2	66.7	52.9	60.7
28/10/2019	23:10	60.6	67.1	50	
28/10/2019	23:15	57.2	62.6	52.3	
28/10/2019	23:20	61.9	66.6	53.2	
28/10/2019	23:25	61.3	66.6	49.5	
28/10/2019	23:30	58.5	64.8	49.6	60.5
28/10/2019	23:35	57.6	63.7	49.5	
28/10/2019	23:40	62.5	66	49	
28/10/2019	23:45	56.3	61.5	48.3	
28/10/2019	23:50	64.9	72.5	49.4	
28/10/2019	23:55	56.7	62.6	48.8	62.4
29/10/2019	0:00	58.4	63.8	49.3	
29/10/2019	0:05	65.1	69.2	52.2	
29/10/2019	0:10	58.8	64.4	53.9	
29/10/2019	0:15	58.1	63	54	
29/10/2019	0:20	59.1	64.6	54	56.7
29/10/2019	0:25	57.9	61.8	53.9	
29/10/2019	0:30	58.6	65.4	53.7	
29/10/2019	0:35	56.4	60.1	53.7	
29/10/2019	0:40	58.6	63.8	53.8	
29/10/2019	0:45	59.1	64.9	53.9	54.8
29/10/2019	0:50	68.2	68.5	53.7	
29/10/2019	0:55	60.2	64.6	53.7	
29/10/2019	1:00	59.2	65.5	53.7	
29/10/2019	1:05	56.5	61	48.9	
29/10/2019	1:10	55.3	61.9	47.8	54.8
29/10/2019	1:15	53.4	58.1	47.8	
29/10/2019	1:20	56.5	63	47.7	
29/10/2019	1:25	57	63.8	47.9	
29/10/2019	1:30	56.1	62.5	47.8	
29/10/2019	1:35	55.3	60.4	47.9	54.8
29/10/2019	1:40	56.4	63.5	48.1	
29/10/2019	1:45	53	58.8	47.5	
29/10/2019	1:50	53.6	59.9	47.8	
29/10/2019	1:55	53.4	60.3	47.8	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	2:00	52.4	57.6	47.1	56.8
29/10/2019	2:05	53.6	57.3	47.8	
29/10/2019	2:10	56.5	61.1	53.7	
29/10/2019	2:15	57.9	63.8	53.7	
29/10/2019	2:20	58.9	64.3	53.8	
29/10/2019	2:25	58	64	53.6	56.0
29/10/2019	2:30	55.9	60.1	53.6	
29/10/2019	2:35	56.7	61	53.8	
29/10/2019	2:40	55.4	58.9	53.6	
29/10/2019	2:45	55.7	59.4	53.6	
29/10/2019	2:50	56.5	61.4	53.7	57.3
29/10/2019	2:55	55.5	59.2	53.7	
29/10/2019	3:00	59.1	65.5	53.7	
29/10/2019	3:05	57.3	63.2	49.1	
29/10/2019	3:10	58.1	65.3	48.2	
29/10/2019	3:15	56.5	63.5	47.9	56.0
29/10/2019	3:20	56.5	60.5	48.5	
29/10/2019	3:25	55.5	61.7	48	
29/10/2019	3:30	53.6	59.7	47.7	
29/10/2019	3:35	56.6	63.3	47.5	
29/10/2019	3:40	53	58.4	47.7	60.6
29/10/2019	3:45	57.8	64.4	48.8	
29/10/2019	3:50	54.6	61	48.2	
29/10/2019	3:55	57.9	64.3	48.6	
29/10/2019	4:00	55.5	61	48.3	
29/10/2019	4:05	56.9	62.3	48.6	63.9
29/10/2019	4:10	59.5	65.2	54.2	
29/10/2019	4:15	63.5	67.1	55	
29/10/2019	4:20	62.2	67.3	54.7	
29/10/2019	4:25	61.2	66.5	55.9	
29/10/2019	4:30	62	66.7	54.9	62.3
29/10/2019	4:35	64.8	69.8	55	
29/10/2019	4:40	65.1	71.2	55.1	
29/10/2019	4:45	63.8	69.6	55.5	
29/10/2019	4:50	62	67	55.7	
29/10/2019	4:55	64.5	69.1	57.2	63.5
29/10/2019	5:00	64.2	69	56.1	
29/10/2019	5:05	61.6	67.6	51.2	
29/10/2019	5:10	62.8	68.8	52.4	
29/10/2019	5:15	61.6	67.5	51.8	
29/10/2019	5:20	60.8	66.7	52.4	62.9
29/10/2019	5:25	61.8	67.5	52.8	
29/10/2019	5:30	61.6	66.5	51.4	
29/10/2019	5:35	63.2	69.1	53.3	
29/10/2019	5:40	62.7	67.6	52.9	
29/10/2019	5:45	63.7	69	53.5	63.2
29/10/2019	5:50	65.2	69.9	54.6	
29/10/2019	5:55	64	68.5	54.5	
29/10/2019	6:00	62.9	69.3	52.8	
29/10/2019	6:05	63.2	68.7	54.1	
29/10/2019	6:10	61.4	66.8	56	57.0
29/10/2019	6:15	63.1	67.9	56.1	
29/10/2019	6:20	63.2	68	55.8	
29/10/2019	6:25	63.1	67.8	56.6	
29/10/2019	6:30	65.3	70.4	56.6	
29/10/2019	6:35	62.2	67.1	55.9	56.1
29/10/2019	6:40	64	68.6	57.4	
29/10/2019	6:45	63.3	67.9	56.9	
29/10/2019	6:50	60.9	65.8	56.2	
29/10/2019	6:55	62.4	67.6	55.8	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	23:00	59.6	65.9	54.3	60.7
29/10/2019	23:05	62.8	68.5	49.6	
29/10/2019	23:10	60.1	66.2	48.2	
29/10/2019	23:15	62.6	68.5	47.8	
29/10/2019	23:20	54.7	61.1	48.1	
29/10/2019	23:25	60.4	64.1	48.3	56.7
29/10/2019	23:30	58.9	65.2	48.2	
29/10/2019	23:35	55.6	61.4	47.7	
29/10/2019	23:40	55.6	61.3	48.2	
29/10/2019	23:45	55.4	61.2	48.1	
29/10/2019	23:50	56.1	63.1	47.8	57.9
29/10/2019	23:55	57.6	64.8	47.9	
30/10/2019	0:00	56.4	63.1	47.9	
30/10/2019	0:05	56.7	61.4	48	
30/10/2019	0:10	59.4	65.5	54.3	
30/10/2019	0:15	56.6	61.3	53.7	57.6
30/10/2019	0:20	59.8	63.9	53.7	
30/10/2019	0:25	57.4	62.5	53.8	
30/10/2019	0:30	58.8	64.7	53.7	
30/10/2019	0:35	58	63.3	53.8	
30/10/2019	0:40	58.1	63.9	54	55.7
30/10/2019	0:45	57	61.8	53.9	
30/10/2019	0:50	55.5	59.8	53.6	
30/10/2019	0:55	57.6	62.4	53.7	
30/10/2019	1:00	57.3	62.4	53.6	
30/10/2019	1:05	54.7	59.9	47.1	55.4
30/10/2019	1:10	57.1	63.9	47.8	
30/10/2019	1:15	54.5	61.3	47.1	
30/10/2019	1:20	54.9	61.4	47.1	
30/10/2019	1:25	55	61.3	47.3	
30/10/2019	1:30	55.5	62.1	47.3	60.3
30/10/2019	1:35	57	61.3	47.9	
30/10/2019	1:40	56.7	63	47.8	
30/10/2019	1:45	54.6	60.1	47.9	
30/10/2019	1:50	51.7	58.2	47.4	
30/10/2019	1:55	55	61.8	47.6	58.0
30/10/2019	2:00	58.7	65.2	47	
30/10/2019	2:05	54.6	59.6	47.5	
30/10/2019	2:10	57.5	63.1	53.8	
30/10/2019	2:15	57.4	62.6	53.7	
30/10/2019	2:20	65.2	72.5	53.7	56.1
30/10/2019	2:25	60.1	66	53.8	
30/10/2019	2:30	57.3	62	53.7	
30/10/2019	2:35	57.1	62.6	53.6	
30/10/2019	2:40	57.8	63.8	53.8	
30/10/2019	2:45	58.3	64.3	53.9	57.0
30/10/2019	2:50	60.1	65.6	53.9	
30/10/2019	2:55	56.3	60.7	53.7	
30/10/2019	3:00	58.5	64.3	54.1	
30/10/2019	3:05	56	60.7	49.5	
30/10/2019	3:10	52.2	58.5	47.7	57.0
30/10/2019	3:15	52.1	57.7	47.7	
30/10/2019	3:20	53.4	59.6	48.2	
30/10/2019	3:25	59.1	66.8	48.9	
30/10/2019	3:30	53.2	59.8	47.7	
30/10/2019	3:35	52.9	58.6	47.5	56.1
30/10/2019	3:40	57.9	65.3	48.5	
30/10/2019	3:45	58.3	65.4	48.5	
30/10/2019	3:50	55.4	62	48.7	
30/10/2019	3:55	59.9	66.7	49.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	4:00	59.5	66.5	49.7	61.5
30/10/2019	4:05	58.2	64.1	50.5	
30/10/2019	4:10	61.6	68.1	55	
30/10/2019	4:15	61	68	54.2	
30/10/2019	4:20	61.3	66.7	54.9	
30/10/2019	4:25	64.5	69.6	55.3	
30/10/2019	4:30	64.6	67.1	55.3	64.1
30/10/2019	4:35	62.9	69.1	55.5	
30/10/2019	4:40	64.6	70.6	56.3	
30/10/2019	4:45	63.2	67.5	56.8	
30/10/2019	4:50	66	70.7	57.3	
30/10/2019	4:55	62.1	67.3	55.9	
30/10/2019	5:00	64.3	71	56.4	65.5
30/10/2019	5:05	66.3	72.5	55.4	
30/10/2019	5:10	63.2	68.2	56.9	
30/10/2019	5:15	64.9	69.9	54.6	
30/10/2019	5:20	66.2	71.4	56.7	
30/10/2019	5:25	67	72.6	58.5	
30/10/2019	5:30	67.1	71.3	55.1	69.3
30/10/2019	5:35	66.1	71.3	57.8	
30/10/2019	5:40	70.4	72.8	59.9	
30/10/2019	5:45	66.9	71.5	60.6	
30/10/2019	5:50	66.6	70.5	60.8	
30/10/2019	5:55	73.4	76.8	62.3	
30/10/2019	6:00	67.4	72	62.6	68.0
30/10/2019	6:05	68.3	73.6	61.6	
30/10/2019	6:10	67	71.4	59.7	
30/10/2019	6:15	69.8	75.1	61.4	
30/10/2019	6:20	68.3	73	62.2	
30/10/2019	6:25	66.7	71.1	60.1	
30/10/2019	6:30	67.5	72.2	61.1	71.4
30/10/2019	6:35	70.7	75	63.4	
30/10/2019	6:40	71.7	76	67	
30/10/2019	6:45	72.6	77	66.1	
30/10/2019	6:50	72.4	77	66.6	
30/10/2019	6:55	71.8	75.9	66.1	
30/10/2019	23:00	60.9	66.1	51.5	59.9
30/10/2019	23:05	60.2	65.3	50.8	
30/10/2019	23:10	61.2	67.7	50.5	
30/10/2019	23:15	57.6	63.2	50.3	
30/10/2019	23:20	59.5	64.9	51.3	
30/10/2019	23:25	58.7	64.3	50.8	
30/10/2019	23:30	60.7	66.9	50.6	60.4
30/10/2019	23:35	58.2	63.5	50.7	
30/10/2019	23:40	59.2	65.9	49.7	
30/10/2019	23:45	63.4	69.7	50.4	
30/10/2019	23:50	59	64	49.8	
30/10/2019	23:55	60	66.4	50.1	
31/10/2019	0:00	58.7	64.2	50.1	61.5
31/10/2019	0:05	61.1	66.4	55	
31/10/2019	0:10	61.8	67.9	54.7	
31/10/2019	0:15	64.2	68.9	56.8	
31/10/2019	0:20	61	66.1	54.6	
31/10/2019	0:25	60	66.1	54.5	
31/10/2019	0:30	61	66.9	54.7	60.5
31/10/2019	0:35	59.1	64.4	54.3	
31/10/2019	0:40	60.9	65.5	54.7	
31/10/2019	0:45	59.9	64.4	54.2	
31/10/2019	0:50	61.4	66.9	54.6	
31/10/2019	0:55	60.3	66.3	54.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	1:00	63.5	68.9	49.9	61.3
31/10/2019	1:05	60.8	66.6	48.5	
31/10/2019	1:10	63.3	68.9	48.1	
31/10/2019	1:15	55.4	61.5	48.4	
31/10/2019	1:20	61.1	64.5	48.6	
31/10/2019	1:25	59.6	65.6	48.5	
31/10/2019	1:30	56.3	61.8	48	56.9
31/10/2019	1:35	56.3	61.7	48.5	
31/10/2019	1:40	56.1	61.6	48.4	
31/10/2019	1:45	56.8	63.5	48.1	
31/10/2019	1:50	58.3	65.2	48.2	
31/10/2019	1:55	57.1	63.5	48.2	
31/10/2019	2:00	57.4	61.8	48.3	59.0
31/10/2019	2:05	60.1	65.9	54.6	
31/10/2019	2:10	57.3	61.7	54	
31/10/2019	2:15	60.5	64.3	54	
31/10/2019	2:20	58.1	62.9	54.1	
31/10/2019	2:25	59.5	65.1	54	
31/10/2019	2:30	58.7	63.7	54.1	58.0
31/10/2019	2:35	58.8	64.3	54.3	
31/10/2019	2:40	57.7	62.2	54.2	
31/10/2019	2:45	56.2	60.2	53.9	
31/10/2019	2:50	58.3	62.8	54	
31/10/2019	2:55	58	62.8	53.9	
31/10/2019	3:00	55.4	60.3	47.4	56.1
31/10/2019	3:05	57.8	64.3	48.1	
31/10/2019	3:10	55.2	61.7	47.4	
31/10/2019	3:15	55.6	61.8	47.4	
31/10/2019	3:20	55.7	61.7	47.6	
31/10/2019	3:25	56.2	62.5	47.6	
31/10/2019	3:30	57.7	61.7	48.2	56.8
31/10/2019	3:35	57.4	63.4	48.1	
31/10/2019	3:40	55.3	60.5	48.2	
31/10/2019	3:45	52.4	58.6	47.7	
31/10/2019	3:50	55.7	62.2	47.9	
31/10/2019	3:55	59.4	65.6	47.3	
31/10/2019	4:00	55.3	60	47.8	60.9
31/10/2019	4:05	58.2	63.5	54.1	
31/10/2019	4:10	58.1	63	54	
31/10/2019	4:15	65.9	72.9	54	
31/10/2019	4:20	60.8	66.4	54.1	
31/10/2019	4:25	58	62.4	54	
31/10/2019	4:30	57.8	63	53.9	58.9
31/10/2019	4:35	58.5	64.2	54.1	
31/10/2019	4:40	59	64.7	54.2	
31/10/2019	4:45	60.8	66	54.2	
31/10/2019	4:50	57	61.1	54	
31/10/2019	4:55	59.2	64.7	54.4	
31/10/2019	5:00	56.7	61.1	49.8	55.9
31/10/2019	5:05	52.9	58.9	48	
31/10/2019	5:10	52.8	58.1	48	
31/10/2019	5:15	54.1	60	48.5	
31/10/2019	5:20	59.8	67.2	49.2	
31/10/2019	5:25	53.9	60.2	48	
31/10/2019	5:30	53.6	59	47.8	58.6
31/10/2019	5:35	58.6	65.7	48.8	
31/10/2019	5:40	59	65.8	48.8	
31/10/2019	5:45	56.1	62.4	49	
31/10/2019	5:50	60.6	67.1	49.9	
31/10/2019	5:55	60.2	66.9	50	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	6:00	58.9	64.5	50.8	63.1
31/10/2019	6:05	62.3	68.5	55.3	
31/10/2019	6:10	61.7	68.4	54.5	
31/10/2019	6:15	62	67.1	55.2	
31/10/2019	6:20	65.2	70	55.6	
31/10/2019	6:25	65.3	67.5	55.6	
31/10/2019	6:30	63.6	69.5	55.8	64.7
31/10/2019	6:35	65.3	71	56.6	
31/10/2019	6:40	63.9	67.9	57.1	
31/10/2019	6:45	66.7	71.1	57.6	
31/10/2019	6:50	62.8	67.7	56.2	
31/10/2019	6:55	65	71.4	56.7	
31/10/2019	23:00	66.8	71.4	61.1	65.9
31/10/2019	23:05	66.1	69.2	60.8	
31/10/2019	23:10	65.8	70.3	59.3	
31/10/2019	23:15	65.5	69.3	60	
31/10/2019	23:20	65.5	68.5	60.3	
31/10/2019	23:25	65.7	69.6	60	
31/10/2019	23:30	65.3	68.5	59.5	64.8
31/10/2019	23:35	65.6	68.2	60.6	
31/10/2019	23:40	64.8	68	59.6	
31/10/2019	23:45	64.5	68.3	59.5	
31/10/2019	23:50	63.8	66.8	59.4	
31/10/2019	23:55	64.5	67.6	59.6	
01/11/2019	0:00	64.8	68	59.6	64.6
01/11/2019	0:05	64.5	68	59.8	
01/11/2019	0:10	65	68.9	59.4	
01/11/2019	0:15	64.6	67.9	59.8	
01/11/2019	0:20	63.7	67.6	59	
01/11/2019	0:25	64.6	68	59.8	
01/11/2019	0:30	63.9	67.6	59.2	63.7
01/11/2019	0:35	64	67.7	59.2	
01/11/2019	0:40	63.8	67	59.4	
01/11/2019	0:45	63.9	67.8	59.1	
01/11/2019	0:50	63	66.5	59	
01/11/2019	0:55	63.5	67.4	59.4	
01/11/2019	1:00	63	67.2	58.8	63.2
01/11/2019	1:05	64.5	68	59.4	
01/11/2019	1:10	62.8	66.1	59.1	
01/11/2019	1:15	62.5	66	58.8	
01/11/2019	1:20	63.3	66.7	59.1	
01/11/2019	1:25	62.5	66.1	59	
01/11/2019	1:30	63.4	66.7	59.3	63.2
01/11/2019	1:35	62.5	66.3	59.2	
01/11/2019	1:40	63	66.8	59.3	
01/11/2019	1:45	62.7	66.3	59	
01/11/2019	1:50	63.8	67.3	59.5	
01/11/2019	1:55	63.9	68.4	59.1	
01/11/2019	2:00	63.1	66.7	59.2	63.6
01/11/2019	2:05	63.5	66.2	59.4	
01/11/2019	2:10	63.4	66.6	59.2	
01/11/2019	2:15	64.1	67.9	59.5	
01/11/2019	2:20	63.5	67.5	59.3	
01/11/2019	2:25	63.8	67	59.2	
01/11/2019	2:30	62.4	65.9	59.2	63.2
01/11/2019	2:35	63.5	67.3	59.3	
01/11/2019	2:40	63.3	66.5	59.2	
01/11/2019	2:45	63.1	66.1	59	
01/11/2019	2:50	63.5	66.2	59.2	
01/11/2019	2:55	63.4	67.5	59.3	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	3:00	64	67.5	59.8	63.3
01/11/2019	3:05	63.4	67.3	59.1	
01/11/2019	3:10	63.5	67.5	59.3	
01/11/2019	3:15	63	66.7	59.3	
01/11/2019	3:20	63	66.5	59.2	
01/11/2019	3:25	62.9	66.6	59.1	
01/11/2019	3:30	63.8	66.8	60.2	64.3
01/11/2019	3:35	63.5	67.1	59.1	
01/11/2019	3:40	64.4	68.3	59.5	
01/11/2019	3:45	64.7	68.6	59.8	
01/11/2019	3:50	64.6	67.8	59.5	
01/11/2019	3:55	64.5	67.6	60.5	
01/11/2019	4:00	65.6	69.4	60.6	65.8
01/11/2019	4:05	65.6	69.1	59.9	
01/11/2019	4:10	65.1	69.3	60.6	
01/11/2019	4:15	65.2	68.5	60.7	
01/11/2019	4:20	66.7	70.6	60.9	
01/11/2019	4:25	66.2	69.2	61.4	
01/11/2019	4:30	67	70.7	63.5	67.7
01/11/2019	4:35	67.7	71.8	62.8	
01/11/2019	4:40	67.7	69.7	63.3	
01/11/2019	4:45	67.5	70.5	63.1	
01/11/2019	4:50	67.5	70.3	63.5	
01/11/2019	4:55	68.7	72.2	64.5	
01/11/2019	5:00	68	70.4	63.5	68.7
01/11/2019	5:05	68.9	71.9	65.2	
01/11/2019	5:10	69.4	72.4	65.3	
01/11/2019	5:15	68.8	71.2	65.6	
01/11/2019	5:20	68.7	71.4	65.9	
01/11/2019	5:25	68	70.7	64.7	
01/11/2019	5:30	68.2	70.9	65.3	68.8
01/11/2019	5:35	68.5	71.4	65.4	
01/11/2019	5:40	68.7	71	65.7	
01/11/2019	5:45	68.8	71.9	65.7	
01/11/2019	5:50	68.7	71.8	66.4	
01/11/2019	5:55	69.9	71.7	66.2	
01/11/2019	6:00	68.7	71.9	66.6	68.6
01/11/2019	6:05	68.3	70.1	66.5	
01/11/2019	6:10	68.5	71.2	66.4	
01/11/2019	6:15	68.5	71	66	
01/11/2019	6:20	68.8	71.5	66.4	
01/11/2019	6:25	68.8	71.3	66.4	
01/11/2019	6:30	68.7	71.6	66.3	68.4
01/11/2019	6:35	67.6	69	65.8	
01/11/2019	6:40	68.6	71.3	66.3	
01/11/2019	6:45	68.4	70.3	66.6	
01/11/2019	6:50	68.7	71.9	66.1	
01/11/2019	6:55	68.6	71.8	66.3	
01/11/2019	23:00	66.7	70.6	62.2	65.8
01/11/2019	23:05	67.2	71.2	61.3	
01/11/2019	23:10	64.4	67.5	60.1	
01/11/2019	23:15	65.9	69.5	61.2	
01/11/2019	23:20	64.8	67.6	60.7	
01/11/2019	23:25	65.2	68.5	60.7	
01/11/2019	23:30	65.9	69.3	60.9	65.1
01/11/2019	23:35	65.4	68.6	60.6	
01/11/2019	23:40	65.1	68	59.5	
01/11/2019	23:45	64.9	68.5	59.6	
01/11/2019	23:50	64.6	67.9	60.1	
01/11/2019	23:55	64.5	67.7	60.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	0:00	63.7	66.6	59.3	63.9
02/11/2019	0:05	63.5	66.7	59.2	
02/11/2019	0:10	64.9	68.6	59.8	
02/11/2019	0:15	64.1	67.8	58.7	
02/11/2019	0:20	63.6	66.8	58.6	
02/11/2019	0:25	63.5	66.5	59.3	
02/11/2019	0:30	63.8	67	59.1	63.9
02/11/2019	0:35	64.1	67.1	59.9	
02/11/2019	0:40	64.1	67.1	59	
02/11/2019	0:45	63.7	67.6	58.6	
02/11/2019	0:50	63.6	67.6	58.5	
02/11/2019	0:55	64.3	68.2	58.9	
02/11/2019	1:00	63.6	67	59.1	63.3
02/11/2019	1:05	63.6	67.2	58.8	
02/11/2019	1:10	63.6	67.4	58.9	
02/11/2019	1:15	63.3	66.6	58.7	
02/11/2019	1:20	62.8	66.3	58.6	
02/11/2019	1:25	63.1	67	58.7	
02/11/2019	1:30	64	67.1	58.5	63.3
02/11/2019	1:35	63	66.1	59.2	
02/11/2019	1:40	63.6	67.1	59	
02/11/2019	1:45	62.9	66.7	58.6	
02/11/2019	1:50	63.2	66.5	58.8	
02/11/2019	1:55	62.7	66.2	58.7	
02/11/2019	2:00	63.5	67	59	62.9
02/11/2019	2:05	63.4	67.5	58.7	
02/11/2019	2:10	63.3	66.8	58.5	
02/11/2019	2:15	62.9	66.4	58.9	
02/11/2019	2:20	62.4	65.7	58.5	
02/11/2019	2:25	61.7	64.7	58.6	
02/11/2019	2:30	61.3	64.1	58.5	62.4
02/11/2019	2:35	62.4	65.5	58.9	
02/11/2019	2:40	62.3	65.8	58.2	
02/11/2019	2:45	62.4	65.8	58.5	
02/11/2019	2:50	62.8	66.4	58.4	
02/11/2019	2:55	62.9	66.4	58.4	
02/11/2019	3:00	62.4	65.5	58.3	62.7
02/11/2019	3:05	62.7	65.9	58.5	
02/11/2019	3:10	62.4	66	58.3	
02/11/2019	3:15	62.2	65.8	58.4	
02/11/2019	3:20	63.7	68.8	59.2	
02/11/2019	3:25	62.8	66.8	58.7	
02/11/2019	3:30	63.8	67	59.4	63.8
02/11/2019	3:35	63.1	66.4	59	
02/11/2019	3:40	63.2	66.6	59	
02/11/2019	3:45	63.4	66.4	59.4	
02/11/2019	3:50	64.2	69	59.3	
02/11/2019	3:55	64.9	70.5	59	
02/11/2019	4:00	64.8	69.5	59.5	64.8
02/11/2019	4:05	63.8	67	59.5	
02/11/2019	4:10	64.3	68.3	58.5	
02/11/2019	4:15	64.8	69.3	59.1	
02/11/2019	4:20	65.1	69	59.7	
02/11/2019	4:25	65.5	68.9	59.9	
02/11/2019	4:30	65.1	69.2	60.1	65.4
02/11/2019	4:35	65.4	69.2	60.9	
02/11/2019	4:40	65.1	68.1	60.3	
02/11/2019	4:45	65.1	69.2	60.5	
02/11/2019	4:50	65.5	69.5	60.5	
02/11/2019	4:55	66.3	70.5	61.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	5:00	66.4	70.6	61.7	66.5
02/11/2019	5:05	65.1	68.1	61.3	
02/11/2019	5:10	67.4	72.1	62.4	
02/11/2019	5:15	66.2	69.2	61.8	
02/11/2019	5:20	66.5	69.9	61.8	
02/11/2019	5:25	67.3	70.6	62.8	
02/11/2019	5:30	66.4	68.9	62.6	67.0
02/11/2019	5:35	65.8	69.1	61	
02/11/2019	5:40	67.6	71.8	63.2	
02/11/2019	5:45	67.7	70.8	63.8	
02/11/2019	5:50	66.4	69.3	60.9	
02/11/2019	5:55	67.5	70.9	63.5	
02/11/2019	6:00	67.8	70.8	63.1	67.4
02/11/2019	6:05	67	70.4	62.9	
02/11/2019	6:10	67.9	72.6	61.6	
02/11/2019	6:15	67.7	71	63	
02/11/2019	6:20	67.4	70.3	63.2	
02/11/2019	6:25	66.6	70	62.2	
02/11/2019	6:30	67	69.8	62.5	67.5
02/11/2019	6:35	66.9	69.7	64.1	
02/11/2019	6:40	67.6	70.5	63.2	
02/11/2019	6:45	67.6	71.2	63.5	
02/11/2019	6:50	68.5	72.3	63.7	
02/11/2019	6:55	67.3	69.8	64.1	
02/11/2019	23:00	61.5	66	55.4	62.8
02/11/2019	23:05	63.4	68.1	52.7	
02/11/2019	23:10	65.5	71.5	52	
02/11/2019	23:15	61.5	67.5	51.6	
02/11/2019	23:20	63	68.4	52.9	
02/11/2019	23:25	59.2	65.1	49.6	
02/11/2019	23:30	59.9	65.2	50.3	63.0
02/11/2019	23:35	61.9	67.3	50.9	
02/11/2019	23:40	60.3	66.1	50.7	
02/11/2019	23:45	62.3	68.9	51	
02/11/2019	23:50	67.7	73.3	53	
02/11/2019	23:55	59.5	65.8	50.8	
03/11/2019	0:00	61.6	67.1	51	62.2
03/11/2019	0:05	64.5	69.5	54.8	
03/11/2019	0:10	61.1	66.3	54.9	
03/11/2019	0:15	63.2	68.5	55	
03/11/2019	0:20	61.5	67.7	54.5	
03/11/2019	0:25	59.1	64.9	54.4	
03/11/2019	0:30	60.8	66.6	54.7	61.4
03/11/2019	0:35	61.7	67.8	54.7	
03/11/2019	0:40	62.3	68.2	54.9	
03/11/2019	0:45	61.1	67.3	54.5	
03/11/2019	0:50	60	65.7	54.5	
03/11/2019	0:55	61.9	66.7	54.8	
03/11/2019	1:00	69.9	72.3	54.3	64.2
03/11/2019	1:05	61.6	66.6	50.2	
03/11/2019	1:10	58.6	63.8	50	
03/11/2019	1:15	64.6	67.8	49.5	
03/11/2019	1:20	58.5	64.4	49.2	
03/11/2019	1:25	55.9	61.5	49.7	
03/11/2019	1:30	58.3	63.8	49.5	57.6
03/11/2019	1:35	58.4	65.1	49.4	
03/11/2019	1:40	54.6	60.3	48.8	
03/11/2019	1:45	58.4	63.3	49.7	
03/11/2019	1:50	57.3	64	48.7	
03/11/2019	1:55	57.5	64.2	48.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	2:00	59	65.3	49.3	63.1
03/11/2019	2:05	59.4	64.3	54.4	
03/11/2019	2:10	60.1	65.8	53.9	
03/11/2019	2:15	59.1	65.3	54.1	
03/11/2019	2:20	58.5	63.4	54.4	
03/11/2019	2:25	69.1	76.5	54.6	59.5
03/11/2019	2:30	56.6	61.3	53.9	
03/11/2019	2:35	63.1	68.5	54.5	
03/11/2019	2:40	57.5	62.1	54	
03/11/2019	2:45	58.2	62.8	53.9	
03/11/2019	2:50	60.2	65.7	53.9	56.3
03/11/2019	2:55	57.3	62.5	54.1	
03/11/2019	3:00	60.3	65.2	53.9	
03/11/2019	3:05	55.4	61.2	48.1	
03/11/2019	3:10	56.6	61.4	48.3	
03/11/2019	3:15	54.1	61	48.6	56.3
03/11/2019	3:20	53.9	60.7	47.9	
03/11/2019	3:25	52.3	57.7	47.8	
03/11/2019	3:30	57.8	64.5	48	
03/11/2019	3:35	53.6	59.4	48	
03/11/2019	3:40	56.7	62.9	48.3	56.3
03/11/2019	3:45	57.4	63.7	48.2	
03/11/2019	3:50	54.8	61.1	48.5	
03/11/2019	3:55	56.2	62.9	48.7	
03/11/2019	4:00	56.7	62.8	48.4	
03/11/2019	4:05	58.3	62.2	53.7	58.1
03/11/2019	4:10	57.1	62.2	53.8	
03/11/2019	4:15	57.6	63.3	53.8	
03/11/2019	4:20	59.3	64.7	54	
03/11/2019	4:25	59	64.6	53.9	
03/11/2019	4:30	56.8	61.9	53.8	57.9
03/11/2019	4:35	54.8	56.2	53.6	
03/11/2019	4:40	56.5	60.5	53.7	
03/11/2019	4:45	60	64.5	53.8	
03/11/2019	4:50	59	62.2	53.9	
03/11/2019	4:55	58.1	64.5	53.8	57.2
03/11/2019	5:00	55.9	59.4	53.6	
03/11/2019	5:05	58	63.7	47.8	
03/11/2019	5:10	56.6	63.9	48	
03/11/2019	5:15	58.4	64.4	47.9	
03/11/2019	5:20	58.1	63.9	48.6	65.8
03/11/2019	5:25	55.1	59.2	48.3	
03/11/2019	5:30	71.1	74.9	48.8	
03/11/2019	5:35	61.5	66.2	48	
03/11/2019	5:40	68.3	71.8	48.7	
03/11/2019	5:45	58	64.8	48.6	61.9
03/11/2019	5:50	57.8	63.9	49.3	
03/11/2019	5:55	57.4	62.7	48.5	
03/11/2019	6:00	58	65.3	49	
03/11/2019	6:05	64	65.1	54.3	
03/11/2019	6:10	58.8	62.8	54.3	64.0
03/11/2019	6:15	61.3	66.6	54.5	
03/11/2019	6:20	62.8	66.8	55.2	
03/11/2019	6:25	63.5	68.7	55	
03/11/2019	6:30	63.8	70.1	55.1	
03/11/2019	6:35	61.6	67.9	54.8	64.0
03/11/2019	6:40	65.7	68.3	55.5	
03/11/2019	6:45	62.1	67	55.5	
03/11/2019	6:50	65.1	68.8	55.5	
03/11/2019	6:55	64.3	70.5	55.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	23:00	60.2	65.7	52.8	62.5
03/11/2019	23:05	62.5	67.4	52.9	
03/11/2019	23:10	59.8	65.3	52	
03/11/2019	23:15	60.5	66.8	52.4	
03/11/2019	23:20	62.3	67.3	51.9	
03/11/2019	23:25	66	73.1	53.8	63.2
03/11/2019	23:30	60.1	65.7	51.2	
03/11/2019	23:35	67.6	70.9	54.5	
03/11/2019	23:40	58.9	64.4	51.5	
03/11/2019	23:45	64.7	70.1	52.7	
03/11/2019	23:50	60.1	67.2	51	62.9
03/11/2019	23:55	60.5	66.4	51.9	
04/11/2019	0:00	65.6	71.7	51.9	
04/11/2019	0:05	60.7	65.7	55.4	
04/11/2019	0:10	61.9	66.7	55.4	
04/11/2019	0:15	64.6	69.9	55.3	60.8
04/11/2019	0:20	61.6	67.7	55.1	
04/11/2019	0:25	60.3	65.2	54.9	
04/11/2019	0:30	59.5	64.6	54.7	
04/11/2019	0:35	61.8	66.3	54.8	
04/11/2019	0:40	62.6	67.3	54.8	65.0
04/11/2019	0:45	60.1	64.6	54.5	
04/11/2019	0:50	59.5	64.4	54.8	
04/11/2019	0:55	60.1	65.4	54.8	
04/11/2019	1:00	59	65.3	50.3	
04/11/2019	1:05	61.7	68.1	50.6	59.3
04/11/2019	1:10	59.4	66.2	50.1	
04/11/2019	1:15	71.6	77.2	50.1	
04/11/2019	1:20	58.9	66.4	49.9	
04/11/2019	1:25	56.5	62.3	49.8	
04/11/2019	1:30	58.9	64.5	49.6	59.7
04/11/2019	1:35	57.7	62.5	49.6	
04/11/2019	1:40	62.8	67.5	50.6	
04/11/2019	1:45	58.1	63.8	49	
04/11/2019	1:50	59.9	65.7	49.7	
04/11/2019	1:55	54	59.6	49.1	58.5
04/11/2019	2:00	57.1	63.4	49	
04/11/2019	2:05	61.5	67.2	54.4	
04/11/2019	2:10	58	62.6	54.4	
04/11/2019	2:15	60.1	66.6	54.4	
04/11/2019	2:20	59.5	62.7	54.4	56.9
04/11/2019	2:25	60.6	66.6	54.3	
04/11/2019	2:30	57.8	63.3	54.1	
04/11/2019	2:35	56.5	60.8	54.1	
04/11/2019	2:40	60.6	65.3	54.8	
04/11/2019	2:45	56.6	60.6	54.1	66.1
04/11/2019	2:50	57.4	62.6	54.1	
04/11/2019	2:55	60	65.4	54.3	
04/11/2019	3:00	58	63	48.6	
04/11/2019	3:05	54.7	61	48.8	
04/11/2019	3:10	55.1	61.4	48.8	66.1
04/11/2019	3:15	57.7	65.4	49.1	
04/11/2019	3:20	58.6	64.1	49.3	
04/11/2019	3:25	56.1	61.4	48.9	
04/11/2019	3:30	55.3	61.1	49.1	
04/11/2019	3:35	62.1	68.6	49.2	66.1
04/11/2019	3:40	67	69.5	63.9	
04/11/2019	3:45	67.8	70	65	
04/11/2019	3:50	67.4	69.6	64.9	
04/11/2019	3:55	67.8	70	64.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	4:00	67.7	70.2	64.4	63.5
04/11/2019	4:05	63.3	68.9	54.2	
04/11/2019	4:10	60.3	65.4	53.8	
04/11/2019	4:15	60	64.9	55.4	
04/11/2019	4:20	58	62.8	54.8	
04/11/2019	4:25	64.2	69.7	54.7	58.2
04/11/2019	4:30	56.7	60	54.6	
04/11/2019	4:35	58.5	63.6	54.7	
04/11/2019	4:40	58.5	63	54.7	
04/11/2019	4:45	58.8	65.1	54.7	
04/11/2019	4:50	58	62.1	54.7	55.5
04/11/2019	4:55	58.1	62.7	54.6	
04/11/2019	5:00	55.7	59	50.1	
04/11/2019	5:05	56.8	64	49.6	
04/11/2019	5:10	54	58.1	49.7	
04/11/2019	5:15	53.4	56.8	49.8	59.1
04/11/2019	5:20	56.9	63.4	49.8	
04/11/2019	5:25	55	60.5	49.4	
04/11/2019	5:30	59	65.8	50.7	
04/11/2019	5:35	59.2	64.8	50.4	
04/11/2019	5:40	55.8	62.3	49.4	64.5
04/11/2019	5:45	59.4	65.1	50.8	
04/11/2019	5:50	59.9	66.4	51.3	
04/11/2019	5:55	59.9	66.9	49.9	
04/11/2019	6:00	65	69.2	50.5	
04/11/2019	6:05	64.5	69.3	56	66.3
04/11/2019	6:10	64.2	69.2	55.7	
04/11/2019	6:15	63	68.3	55.7	
04/11/2019	6:20	66.8	71.8	56.7	
04/11/2019	6:25	61.9	67.2	56.3	
04/11/2019	6:30	63.8	68	56.2	63.6
04/11/2019	6:35	64.7	69.5	56.7	
04/11/2019	6:40	62.6	68	56.2	
04/11/2019	6:45	70.2	71.3	58.5	
04/11/2019	6:50	66	70.7	58.2	
04/11/2019	6:55	65.9	71.2	58.6	63.1
04/11/2019	23:00	63.7	66.7	59.6	
04/11/2019	23:05	63.8	67.6	58.2	
04/11/2019	23:10	64.5	68.8	58.3	
04/11/2019	23:15	63.3	66.7	58.2	
04/11/2019	23:20	63	65.7	59	63.0
04/11/2019	23:25	63.3	66.4	58.7	
04/11/2019	23:30	63.5	66.6	58.1	
04/11/2019	23:35	62.7	65.6	58.1	
04/11/2019	23:40	63	65.9	58.1	
04/11/2019	23:45	63.5	67.2	58.6	62.4
04/11/2019	23:50	63.5	66.2	59.7	
04/11/2019	23:55	62.4	65.3	57.3	
05/11/2019	0:00	62.9	66.1	57.9	
05/11/2019	0:05	62.9	66.6	58	
05/11/2019	0:10	62.6	65.3	58.3	67.0
05/11/2019	0:15	63.4	67.2	58.5	
05/11/2019	0:20	63	66.3	57.2	
05/11/2019	0:25	63.1	66.8	57.6	
05/11/2019	0:30	62.6	66.2	58.3	
05/11/2019	0:35	62.7	66.3	57.8	67.7
05/11/2019	0:40	62	65.1	57.8	
05/11/2019	0:45	62	66.1	57.2	
05/11/2019	0:50	62.2	65.9	57.5	
05/11/2019	0:55	62.8	65.3	58.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	1:00	61.8	65.1	57.3	62.6
05/11/2019	1:05	62.1	65.4	57.8	
05/11/2019	1:10	62	65.5	57.8	
05/11/2019	1:15	63.4	67.3	57.9	
05/11/2019	1:20	63.3	67.7	57.9	
05/11/2019	1:25	62.7	66	58	62.6
05/11/2019	1:30	63.3	67.2	57.5	
05/11/2019	1:35	62.5	68.3	57.2	
05/11/2019	1:40	63.6	68.4	57.4	
05/11/2019	1:45	61.4	64.6	57.6	
05/11/2019	1:50	62.1	66	57.6	61.8
05/11/2019	1:55	62.1	65.2	58	
05/11/2019	2:00	62.6	66.4	57.6	
05/11/2019	2:05	62	65.4	57.4	
05/11/2019	2:10	61.3	64.6	57.5	
05/11/2019	2:15	62.3	66	57.3	61.8
05/11/2019	2:20	61.5	64.8	57.5	
05/11/2019	2:25	61	64.3	57.1	
05/11/2019	2:30	61.2	64.2	57.2	
05/11/2019	2:35	62	65.1	57.6	
05/11/2019	2:40	61.9	64.9	57.8	61.7
05/11/2019	2:45	61.9	65.6	57.2	
05/11/2019	2:50	61.7	65	57.7	
05/11/2019	2:55	61.9	64.8	57.6	
05/11/2019	3:00	61.5	65	57.2	
05/11/2019	3:05	61.2	64.4	57.5	63.0
05/11/2019	3:10	62	65.4	57.8	
05/11/2019	3:15	62.6	66.7	57.9	
05/11/2019	3:20	61.1	64.4	56.9	
05/11/2019	3:25	61.9	65.4	57.5	
05/11/2019	3:30	62.4	65.7	57.3	64.2
05/11/2019	3:35	62.6	66.1	57.9	
05/11/2019	3:40	62	65.9	56.9	
05/11/2019	3:45	64.1	69.6	57.4	
05/11/2019	3:50	62.9	66.2	57.2	
05/11/2019	3:55	63.6	67.8	56.6	65.9
05/11/2019	4:00	64.2	69.3	57.7	
05/11/2019	4:05	62.4	65.8	57.2	
05/11/2019	4:10	64.1	67.5	57.3	
05/11/2019	4:15	65	70.3	58.5	
05/11/2019	4:20	64.8	68.7	59.3	67.0
05/11/2019	4:25	64.3	67.6	59.4	
05/11/2019	4:30	65.6	69.5	60.6	
05/11/2019	4:35	65.8	70	60.4	
05/11/2019	4:40	65.9	70.3	60.3	
05/11/2019	4:45	66	69.5	61.3	67.7
05/11/2019	4:50	66	69.4	61.1	
05/11/2019	4:55	65.9	68.7	62.2	
05/11/2019	5:00	66.5	69.7	62.7	
05/11/2019	5:05	67.2	71.1	62.5	
05/11/2019	5:10	66.6	70.1	62.3	67.7
05/11/2019	5:15	67	70.1	63.9	
05/11/2019	5:20	67.3	71	63.1	
05/11/2019	5:25	67.3	70	64.2	
05/11/2019	5:30	67.2	69.7	64.5	
05/11/2019	5:35	67.7	70.5	63.8	67.7
05/11/2019	5:40	67.5	69.6	64.4	
05/11/2019	5:45	67.8	70.7	64.6	
05/11/2019	5:50	68.3	71.6	64.1	
05/11/2019	5:55	67.8	70.8	64.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	6:00	67.8	70.2	64	68.0
05/11/2019	6:05	67.8	70.3	64.7	
05/11/2019	6:10	68.5	71.4	65.5	
05/11/2019	6:15	67.6	69.9	64.8	
05/11/2019	6:20	68	70.6	65.4	
05/11/2019	6:25	68	70.6	65.7	68.0
05/11/2019	6:30	68.3	70.6	65.7	
05/11/2019	6:35	67.8	70.4	65.1	
05/11/2019	6:40	67.7	70.5	65	
05/11/2019	6:45	69.7	70.7	64	
05/11/2019	6:50	67.4	70.6	64.4	64.6
05/11/2019	6:55	66.7	69.7	63.8	
05/11/2019	23:00	63.3	66.2	59.3	
05/11/2019	23:05	63.6	67.3	59.2	
05/11/2019	23:10	64	67.5	59.4	
05/11/2019	23:15	63.4	66.1	59.2	63.3
05/11/2019	23:20	67.8	71	59.7	
05/11/2019	23:25	63.6	66.6	59.3	
05/11/2019	23:30	63.2	66.3	59.4	
05/11/2019	23:35	63	66.2	59	
05/11/2019	23:40	63.1	67.2	59.1	63.1
05/11/2019	23:45	63.4	66.4	58.9	
05/11/2019	23:50	63.4	66.4	58.5	
05/11/2019	23:55	63.7	66.7	58.6	
06/11/2019	0:00	62.4	65.5	58.4	
06/11/2019	0:05	63.5	66.6	59.2	61.9
06/11/2019	0:10	62.7	65.7	58.4	
06/11/2019	0:15	62.7	65.8	58.9	
06/11/2019	0:20	64.3	67.8	59.7	
06/11/2019	0:25	62.8	65.8	59.3	
06/11/2019	0:30	62	65.8	58.3	62.1
06/11/2019	0:35	61.9	65.2	57.3	
06/11/2019	0:40	62.1	65.4	58	
06/11/2019	0:45	62.1	65.3	58.2	
06/11/2019	0:50	62.1	65.1	58.5	
06/11/2019	0:55	61.2	64.6	57.7	61.9
06/11/2019	1:00	62.4	65.9	58.1	
06/11/2019	1:05	62.7	65.9	59	
06/11/2019	1:10	62.1	65.3	58.1	
06/11/2019	1:15	61.8	65	57.9	
06/11/2019	1:20	62.1	65.5	57.8	61.6
06/11/2019	1:25	61.6	65.4	57.8	
06/11/2019	1:30	62.8	65.8	58	
06/11/2019	1:35	61.8	65	57.6	
06/11/2019	1:40	61.7	65.5	58	
06/11/2019	1:45	62.4	65.5	57.9	61.5
06/11/2019	1:50	61.4	64.5	57.9	
06/11/2019	1:55	60.9	63.7	57.5	
06/11/2019	2:00	62.2	65.3	58.6	
06/11/2019	2:05	62.3	65	58	
06/11/2019	2:10	61.5	64.1	58.1	61.8
06/11/2019	2:15	61.3	64	58	
06/11/2019	2:20	60.9	64.1	57.9	
06/11/2019	2:25	61.2	64.4	57.8	
06/11/2019	2:30	61.7	65	57.9	
06/11/2019	2:35	60.9	63.8	57.4	61.8
06/11/2019	2:40	61.8	65	57.7	
06/11/2019	2:45	61.3	64.3	58.4	
06/11/2019	2:50	61.5	64.7	57.7	
06/11/2019	2:55	62	65	58.2	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	3:00	62.6	64.7	58.2	61.9
06/11/2019	3:05	61.7	66.1	58.4	
06/11/2019	3:10	62	65.4	58.4	
06/11/2019	3:15	62.2	65.3	58.7	
06/11/2019	3:20	61.4	64.3	58.3	
06/11/2019	3:25	61.3	64.5	58.1	63.1
06/11/2019	3:30	62.2	65.4	58.2	
06/11/2019	3:35	62.4	65.5	58.4	
06/11/2019	3:40	63	67.3	58.6	
06/11/2019	3:45	63.5	67.8	58.7	
06/11/2019	3:50	63.2	66.7	59.5	63.7
06/11/2019	3:55	64.1	68.7	59	
06/11/2019	4:00	63.4	66.6	59.3	
06/11/2019	4:05	62.2	65.3	58.5	
06/11/2019	4:10	64	66.9	59.4	
06/11/2019	4:15	63.7	67.4	59	65.0
06/11/2019	4:20	64.5	67.7	60.4	
06/11/2019	4:25	64	67.4	59.8	
06/11/2019	4:30	64.5	67.8	58.8	
06/11/2019	4:35	65	69.6	60.4	
06/11/2019	4:40	65.1	68.6	60.2	65.6
06/11/2019	4:45	64.7	67.7	61.2	
06/11/2019	4:50	65.5	69.6	61.2	
06/11/2019	4:55	65.1	68.4	60.9	
06/11/2019	5:00	66.3	70.9	61.2	
06/11/2019	5:05	66.5	71.2	60.8	65.8
06/11/2019	5:10	64.5	68.3	59.3	
06/11/2019	5:15	65.2	68.8	60.8	
06/11/2019	5:20	64.9	67.8	60.7	
06/11/2019	5:25	66	70.4	60.8	
06/11/2019	5:30	65	68.1	60.3	66.3
06/11/2019	5:35	65.2	67.8	61.2	
06/11/2019	5:40	66.1	69.6	61.1	
06/11/2019	5:45	65.8	68.7	61.5	
06/11/2019	5:50	66.3	69.2	62.5	
06/11/2019	5:55	66	69.3	61.8	66.8
06/11/2019	6:00	67.1	71.6	62.7	
06/11/2019	6:05	66.4	70.6	62	
06/11/2019	6:10	66.4	69.9	61.8	
06/11/2019	6:15	66.2	69.5	62.3	
06/11/2019	6:20	65.5	68.3	62	62.7
06/11/2019	6:25	66.3	68.9	62.9	
06/11/2019	6:30	67.9	71.4	63.3	
06/11/2019	6:35	66.6	70.4	61.8	
06/11/2019	6:40	66.9	70.4	63.7	
06/11/2019	6:45	66.4	69.3	62.3	61.8
06/11/2019	6:50	66.5	69	63.1	
06/11/2019	6:55	66.6	70.3	62.3	
06/11/2019	23:00	61.7	64.9	57.2	
06/11/2019	23:05	63.5	66.7	58.7	
06/11/2019	23:10	62.6	66.3	57.5	61.8
06/11/2019	23:15	63.3	66.7	57.7	
06/11/2019	23:20	62	65.3	57.6	
06/11/2019	23:25	62.8	65.7	58.2	
06/11/2019	23:30	62.4	65.4	57.1	
06/11/2019	23:35	61.1	64.4	57.1	61.8
06/11/2019	23:40	61.7	65.5	56.8	
06/11/2019	23:45	62	66.5	56.9	
06/11/2019	23:50	61.7	65.5	57.6	
06/11/2019	23:55	61.8	65.4	57.5	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	0:00	61	64.2	57.1	61.2
07/11/2019	0:05	61.7	65	57.3	
07/11/2019	0:10	61.7	65.6	57.5	
07/11/2019	0:15	61.3	65.4	57.3	
07/11/2019	0:20	61	64.3	57.4	
07/11/2019	0:25	60.6	64.4	56.6	62.0
07/11/2019	0:30	61.2	64.9	56.9	
07/11/2019	0:35	61.7	66.2	57	
07/11/2019	0:40	61.4	65.3	57	
07/11/2019	0:45	63.1	68.8	56.9	
07/11/2019	0:50	62.3	66.6	57	61.6
07/11/2019	0:55	62.3	65.7	57.3	
07/11/2019	1:00	60.7	65.2	56.8	
07/11/2019	1:05	60.3	64	56.9	
07/11/2019	1:10	61.4	65.2	57	
07/11/2019	1:15	60.8	64.4	57.1	61.6
07/11/2019	1:20	63.2	68.4	57.3	
07/11/2019	1:25	62.2	66.5	57	
07/11/2019	1:30	61.1	65.5	56.8	
07/11/2019	1:35	62.5	67.5	56.9	
07/11/2019	1:40	62.3	66.2	57.1	60.6
07/11/2019	1:45	61.2	65.1	56.9	
07/11/2019	1:50	60.7	65.2	56.7	
07/11/2019	1:55	61.8	66.2	56.8	
07/11/2019	2:00	61.2	64.7	57.1	
07/11/2019	2:05	60.3	63.8	56.8	60.8
07/11/2019	2:10	60.6	64.6	56.8	
07/11/2019	2:15	60.4	64.4	56.5	
07/11/2019	2:20	60.9	64.3	57	
07/11/2019	2:25	60.2	64.2	56.7	
07/11/2019	2:30	60.6	64.1	56.9	61.1
07/11/2019	2:35	60.9	64.5	56.8	
07/11/2019	2:40	60.7	64.6	56.9	
07/11/2019	2:45	60.6	64.5	56.8	
07/11/2019	2:50	60.8	64.3	56.9	
07/11/2019	2:55	61.4	65.3	56.8	62.6
07/11/2019	3:00	61.7	65.1	57.1	
07/11/2019	3:05	61	64.9	57	
07/11/2019	3:10	60.8	63.4	56.9	
07/11/2019	3:15	60.9	64.2	56.7	
07/11/2019	3:20	60.9	64.4	57	64.1
07/11/2019	3:25	61.4	65.2	56.7	
07/11/2019	3:30	61.3	65.1	56.9	
07/11/2019	3:35	61	64	57.2	
07/11/2019	3:40	63	66.5	57.4	
07/11/2019	3:45	63	67.9	57.7	65.8
07/11/2019	3:50	63.4	68.7	57.6	
07/11/2019	3:55	63.4	67.6	57.5	
07/11/2019	4:00	62.9	66.4	58.1	
07/11/2019	4:05	63.7	68	58	
07/11/2019	4:10	63.6	67.2	59	60.5
07/11/2019	4:15	64	67.4	58.3	
07/11/2019	4:20	64.8	68.8	58.4	
07/11/2019	4:25	65.1	68	59	
07/11/2019	4:30	64.5	67.4	60.2	
07/11/2019	4:35	66.1	70.2	60.9	59.5
07/11/2019	4:40	65.4	68.6	60.3	
07/11/2019	4:45	65.8	70.2	60.2	
07/11/2019	4:50	66.3	69.8	62.5	
07/11/2019	4:55	66.6	69.1	62.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	5:00	67.2	70.1	62.7	66.6
07/11/2019	5:05	66.7	69.2	63.6	
07/11/2019	5:10	67	70.3	63.8	
07/11/2019	5:15	66.3	69.1	62.3	
07/11/2019	5:20	66.4	69.7	62.8	
07/11/2019	5:25	66.2	69.3	61.6	66.6
07/11/2019	5:30	66	69.9	62.3	
07/11/2019	5:35	66.1	69	62.7	
07/11/2019	5:40	66.5	69.7	62.8	
07/11/2019	5:45	66.6	69.1	64.3	
07/11/2019	5:50	67.4	70.9	64.2	66.6
07/11/2019	5:55	66.8	69.6	64.3	
07/11/2019	6:00	66.8	69.6	64.2	
07/11/2019	6:05	66.9	70.2	63.9	
07/11/2019	6:10	66.8	69.7	64.3	
07/11/2019	6:15	66.7	70.1	64	66.5
07/11/2019	6:20	66.3	70.3	63.4	
07/11/2019	6:25	66.3	69.1	63.8	
07/11/2019	6:30	66.3	69.5	63.4	
07/11/2019	6:35	66.7	69.3	64.5	
07/11/2019	6:40	66.4	69	64.4	62.6
07/11/2019	6:45	67.1	71	63.8	
07/11/2019	6:50	66.5	70.2	64.2	
07/11/2019	6:55	66.2	69.2	63.9	
07/11/2019	23:00	62.1	66.6	56.2	
07/11/2019	23:05	64.6	69.3	55.9	61.8
07/11/2019	23:10	63.8	69.9	53.6	
07/11/2019	23:15	61.7	67.7	53.1	
07/11/2019	23:20	61.8	67.1	53.2	
07/11/2019	23:25	60.3	65.7	53.7	
07/11/2019	23:30	60.3	65.7	53.3	62.6
07/11/2019	23:35	60.5	66.2	52.9	
07/11/2019	23:40	61.8	66.6	52.9	
07/11/2019	23:45	63.3	69.8	53.4	
07/11/2019	23:50	62.4	68.2	53.1	
07/11/2019	23:55	62	68.9	53.1	61.4
08/11/2019	0:00	60.5	65.6	52.9	
08/11/2019	0:05	62.3	68.5	53.3	
08/11/2019	0:10	64.8	69.5	56.5	
08/11/2019	0:15	63	69	55.6	
08/11/2019	0:20	63	69.7	55.5	60.5
08/11/2019	0:25	60.6	65.8	55.3	
08/11/2019	0:30	63.9	67.9	55.7	
08/11/2019	0:35	61.6	67.8	55.2	
08/11/2019	0:40	60.2	65.9	55.2	
08/11/2019	0:45	61	66.4	55.6	60.5
08/11/2019	0:50	60.2	64.9	55.1	
08/11/2019	0:55	60.2	65.3	55.1	
08/11/2019	1:00	61.7	66.5	55.6	
08/11/2019	1:05	61.2	66.1	55.6	
08/11/2019	1:10	61.8	67.3	52.2	59.5
08/11/2019	1:15	59.9	66.3	52	
08/11/2019	1:20	59.8	66.2	51.5	
08/11/2019	1:25	56.9	62.4	51.2	
08/11/2019	1:30	58.1	64.4	51.6	
08/11/2019	1:35	59	65.1	51.6	59.5
08/11/2019	1:40	62.9	69.6	52	
08/11/2019	1:45	54.8	60	50.2	
08/11/2019	1:50	60.5	66.7	50.5	
08/11/2019	1:55	57.6	63.1	50.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	2:00	58.7	64.7	50.4	58.2
08/11/2019	2:05	56.2	60.4	50.6	
08/11/2019	2:10	57.9	62.1	54.6	
08/11/2019	2:15	60	64.3	54.7	
08/11/2019	2:20	58.7	63.7	54.6	
08/11/2019	2:25	56.5	60.1	54.3	59.0
08/11/2019	2:30	56.7	59.7	54.4	
08/11/2019	2:35	60.6	65.4	54.6	
08/11/2019	2:40	58.1	62	54.6	
08/11/2019	2:45	59.9	64.4	54.5	
08/11/2019	2:50	56.2	58.8	54.5	61.8
08/11/2019	2:55	60.6	65.8	54.6	
08/11/2019	3:00	68.3	68.3	54.5	
08/11/2019	3:05	58.2	63.2	54	
08/11/2019	3:10	54.6	60.6	49.3	
08/11/2019	3:15	55.4	61.7	49.1	56.4
08/11/2019	3:20	56.7	62.6	49.7	
08/11/2019	3:25	57.1	63.8	49.9	
08/11/2019	3:30	57.1	63.8	49.2	
08/11/2019	3:35	56.6	61.6	49.7	
08/11/2019	3:40	56.1	62	49.4	64.7
08/11/2019	3:45	56.2	61.9	49.2	
08/11/2019	3:50	55.3	60.4	49.5	
08/11/2019	3:55	56.8	62.8	49.8	
08/11/2019	4:00	56.4	62.3	49.8	
08/11/2019	4:05	71.5	78	49.6	60.9
08/11/2019	4:10	59.7	64.8	54.4	
08/11/2019	4:15	58.5	61.6	54.3	
08/11/2019	4:20	60	66.6	54.5	
08/11/2019	4:25	57.6	61.9	54.4	
08/11/2019	4:30	65.6	72.7	54.5	57.1
08/11/2019	4:35	57.4	62	54.5	
08/11/2019	4:40	58.2	63.4	54.3	
08/11/2019	4:45	57.7	62.3	54.4	
08/11/2019	4:50	60.7	66.1	54.3	
08/11/2019	4:55	58.9	65.5	54.2	58.5
08/11/2019	5:00	57.9	62.9	54.2	
08/11/2019	5:05	57.5	61.9	53.8	
08/11/2019	5:10	56.5	59.2	48.5	
08/11/2019	5:15	55.4	61.9	49	
08/11/2019	5:20	55.9	61	49.2	61.7
08/11/2019	5:25	58.5	65.1	49.8	
08/11/2019	5:30	58.9	65.1	50	
08/11/2019	5:35	53.8	59.9	49.6	
08/11/2019	5:40	57.9	64	50	
08/11/2019	5:45	58.7	64.8	49.5	65.5
08/11/2019	5:50	58	64.4	50.3	
08/11/2019	5:55	60.8	66.7	50.9	
08/11/2019	6:00	59.7	66.3	53.1	
08/11/2019	6:05	59.5	65.7	51.9	
08/11/2019	6:10	60.3	66.2	55	57.6
08/11/2019	6:15	63.7	68.6	56.3	
08/11/2019	6:20	62.7	68.1	56.1	
08/11/2019	6:25	62.4	68.5	55.5	
08/11/2019	6:30	62.2	66.6	56.4	
08/11/2019	6:35	63.1	68.2	56.8	58.0
08/11/2019	6:40	64.8	69.7	57.8	
08/11/2019	6:45	68.5	71	58.1	
08/11/2019	6:50	63.4	68.6	57.5	
08/11/2019	6:55	67.2	71.8	57.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	23:00	64.8	68.2	56.8	63.4
08/11/2019	23:05	64.1	68.7	56.4	
08/11/2019	23:10	63.1	68.1	52.9	
08/11/2019	23:15	63	67.3	54.5	
08/11/2019	23:20	61.9	67.3	53.7	
08/11/2019	23:25	62.6	68.4	54.3	62.3
08/11/2019	23:30	63.6	69	55.2	
08/11/2019	23:35	61.9	66.9	53.4	
08/11/2019	23:40	64.5	68.7	54.3	
08/11/2019	23:45	60.8	66.7	52.8	
08/11/2019	23:50	61.3	67.5	52.9	62.1
08/11/2019	23:55	60.2	65.8	52.9	
09/11/2019	0:00	59.8	65.7	53.5	
09/11/2019	0:05	62.1	67.4	53.2	
09/11/2019	0:10	60.8	66.4	55.5	
09/11/2019	0:15	61.5	66.8	55.9	61.2
09/11/2019	0:20	62.6	67.9	55.6	
09/11/2019	0:25	64.2	71.2	56.2	
09/11/2019	0:30	60.9	65.9	55.4	
09/11/2019	0:35	60.5	65.8	55.2	
09/11/2019	0:40	59.9	64.8	55.1	60.1
09/11/2019	0:45	63.3	69	55.5	
09/11/2019	0:50	61.1	66.7	55	
09/11/2019	0:55	60.7	66.4	55.1	
09/11/2019	1:00	60	65.2	54.9	
09/11/2019	1:05	63.1	69.3	55.1	58.0
09/11/2019	1:10	58.8	64.4	51.6	
09/11/2019	1:15	59.7	66	50.9	
09/11/2019	1:20	58.9	65.4	51.3	
09/11/2019	1:25	57.9	63.5	51.4	
09/11/2019	1:30	60.9	66.8	51.5	59.7
09/11/2019	1:35	57.6	63.2	50.8	
09/11/2019	1:40	56.1	62	50.7	
09/11/2019	1:45	58.2	64	50.6	
09/11/2019	1:50	56.6	63.3	50.8	
09/11/2019	1:55	56.3	61.7	51.2	58.2
09/11/2019	2:00	57	61.5	50.9	
09/11/2019	2:05	57	63.6	50.7	
09/11/2019	2:10	57.9	62	54.8	
09/11/2019	2:15	58.8	64.3	54.8	
09/11/2019	2:20	64	67.7	55	57.6
09/11/2019	2:25	58.8	64.7	54.7	
09/11/2019	2:30	58	62.3	54.8	
09/11/2019	2:35	57.7	62	54.8	
09/11/2019	2:40	59.7	65	54.9	
09/11/2019	2:45	57.6	61.3	54.8	58.0
09/11/2019	2:50	57.9	62.2	54.9	
09/11/2019	2:55	57.7	63.1	54.4	
09/11/2019	3:00	59	63.7	54.5	
09/11/2019	3:05	57.7	61.3	54.1	
09/11/2019	3:10	55.9	62.7	50.4	58.0
09/11/2019	3:15	57.5	62.2	50.4	
09/11/2019	3:20	59	65.7	50.1	
09/11/2019	3:25	55.5	60.3	50.1	
09/11/2019	3:30	57.1	63.6	49.8	
09/11/2019	3:35	61.1	68.4	50.4	58.0
09/11/2019	3:40	55.6	61.6	49.5	
09/11/2019	3:45	56.4	62.3	49.8	
09/11/2019	3:50	59.4	65.6	50.6	
09/11/2019	3:55	55.2	61.1	50.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	4:00	56.9	61.6	49.3	57.6
09/11/2019	4:05	59.1	64.9	49.9	
09/11/2019	4:10	55.9	58.7	54.3	
09/11/2019	4:15	58.1	62.8	54.3	
09/11/2019	4:20	56.5	60.7	54.3	
09/11/2019	4:25	58.2	63.4	54.4	60.1
09/11/2019	4:30	64.4	70.4	54.9	
09/11/2019	4:35	58.1	62.8	54.7	
09/11/2019	4:40	58	62.5	54.5	
09/11/2019	4:45	58	63.2	54.5	
09/11/2019	4:50	59.1	63.2	54.6	57.2
09/11/2019	4:55	58.6	64.9	54.3	
09/11/2019	5:00	57.4	61	54.5	
09/11/2019	5:05	58.2	62.9	54.1	
09/11/2019	5:10	57.9	63.4	50.1	
09/11/2019	5:15	54.5	59.2	50.1	59.5
09/11/2019	5:20	58.5	64.8	49.8	
09/11/2019	5:25	55.5	60.5	49.8	
09/11/2019	5:30	61	68.4	49.7	
09/11/2019	5:35	56.9	62.7	49.9	
09/11/2019	5:40	59.8	65.5	50.1	60.9
09/11/2019	5:45	57.1	63.3	50.4	
09/11/2019	5:50	62.4	66.7	51.3	
09/11/2019	5:55	55.9	61.3	50.8	
09/11/2019	6:00	58.5	63.8	50.8	
09/11/2019	6:05	59.2	63.6	50.3	62.8
09/11/2019	6:10	63.3	68.7	55.4	
09/11/2019	6:15	60.5	65.7	55.5	
09/11/2019	6:20	61.9	66.7	55.8	
09/11/2019	6:25	60.4	66.7	55.2	
09/11/2019	6:30	62.6	69.1	56	70.7
09/11/2019	6:35	62.5	68.1	56.5	
09/11/2019	6:40	62.2	66.7	56.5	
09/11/2019	6:45	63.8	69.7	56.6	
09/11/2019	6:50	63.6	68.8	57.4	
09/11/2019	6:55	61.6	66.8	56.6	64.5
09/11/2019	23:00	59.2	65.4	51.1	
09/11/2019	23:05	77.6	80.1	52.4	
09/11/2019	23:10	62.2	67.9	51.6	
09/11/2019	23:15	67.3	72.6	51.3	
09/11/2019	23:20	60.6	66.1	50.8	63.1
09/11/2019	23:25	66.7	67.7	53.5	
09/11/2019	23:30	62.1	69.8	50.6	
09/11/2019	23:35	68.3	70.7	51.2	
09/11/2019	23:40	65	70.5	51.1	
09/11/2019	23:45	63.3	69.9	51.4	63.4
09/11/2019	23:50	59.9	65.6	52.1	
09/11/2019	23:55	63.3	68.7	55.8	
10/11/2019	0:00	63.4	69.6	55.2	
10/11/2019	0:05	62.6	67.8	54.9	
10/11/2019	0:10	61.1	66.9	54.9	63.4
10/11/2019	0:15	60.6	66.4	54.8	
10/11/2019	0:20	66.2	70.3	54.9	
10/11/2019	0:25	61.9	67.2	54.8	
10/11/2019	0:30	62.7	68.9	54.5	
10/11/2019	0:35	62.3	68	54.9	63.4
10/11/2019	0:40	61.3	67.4	55	
10/11/2019	0:45	67.1	72.1	55.1	
10/11/2019	0:50	62.6	67.1	53.2	
10/11/2019	0:55	61	67.5	50.3	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	1:00	57.6	63	52.6	60.7
10/11/2019	1:05	62.3	67	53.5	
10/11/2019	1:10	61.6	67	49.8	
10/11/2019	1:15	58.8	65.2	49.9	
10/11/2019	1:20	57.9	64.1	49.8	
10/11/2019	1:25	62.8	66.4	49.3	61.9
10/11/2019	1:30	56.6	61.9	48.6	
10/11/2019	1:35	65.2	72.9	49.7	
10/11/2019	1:40	57	63	49.1	
10/11/2019	1:45	58.7	64.2	49.6	
10/11/2019	1:50	65.4	69.6	52.5	58.5
10/11/2019	1:55	59.1	64.8	54.2	
10/11/2019	2:00	58.4	63.4	54.3	
10/11/2019	2:05	59.4	65	54.3	
10/11/2019	2:10	58.2	62.2	54.2	
10/11/2019	2:15	58.9	65.8	54	62.6
10/11/2019	2:20	56.7	60.5	54	
10/11/2019	2:25	58.9	64.2	54.1	
10/11/2019	2:30	59.4	65.3	54.2	
10/11/2019	2:35	68.5	68.9	54	
10/11/2019	2:40	60.5	65	54	56.2
10/11/2019	2:45	59.5	65.9	54	
10/11/2019	2:50	56.8	61.4	49.2	
10/11/2019	2:55	55.6	62.3	48.1	
10/11/2019	3:00	53.7	58.5	48.1	
10/11/2019	3:05	56.8	63.4	48	54.4
10/11/2019	3:10	57.3	64.2	48.2	
10/11/2019	3:15	56.4	62.9	48.1	
10/11/2019	3:20	55.6	60.8	48.2	
10/11/2019	3:25	56.7	63.9	48.4	
10/11/2019	3:30	53.3	59.2	47.8	57.8
10/11/2019	3:35	54.1	60.3	48.1	
10/11/2019	3:40	53.9	60.7	48.1	
10/11/2019	3:45	52.9	58	47.4	
10/11/2019	3:50	54.1	57.7	48.1	
10/11/2019	3:55	57	61.5	54	57.7
10/11/2019	4:00	58.4	64.2	54	
10/11/2019	4:05	59.4	64.7	54.1	
10/11/2019	4:10	58.5	64.4	53.9	
10/11/2019	4:15	56.4	60.5	53.9	
10/11/2019	4:20	57.2	61.4	54.1	56.0
10/11/2019	4:25	55.9	59.3	53.9	
10/11/2019	4:30	56.2	59.8	53.9	
10/11/2019	4:35	57	61.8	54	
10/11/2019	4:40	56	59.6	54	
10/11/2019	4:45	59.6	65.9	54	57.8
10/11/2019	4:50	57.8	63.6	49.4	
10/11/2019	4:55	58.6	65.7	48.5	
10/11/2019	5:00	57	63.9	48.2	
10/11/2019	5:05	57	60.9	48.8	
10/11/2019	5:10	56	62.1	48.3	57.8
10/11/2019	5:15	54.1	60.1	48	
10/11/2019	5:20	57.1	63.7	47.8	
10/11/2019	5:25	53.5	58.8	48	
10/11/2019	5:30	58.3	64.8	49.1	
10/11/2019	5:35	55.1	61.4	48.5	57.8
10/11/2019	5:40	58.4	64.7	48.9	
10/11/2019	5:45	56	61.4	48.6	
10/11/2019	5:50	57.4	62.7	48.9	
10/11/2019	5:55	60	65.6	54.5	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	6:00	64	67.5	55.3	63.9
10/11/2019	6:05	62.7	67.7	55	
10/11/2019	6:10	61.7	66.9	56.2	
10/11/2019	6:15	62.5	67.1	55.2	
10/11/2019	6:20	65.3	70.2	55.3	
10/11/2019	6:25	65.6	71.6	55.4	
10/11/2019	6:30	64.3	70	55.8	63.8
10/11/2019	6:35	62.5	67.4	56	
10/11/2019	6:40	65	69.5	57.5	
10/11/2019	6:45	64.7	69.4	56.4	
10/11/2019	6:50	62.1	68	51.5	
10/11/2019	6:55	63.3	69.2	52.7	
10/11/2019	23:00	61.2	67.7	50.5	59.5
10/11/2019	23:05	57.6	63.2	50.3	
10/11/2019	23:10	59.5	64.9	51.3	
10/11/2019	23:15	58.7	64.3	50.8	
10/11/2019	23:20	60.7	66.9	50.6	
10/11/2019	23:25	58.2	63.5	50.7	
10/11/2019	23:30	59.2	65.9	49.7	60.6
10/11/2019	23:35	63.4	69.7	50.4	
10/11/2019	23:40	59	64	49.8	
10/11/2019	23:45	60	66.4	50.1	
10/11/2019	23:50	58.7	64.2	50.1	
10/11/2019	23:55	61.1	66.4	55	
Average		63.1			63.1
Max		77.6	80.1	67	71.4
Min		51.7	56.2	36.2	54.4

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	0:00	58.8	62.1	54.7	59.5
28/10/2019	0:05	59.1	62.3	55.3	
28/10/2019	0:10	59.3	63.1	54.8	
28/10/2019	0:15	59.4	64	54.8	
28/10/2019	0:20	60.2	64.9	54.8	
28/10/2019	0:25	59.8	65.1	54.6	
28/10/2019	0:30	59.7	64.4	54.7	59.5
28/10/2019	0:35	58.9	62.2	54.8	
28/10/2019	0:40	59.4	63.7	54.9	
28/10/2019	0:45	59.2	63	55.1	
28/10/2019	0:50	59.4	63.5	54.7	
28/10/2019	0:55	60.1	65.2	54.7	
28/10/2019	1:00	60.7	64.7	54.9	59.6
28/10/2019	1:05	60.9	68.2	54.5	
28/10/2019	1:10	59.1	62.9	54.6	
28/10/2019	1:15	59	63.3	54.7	
28/10/2019	1:20	58.7	62.6	54.7	
28/10/2019	1:25	58.9	62.8	55	
28/10/2019	1:30	58.7	62.5	54.8	59.1
28/10/2019	1:35	59.4	64.1	55.2	
28/10/2019	1:40	60.1	65	55	
28/10/2019	1:45	58.8	62.2	55.1	
28/10/2019	1:50	58.9	62.7	55.2	
28/10/2019	1:55	58.6	62.4	54.6	
28/10/2019	2:00	58.9	62.5	55	58.9
28/10/2019	2:05	58.8	62.1	55.3	
28/10/2019	2:10	58.7	62.4	55	
28/10/2019	2:15	59	62.8	55.3	
28/10/2019	2:20	58.8	63	54.9	
28/10/2019	2:25	59	63.3	55	
28/10/2019	2:30	58.5	62.4	55	59.1
28/10/2019	2:35	59.2	63.2	55	
28/10/2019	2:40	59.4	63.9	55.2	
28/10/2019	2:45	59	62.9	55.4	
28/10/2019	2:50	59.4	62.6	55.5	
28/10/2019	2:55	59.2	62.1	55.7	
28/10/2019	3:00	58.8	62.4	55.3	59.4
28/10/2019	3:05	59.6	63.2	55.4	
28/10/2019	3:10	59.3	62.9	55.5	
28/10/2019	3:15	59.1	62.3	55.6	
28/10/2019	3:20	59.8	63	55.9	
28/10/2019	3:25	59.6	63.8	56.1	
28/10/2019	3:30	61.1	65.4	56.1	61.2
28/10/2019	3:35	60.9	64.9	56.2	
28/10/2019	3:40	61.4	65.4	56.4	
28/10/2019	3:45	60.3	64.4	55.8	
28/10/2019	3:50	61.3	65.3	55.8	
28/10/2019	3:55	61.8	65.9	57.2	
28/10/2019	4:00	61.4	64.5	57.8	62.8
28/10/2019	4:05	62.7	66.7	58.2	
28/10/2019	4:10	63.1	67.8	58.4	
28/10/2019	4:15	63.4	67.7	57.1	
28/10/2019	4:20	62.7	66	58.4	
28/10/2019	4:25	63.3	67.6	59.4	
28/10/2019	4:30	63.3	67.3	58.6	64.2
28/10/2019	4:35	64.1	68.1	60.3	
28/10/2019	4:40	64	67.3	60.7	
28/10/2019	4:45	64.4	67.8	60.6	
28/10/2019	4:50	64.8	68.1	61.7	
28/10/2019	4:55	64.2	66.8	61.6	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
28/10/2019	5:00	64.4	67.3	61.3	64.6
28/10/2019	5:05	63.9	67	60.3	
28/10/2019	5:10	64.6	68.1	61.6	
28/10/2019	5:15	65.1	66.9	62.7	
28/10/2019	5:20	65	67.7	62.5	
28/10/2019	5:25	64.5	67.9	60.8	
28/10/2019	5:30	64.2	67	61.6	64.5
28/10/2019	5:35	64.8	68.1	61.8	
28/10/2019	5:40	64.5	67.3	61	
28/10/2019	5:45	64	66.5	61.7	
28/10/2019	5:50	64.7	67.5	61.9	
28/10/2019	5:55	64.7	67.9	61.5	
28/10/2019	6:00	65	69.1	61.6	64.4
28/10/2019	6:05	64.6	68	61.9	
28/10/2019	6:10	64.6	67.4	62	
28/10/2019	6:15	64.2	67.5	61.6	
28/10/2019	6:20	63.9	66.4	61.8	
28/10/2019	6:25	64.1	67.3	61.8	
28/10/2019	6:30	64	67.6	61.5	64.2
28/10/2019	6:35	64.4	66.8	61.8	
28/10/2019	6:40	63.9	67.6	61.6	
28/10/2019	6:45	64.4	67.5	62	
28/10/2019	6:50	64.2	67.2	61.9	
28/10/2019	6:55	64.3	66.6	61.6	
28/10/2019	23:00	61.9	65.1	52.1	59.1
28/10/2019	23:05	59.3	62.1	52.8	
28/10/2019	23:10	57.7	62.7	49.8	
28/10/2019	23:15	57.2	64.4	49.9	
28/10/2019	23:20	59.5	62.3	49	
28/10/2019	23:25	56.8	63.8	49.4	
28/10/2019	23:30	57.5	64.3	48.9	60.8
28/10/2019	23:35	59.3	70.1	50.8	
28/10/2019	23:40	63	66.7	48.2	
28/10/2019	23:45	57.1	67.9	51.5	
28/10/2019	23:50	64.6	67.4	48.5	
28/10/2019	23:55	55.9	67.1	49.7	
29/10/2019	0:00	61.7	64.2	48	59.8
29/10/2019	0:05	57.1	63.4	48.9	
29/10/2019	0:10	57.5	68.7	48.9	
29/10/2019	0:15	62.6	62.7	52.4	
29/10/2019	0:20	57.7	63.7	52.4	
29/10/2019	0:25	58.9	66.9	52.3	
29/10/2019	0:30	61.6	64.7	52.1	59.1
29/10/2019	0:35	58.6	62.2	51.9	
29/10/2019	0:40	57.3	61.6	51.7	
29/10/2019	0:45	56.5	63.3	51.8	
29/10/2019	0:50	58.8	64.3	51.8	
29/10/2019	0:55	59.6	61.6	51.5	
29/10/2019	1:00	57.1	61.4	51.8	57.1
29/10/2019	1:05	56.5	62.4	51.8	
29/10/2019	1:10	57.1	62.3	47.3	
29/10/2019	1:15	56	65.1	47.6	
29/10/2019	1:20	58.7	63.2	47.1	
29/10/2019	1:25	56.4	64.2	47.1	
29/10/2019	1:30	68.6	71.4	46.9	62.0
29/10/2019	1:35	55.9	59.3	46.8	
29/10/2019	1:40	53.5	61.5	46.6	
29/10/2019	1:45	55.9	59.5	46.6	
29/10/2019	1:50	54.7	64.5	47.6	
29/10/2019	1:55	59.8	60.8	46	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	2:00	55.1	62.7	46.7	55.7
29/10/2019	2:05	56.9	65	46.1	
29/10/2019	2:10	51	60.4	46	
29/10/2019	2:15	54.1	64.2	51.4	
29/10/2019	2:20	58.5	59.6	51.4	
29/10/2019	2:25	55	63.6	51.4	
29/10/2019	2:30	57.1	59.7	51.4	56.4
29/10/2019	2:35	56.5	63.6	51.3	
29/10/2019	2:40	57.6	60.3	51.1	
29/10/2019	2:45	54.8	57.8	51.1	
29/10/2019	2:50	53.5	62.3	51.8	
29/10/2019	2:55	57.6	57.6	51.1	
29/10/2019	3:00	53.6	59.6	51.1	54.3
29/10/2019	3:05	54.4	62.4	51.3	
29/10/2019	3:10	57	60	45.6	
29/10/2019	3:15	55	58	45.8	
29/10/2019	3:20	51.7	58.4	45.8	
29/10/2019	3:25	52.1	62.4	46.1	
29/10/2019	3:30	54.7	61.1	46.3	58.6
29/10/2019	3:35	55.6	58.4	45.9	
29/10/2019	3:40	53.1	58.1	46.1	
29/10/2019	3:45	52.3	65.6	46.2	
29/10/2019	3:50	59.1	66.5	54.5	
29/10/2019	3:55	64	67	62	
29/10/2019	4:00	64.8	66.6	61.9	63.5
29/10/2019	4:05	64.4	67	61.9	
29/10/2019	4:10	64.8	67.2	61.4	
29/10/2019	4:15	64.7	65.9	51.2	
29/10/2019	4:20	60.3	62.4	50.8	
29/10/2019	4:25	57.3	61.9	52.4	
29/10/2019	4:30	57	59.8	51.8	57.1
29/10/2019	4:35	55	66.7	51.7	
29/10/2019	4:40	61.2	64.7	51.6	
29/10/2019	4:45	53.7	60.6	51.7	
29/10/2019	4:50	55.5	60	51.7	
29/10/2019	4:55	55.5	62.1	51.7	
29/10/2019	5:00	55.8	59.1	51.7	54.2
29/10/2019	5:05	55	60.6	51.7	
29/10/2019	5:10	55.1	60	51.7	
29/10/2019	5:15	52.7	62.1	51.7	
29/10/2019	5:20	53.8	59.1	51.7	
29/10/2019	5:25	51	59.7	49.6	
29/10/2019	5:30	50.4	56	47.1	54.0
29/10/2019	5:35	53.9	61	46.6	
29/10/2019	5:40	52	55.1	46.7	
29/10/2019	5:45	56	61.8	46.8	
29/10/2019	5:50	56.2	60.4	46.8	
29/10/2019	5:55	52.8	57.5	46.4	
29/10/2019	6:00	56.4	62.8	47.7	59.8
29/10/2019	6:05	56.9	61.8	47.4	
29/10/2019	6:10	56.9	59.3	46.4	
29/10/2019	6:15	62	62.1	47.8	
29/10/2019	6:20	61.5	63.4	48.3	
29/10/2019	6:25	61.2	63.9	46.9	
29/10/2019	6:30	60	66.2	47.5	61.1
29/10/2019	6:35	63.8	66.3	53	
29/10/2019	6:40	58.9	66.2	52.7	
29/10/2019	6:45	60.8	65.3	52.7	
29/10/2019	6:50	61.7	68.8	53.7	
29/10/2019	6:55	59.6	64.2	53.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
29/10/2019	23:00	60	70.1	57.2	59.4
29/10/2019	23:05	59.3	62.4	48.1	
29/10/2019	23:10	59.5	70.3	49.4	
29/10/2019	23:15	60.1	64.9	48.6	
29/10/2019	23:20	58.6	63.8	48.3	
29/10/2019	23:25	58.9	63.1	47.8	
29/10/2019	23:30	56.2	64.7	50.5	67.6
29/10/2019	23:35	74.6	76.8	47.6	
29/10/2019	23:40	59.2	67.7	48.2	
29/10/2019	23:45	64.3	67.5	48.1	
29/10/2019	23:50	56.9	66.9	48.4	
29/10/2019	23:55	60.3	62.6	49.1	
30/10/2019	0:00	51.7	55.7	47.7	49.8
30/10/2019	0:05	48.7	51	47.5	
30/10/2019	0:10	48.4	51.3	47.2	
30/10/2019	0:15	51.3	56.2	47.3	
30/10/2019	0:20	48.9	51.9	47.3	
30/10/2019	0:25	48.6	51.6	47.2	
30/10/2019	0:30	48.9	53.4	47.1	56.4
30/10/2019	0:35	52.8	58.2	47.3	
30/10/2019	0:40	48.6	51.4	47.4	
30/10/2019	0:45	62.7	70.1	47.3	
30/10/2019	0:50	53	59	47.2	
30/10/2019	0:55	53.9	60	47.4	
30/10/2019	1:00	48.5	51.6	47.1	50.9
30/10/2019	1:05	56	63.2	47.2	
30/10/2019	1:10	47.4	47.9	46.8	
30/10/2019	1:15	49.3	54.1	47	
30/10/2019	1:20	47.3	48.3	46.8	
30/10/2019	1:25	48.8	51.8	46.8	
30/10/2019	1:30	48.5	51.7	47	48.0
30/10/2019	1:35	47.4	48	47	
30/10/2019	1:40	49.1	52.2	47.5	
30/10/2019	1:45	47.4	48.3	46.9	
30/10/2019	1:50	47.8	48.4	47.3	
30/10/2019	1:55	47.6	49.3	46.6	
30/10/2019	2:00	46.9	47.3	46.6	48.0
30/10/2019	2:05	47.6	49.8	46.8	
30/10/2019	2:10	47.7	49.8	46.8	
30/10/2019	2:15	47.5	49.2	46.8	
30/10/2019	2:20	49.3	52	46.5	
30/10/2019	2:25	48.4	51.3	46.8	
30/10/2019	2:30	47.2	47.9	46.8	47.2
30/10/2019	2:35	47.3	48.4	46.7	
30/10/2019	2:40	47.3	49.7	46.5	
30/10/2019	2:45	47.1	48.2	46.6	
30/10/2019	2:50	47.2	47.8	46.6	
30/10/2019	2:55	47	47.5	46.7	
30/10/2019	3:00	47	47.4	46.6	47.9
30/10/2019	3:05	47	47.6	46.6	
30/10/2019	3:10	49.3	52.6	46.6	
30/10/2019	3:15	49.4	51.5	46.9	
30/10/2019	3:20	46.9	47.5	46.5	
30/10/2019	3:25	47.1	48.3	46.6	
30/10/2019	3:30	46.9	47.5	46.5	47.0
30/10/2019	3:35	46.7	47.2	46.3	
30/10/2019	3:40	47	47.5	46.5	
30/10/2019	3:45	47.2	47.8	46.6	
30/10/2019	3:50	46.9	48.4	46.2	
30/10/2019	3:55	47.1	47.9	46.5	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
30/10/2019	4:00	46.9	48	46.4	47.7
30/10/2019	4:05	46.8	47.2	46.5	
30/10/2019	4:10	47.6	50.7	46.5	
30/10/2019	4:15	46.6	46.9	46.3	
30/10/2019	4:20	47.6	49.1	46.5	
30/10/2019	4:25	49.8	54.2	47.2	
30/10/2019	4:30	47.6	48.2	46.9	47.1
30/10/2019	4:35	47	47.4	46.6	
30/10/2019	4:40	47	47.6	46.5	
30/10/2019	4:45	47	48.4	46.3	
30/10/2019	4:50	46.7	47	46.4	
30/10/2019	4:55	47	48.8	46.4	
30/10/2019	5:00	46.8	47.3	46.4	47.0
30/10/2019	5:05	46.7	47	46.4	
30/10/2019	5:10	47.3	49.2	46.5	
30/10/2019	5:15	47.1	48.4	46.5	
30/10/2019	5:20	47	47.5	46.5	
30/10/2019	5:25	47.2	48.5	46.4	
30/10/2019	5:30	46.8	47.4	46.3	47.4
30/10/2019	5:35	48	50.1	46.6	
30/10/2019	5:40	47.1	47.9	46.5	
30/10/2019	5:45	47.9	49.1	46.6	
30/10/2019	5:50	47.2	48	46.5	
30/10/2019	5:55	47.1	47.9	46.5	
30/10/2019	6:00	46.7	47.2	46.2	47.0
30/10/2019	6:05	47	47.5	46.6	
30/10/2019	6:10	46.9	47.6	46.4	
30/10/2019	6:15	47	47.6	46.5	
30/10/2019	6:20	47	47.6	46.6	
30/10/2019	6:25	47.5	48.3	46.9	
30/10/2019	6:30	47.2	47.9	46.7	47.6
30/10/2019	6:35	48.3	50.2	46.7	
30/10/2019	6:40	47.5	48.1	47	
30/10/2019	6:45	48.2	49.8	46.8	
30/10/2019	6:50	47.2	47.8	46.6	
30/10/2019	6:55	47.2	47.8	46.8	
30/10/2019	23:00	51.4	55	48.3	51.3
30/10/2019	23:05	51.1	56.5	47.5	
30/10/2019	23:10	50.6	55.2	47.6	
30/10/2019	23:15	52.7	58	48.5	
30/10/2019	23:20	51.3	55.7	47.9	
30/10/2019	23:25	50.6	53.6	48.1	
30/10/2019	23:30	49.4	52.2	47.8	52.4
30/10/2019	23:35	52.9	57.2	48.8	
30/10/2019	23:40	51.3	54.7	48.5	
30/10/2019	23:45	55.6	61.6	48.2	
30/10/2019	23:50	51.5	54.1	47.6	
30/10/2019	23:55	50.4	54.5	47.9	
31/10/2019	0:00	50.4	54.6	48.1	50.2
31/10/2019	0:05	51.5	56	48.2	
31/10/2019	0:10	50	53.2	48.3	
31/10/2019	0:15	50.4	53.7	47.9	
31/10/2019	0:20	49.7	52.6	47.7	
31/10/2019	0:25	48.8	50.2	47.9	
31/10/2019	0:30	50.8	55.3	48.2	49.9
31/10/2019	0:35	51	54.5	48.6	
31/10/2019	0:40	50.1	52.7	48.2	
31/10/2019	0:45	49.7	52.6	47.9	
31/10/2019	0:50	48.6	50.1	47.5	
31/10/2019	0:55	48.6	50.9	47.6	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	1:00	50.6	54.6	47.7	49.8
31/10/2019	1:05	49.4	52.8	47.6	
31/10/2019	1:10	50.8	55.5	47.6	
31/10/2019	1:15	48.6	50.7	47.4	
31/10/2019	1:20	49.5	52.3	47.6	
31/10/2019	1:25	49.5	53.2	47.7	
31/10/2019	1:30	49	50.9	47.9	49.8
31/10/2019	1:35	50.9	55.4	48	
31/10/2019	1:40	50.5	54.4	47.7	
31/10/2019	1:45	48.2	49.9	47.4	
31/10/2019	1:50	49.9	54.1	47.5	
31/10/2019	1:55	49.5	52.5	47.9	
31/10/2019	2:00	49.1	50.5	48	49.0
31/10/2019	2:05	48.3	49.7	47.4	
31/10/2019	2:10	49	51.5	47.6	
31/10/2019	2:15	48.4	49.7	47.5	
31/10/2019	2:20	50	53.5	47.6	
31/10/2019	2:25	49.2	50.9	47.9	
31/10/2019	2:30	49.6	52.2	48.1	48.8
31/10/2019	2:35	49.1	51	48.1	
31/10/2019	2:40	49.1	52	47.5	
31/10/2019	2:45	49	50.8	47.8	
31/10/2019	2:50	48.1	49.2	47.3	
31/10/2019	2:55	47.8	48.6	47.2	
31/10/2019	3:00	48.7	51.6	47.5	48.2
31/10/2019	3:05	48.2	50	47.4	
31/10/2019	3:10	48.1	49.5	47.2	
31/10/2019	3:15	48.8	50.6	46.9	
31/10/2019	3:20	47.6	48.7	46.8	
31/10/2019	3:25	47.8	48.8	47.1	
31/10/2019	3:30	47.9	48.6	47.1	48.4
31/10/2019	3:35	48.4	49.5	47.3	
31/10/2019	3:40	48.6	50.3	47.4	
31/10/2019	3:45	49.1	51.5	47.6	
31/10/2019	3:50	48.5	50.7	47.3	
31/10/2019	3:55	47.6	48.5	47.2	
31/10/2019	4:00	48.3	51	47.3	47.8
31/10/2019	4:05	48	49.3	47.1	
31/10/2019	4:10	48.1	49.6	47.1	
31/10/2019	4:15	47.8	48.8	47.1	
31/10/2019	4:20	47.4	48	46.9	
31/10/2019	4:25	47.4	48.2	46.7	
31/10/2019	4:30	47.5	48.3	46.9	47.5
31/10/2019	4:35	47.7	50.1	46.7	
31/10/2019	4:40	47.2	47.8	46.7	
31/10/2019	4:45	47.2	48	46.6	
31/10/2019	4:50	47.9	50.2	46.8	
31/10/2019	4:55	47.7	48.7	46.8	
31/10/2019	5:00	47.8	48.4	46.9	47.6
31/10/2019	5:05	48.4	50.6	47.3	
31/10/2019	5:10	47.3	48.1	46.6	
31/10/2019	5:15	47.4	48.2	46.8	
31/10/2019	5:20	47.3	48.1	46.8	
31/10/2019	5:25	47.3	48.1	46.6	
31/10/2019	5:30	47.4	48.4	46.6	47.4
31/10/2019	5:35	47.1	48	46.5	
31/10/2019	5:40	47.3	48	46.8	
31/10/2019	5:45	47.7	49.2	46.5	
31/10/2019	5:50	47.6	48.3	46.8	
31/10/2019	5:55	47.5	48.2	46.9	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
31/10/2019	6:00	47.5	48.2	46.8	47.5
31/10/2019	6:05	47.4	48.1	46.9	
31/10/2019	6:10	47.5	48.2	47	
31/10/2019	6:15	47.6	48.5	47	
31/10/2019	6:20	47.6	48.3	47.1	
31/10/2019	6:25	47.6	48.3	47	
31/10/2019	6:30	48.3	49.4	47.3	48.2
31/10/2019	6:35	48.4	49.2	47.2	
31/10/2019	6:40	48.2	49.3	47.3	
31/10/2019	6:45	48.5	50.2	47.4	
31/10/2019	6:50	47.9	48.6	47.3	
31/10/2019	6:55	47.7	48.5	47.1	
31/10/2019	23:00	51.5	54.6	49.1	51.6
31/10/2019	23:05	52.2	55.8	49.1	
31/10/2019	23:10	50.8	53.8	48.5	
31/10/2019	23:15	50.4	52.4	49	
31/10/2019	23:20	52.1	54.9	49.7	
31/10/2019	23:25	52.4	57.3	49.1	
31/10/2019	23:30	50.4	52.5	48.9	51.2
31/10/2019	23:35	51	54.8	48.7	
31/10/2019	23:40	53.7	58.7	48.9	
31/10/2019	23:45	50.4	52.7	48.9	
31/10/2019	23:50	50.4	53.1	48.2	
31/10/2019	23:55	50.2	52.5	48.5	
01/11/2019	0:00	51.3	53.7	48.5	50.7
01/11/2019	0:05	50.9	54.5	48.4	
01/11/2019	0:10	50.6	54.1	48.1	
01/11/2019	0:15	50.8	54.3	48.1	
01/11/2019	0:20	50.8	54.2	48.7	
01/11/2019	0:25	49.7	52.7	47.8	
01/11/2019	0:30	51.2	54.7	48.4	51.1
01/11/2019	0:35	51.6	55	49.1	
01/11/2019	0:40	50.4	52.5	48.4	
01/11/2019	0:45	52	54.6	49.1	
01/11/2019	0:50	50.5	53.5	48.4	
01/11/2019	0:55	50.5	54.1	48.3	
01/11/2019	1:00	50.2	52.8	48.4	51.5
01/11/2019	1:05	55.6	60.2	48.2	
01/11/2019	1:10	49.5	52	48.2	
01/11/2019	1:15	50.6	53	48.3	
01/11/2019	1:20	49.6	51.2	48.5	
01/11/2019	1:25	49.2	51.5	48.1	
01/11/2019	1:30	48.4	49.2	47.7	50.3
01/11/2019	1:35	49.2	51.8	47.7	
01/11/2019	1:40	50.4	53.3	47.8	
01/11/2019	1:45	53.1	59.2	48.4	
01/11/2019	1:50	49.3	51.7	47.9	
01/11/2019	1:55	49.3	50.6	48.3	
01/11/2019	2:00	48.8	50.2	47.8	48.8
01/11/2019	2:05	48.3	49.6	47.2	
01/11/2019	2:10	48.6	51	47.3	
01/11/2019	2:15	49.8	53	47.7	
01/11/2019	2:20	49	50.5	47.9	
01/11/2019	2:25	48.3	50.6	47.1	
01/11/2019	2:30	48.1	48.9	47.5	49.2
01/11/2019	2:35	48.8	50.5	47.5	
01/11/2019	2:40	48.6	51	47.3	
01/11/2019	2:45	51.7	57.4	47.7	
01/11/2019	2:50	48.7	50.4	47.6	
01/11/2019	2:55	48.1	49.8	47.1	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
01/11/2019	3:00	48.9	51.5	47.3	48.9
01/11/2019	3:05	49.2	53.1	47.3	
01/11/2019	3:10	48.5	49.7	47.4	
01/11/2019	3:15	48.7	50.6	46.9	
01/11/2019	3:20	48.9	51.2	47.4	
01/11/2019	3:25	49.1	51.6	47.5	
01/11/2019	3:30	48.9	50.5	47.5	48.8
01/11/2019	3:35	48.8	50.1	47.5	
01/11/2019	3:40	48.5	49.8	47.3	
01/11/2019	3:45	48.8	51.3	47.7	
01/11/2019	3:50	48.9	50.5	47.5	
01/11/2019	3:55	48.7	50.5	47.3	
01/11/2019	4:00	49.3	51.8	47.8	48.6
01/11/2019	4:05	48.2	49.6	47.3	
01/11/2019	4:10	48.4	50.3	47.2	
01/11/2019	4:15	49.1	50.5	47.6	
01/11/2019	4:20	48.1	49.8	47	
01/11/2019	4:25	48.5	49.4	47.1	
01/11/2019	4:30	48.4	50.9	47.1	48.4
01/11/2019	4:35	47.7	49	46.7	
01/11/2019	4:40	49.2	51.9	47.1	
01/11/2019	4:45	48.2	49.8	47.2	
01/11/2019	4:50	48.3	49.4	47.6	
01/11/2019	4:55	48.5	50.4	47.2	
01/11/2019	5:00	48.7	50.3	47.3	48.6
01/11/2019	5:05	49.1	51.3	47.4	
01/11/2019	5:10	47.8	48.8	46.9	
01/11/2019	5:15	48.5	50.1	46.9	
01/11/2019	5:20	48.3	49.5	47.3	
01/11/2019	5:25	49.1	52	47.5	
01/11/2019	5:30	48	49.2	47.1	48.4
01/11/2019	5:35	48.5	50.1	47.4	
01/11/2019	5:40	48.1	49.6	47.1	
01/11/2019	5:45	48.6	50.2	47.4	
01/11/2019	5:50	49.1	51.1	47.6	
01/11/2019	5:55	47.9	49.1	46.8	
01/11/2019	6:00	48.6	51.7	47	48.1
01/11/2019	6:05	48.1	49.2	47.1	
01/11/2019	6:10	47.6	48.5	46.9	
01/11/2019	6:15	47.8	48.9	47	
01/11/2019	6:20	48	49.3	47.1	
01/11/2019	6:25	48.3	49.5	47.1	
01/11/2019	6:30	48.2	50.2	47	48.2
01/11/2019	6:35	48.3	50.1	46.3	
01/11/2019	6:40	47.8	49.7	46.5	
01/11/2019	6:45	47.7	49.1	46.8	
01/11/2019	6:50	48.7	50.4	47.4	
01/11/2019	6:55	48.6	51	47.4	
01/11/2019	23:00	51.9	54.4	49.5	51.8
01/11/2019	23:05	52.2	56.1	49	
01/11/2019	23:10	51.9	55.5	48.9	
01/11/2019	23:15	51.7	54.6	48.7	
01/11/2019	23:20	51.3	54.5	48.8	
01/11/2019	23:25	51.5	54.8	49	
01/11/2019	23:30	50.4	52.6	48.6	51.4
01/11/2019	23:35	52.5	57.1	49.6	
01/11/2019	23:40	51.2	53.6	49.3	
01/11/2019	23:45	51.5	54.1	49.1	
01/11/2019	23:50	51.5	56	49.1	
01/11/2019	23:55	51.2	53.6	49.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	0:00	51.4	53.7	49.2	52.2
02/11/2019	0:05	53.6	58.3	49.5	
02/11/2019	0:10	51.9	56.1	48.2	
02/11/2019	0:15	52.1	55.5	48.7	
02/11/2019	0:20	51.4	55.1	48.6	
02/11/2019	0:25	52.1	55.9	49.3	
02/11/2019	0:30	53	56.1	50.1	52.6
02/11/2019	0:35	52.5	56.7	48.6	
02/11/2019	0:40	52.5	56.9	48.8	
02/11/2019	0:45	52.5	56.6	48.5	
02/11/2019	0:50	52.8	57.2	49.2	
02/11/2019	0:55	52.1	55.4	48.1	
02/11/2019	1:00	50.8	55.3	47.7	54.6
02/11/2019	1:05	51.1	55	48.2	
02/11/2019	1:10	50.4	53.8	47.8	
02/11/2019	1:15	60.6	64	48.8	
02/11/2019	1:20	50.1	53.7	47.8	
02/11/2019	1:25	50.3	53	48.3	
02/11/2019	1:30	50.6	54	48.6	50.3
02/11/2019	1:35	51.4	55.7	48.5	
02/11/2019	1:40	49.8	52	47.8	
02/11/2019	1:45	49.5	52.2	47.6	
02/11/2019	1:50	49.3	51.6	47.7	
02/11/2019	1:55	51	55.8	47.5	
02/11/2019	2:00	49.7	54	47.4	49.4
02/11/2019	2:05	49	51.3	47.3	
02/11/2019	2:10	48.9	50.8	47.7	
02/11/2019	2:15	49.4	51.4	47.9	
02/11/2019	2:20	49.6	51.8	47.8	
02/11/2019	2:25	49.5	52.3	47.8	
02/11/2019	2:30	48.4	49.5	47.4	49.1
02/11/2019	2:35	49.6	51.1	48.1	
02/11/2019	2:40	50.8	56.9	47.6	
02/11/2019	2:45	48.6	51.1	47.5	
02/11/2019	2:50	48.2	49.9	47.2	
02/11/2019	2:55	48.6	50.2	47.5	
02/11/2019	3:00	48.9	50.6	47.8	48.9
02/11/2019	3:05	48.9	52.2	47.1	
02/11/2019	3:10	49.2	50.6	47.7	
02/11/2019	3:15	49.4	51.8	47.5	
02/11/2019	3:20	48.4	50.4	47.2	
02/11/2019	3:25	48.4	50	47.3	
02/11/2019	3:30	48.5	50.5	47	52.6
02/11/2019	3:35	48	49.4	46.8	
02/11/2019	3:40	48	49.4	46.7	
02/11/2019	3:45	47.6	49.1	46.7	
02/11/2019	3:50	47.3	48	46.6	
02/11/2019	3:55	58.9	66.1	46.9	
02/11/2019	4:00	48.6	50.2	47.2	48.4
02/11/2019	4:05	50.1	54.3	47.1	
02/11/2019	4:10	47.6	49.4	46.5	
02/11/2019	4:15	48.9	53.8	46.3	
02/11/2019	4:20	47.6	49.4	46.6	
02/11/2019	4:25	47.1	47.7	46.6	
02/11/2019	4:30	47.7	49.8	46.5	47.9
02/11/2019	4:35	47.3	48.2	46.5	
02/11/2019	4:40	47.5	49.1	46.6	
02/11/2019	4:45	48	49.3	46.8	
02/11/2019	4:50	48.5	50.4	47.1	
02/11/2019	4:55	48.5	50.6	47	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
02/11/2019	5:00	48.2	49.4	47.2	48.3
02/11/2019	5:05	48.1	49.7	47	
02/11/2019	5:10	48.4	49.5	47.3	
02/11/2019	5:15	48.1	49.2	47.2	
02/11/2019	5:20	48.5	50.1	47.3	
02/11/2019	5:25	48.3	49.6	47.3	48.0
02/11/2019	5:30	48.9	51.5	47.4	
02/11/2019	5:35	47.3	48.5	46.6	
02/11/2019	5:40	47.5	48.9	46.7	
02/11/2019	5:45	48	49.3	46.8	
02/11/2019	5:50	48	49.5	47	47.6
02/11/2019	5:55	48.3	50.1	47	
02/11/2019	6:00	48	49.9	46.7	
02/11/2019	6:05	47.4	48.5	46.5	
02/11/2019	6:10	47.9	49.5	46.6	
02/11/2019	6:15	47.2	48.4	46.4	47.9
02/11/2019	6:20	47.2	48.3	46.3	
02/11/2019	6:25	48.1	49.4	47.1	
02/11/2019	6:30	46.9	47.6	46.4	
02/11/2019	6:35	48.5	50.1	46.4	
02/11/2019	6:40	47.3	48.1	46.6	51.8
02/11/2019	6:45	47.6	48.7	46.7	
02/11/2019	6:50	47.9	49	47.1	
02/11/2019	6:55	48.9	51.2	46.9	
02/11/2019	23:00	50.9	54.1	48.5	
02/11/2019	23:05	50.3	54	48.2	52.1
02/11/2019	23:10	51	53.9	49.2	
02/11/2019	23:15	52.2	55.1	49.8	
02/11/2019	23:20	53.8	58.9	49.4	
02/11/2019	23:25	51.9	54.8	49	
02/11/2019	23:30	50.9	54.1	48.7	51.9
02/11/2019	23:35	53.2	57.3	49.4	
02/11/2019	23:40	52.2	56.4	48.6	
02/11/2019	23:45	51.5	55.5	48.1	
02/11/2019	23:50	53.5	57.7	48.7	
02/11/2019	23:55	50.5	53.2	48.2	50.2
03/11/2019	0:00	51.8	55.3	48.6	
03/11/2019	0:05	52.8	55.4	49.2	
03/11/2019	0:10	52.4	55.4	49.7	
03/11/2019	0:15	52.2	56.5	48.5	
03/11/2019	0:20	51.6	55.5	48	49.6
03/11/2019	0:25	50.4	54	47.3	
03/11/2019	0:30	50.5	53.8	47.5	
03/11/2019	0:35	50.9	55.6	48	
03/11/2019	0:40	49.2	52.5	47.6	
03/11/2019	0:45	49.5	52.2	47.8	48.4
03/11/2019	0:50	50.4	54.1	48.2	
03/11/2019	0:55	50.4	53.8	48.2	
03/11/2019	1:00	49.8	53.6	47.9	
03/11/2019	1:05	49.1	52.2	47.6	
03/11/2019	1:10	49.8	52.6	47.9	47.9
03/11/2019	1:15	50.2	53.9	47.9	
03/11/2019	1:20	48.6	51.5	47.1	
03/11/2019	1:25	49.8	53.2	47.4	
03/11/2019	1:30	49	52.6	47.2	
03/11/2019	1:35	47.9	50.1	47.1	47.9
03/11/2019	1:40	48.3	50.7	47.1	
03/11/2019	1:45	48.7	52.1	47.3	
03/11/2019	1:50	47.7	49.5	46.9	47.9
03/11/2019	1:55	48.5	50.3	47.2	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	2:00	47.9	48.8	47.1	48.6
03/11/2019	2:05	49.8	54.9	47.3	
03/11/2019	2:10	49.4	52.6	47.2	
03/11/2019	2:15	48.6	51.6	47	
03/11/2019	2:20	47.7	48.9	47	
03/11/2019	2:25	47.9	50.1	46.9	50.6
03/11/2019	2:30	49.2	52.9	47	
03/11/2019	2:35	48.2	51.1	47	
03/11/2019	2:40	48.7	51.1	47.1	
03/11/2019	2:45	47.9	48.8	47.2	
03/11/2019	2:50	55.3	60.4	47.2	48.6
03/11/2019	2:55	48.2	51.5	47.1	
03/11/2019	3:00	48.6	51.1	46.8	
03/11/2019	3:05	47.7	49.9	46.4	
03/11/2019	3:10	48.3	51.5	46.8	
03/11/2019	3:15	48.3	51.1	46.6	48.8
03/11/2019	3:20	49.3	54.3	46.8	
03/11/2019	3:25	49.2	54.6	46.8	
03/11/2019	3:30	48.5	51.7	47.3	
03/11/2019	3:35	47.9	49.6	46.9	
03/11/2019	3:40	50.8	56.4	47.2	48.0
03/11/2019	3:45	48.8	52.9	47	
03/11/2019	3:50	48.5	52.8	46.7	
03/11/2019	3:55	47.4	48.7	46.6	
03/11/2019	4:00	47.1	48.4	46.3	
03/11/2019	4:05	49.6	54.8	46.6	47.7
03/11/2019	4:10	47.2	48	46.7	
03/11/2019	4:15	47.9	48.8	46.5	
03/11/2019	4:20	48.5	50.6	46.4	
03/11/2019	4:25	47.1	47.6	46.6	
03/11/2019	4:30	47.5	48.6	46.6	47.5
03/11/2019	4:35	48	50.3	46.9	
03/11/2019	4:40	47.3	48.2	46.6	
03/11/2019	4:45	47.5	48.5	46.7	
03/11/2019	4:50	48.1	51	46.9	
03/11/2019	4:55	47.5	48.6	46.8	48.2
03/11/2019	5:00	47.7	49.7	46.7	
03/11/2019	5:05	47.3	48	46.8	
03/11/2019	5:10	47.5	48.4	46.8	
03/11/2019	5:15	47.4	48.6	46.7	
03/11/2019	5:20	47.5	49.4	46.6	47.6
03/11/2019	5:25	47.3	48.7	46.6	
03/11/2019	5:30	48.3	51.2	46.8	
03/11/2019	5:35	51.2	57.5	46.5	
03/11/2019	5:40	46.7	47.5	46.3	
03/11/2019	5:45	47.1	47.9	46.4	47.9
03/11/2019	5:50	47.1	47.5	46.5	
03/11/2019	5:55	46.7	47.1	46.4	
03/11/2019	6:00	47.2	48	46.7	
03/11/2019	6:05	48.9	52.5	46.3	
03/11/2019	6:10	46.9	47.4	46.4	47.9
03/11/2019	6:15	47	47.5	46.6	
03/11/2019	6:20	47.9	48.8	46.9	
03/11/2019	6:25	47.1	47.9	46.6	
03/11/2019	6:30	46.8	47.4	46.4	
03/11/2019	6:35	47.9	49	46.4	47.9
03/11/2019	6:40	47.5	48.2	46.7	
03/11/2019	6:45	48.8	52.2	46.7	
03/11/2019	6:50	48.7	51.7	46.6	47.9
03/11/2019	6:55	47.6	48.6	46.9	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
03/11/2019	23:00	50.1	53.4	48.4	52.8
03/11/2019	23:05	49.8	52.8	47.6	
03/11/2019	23:10	57.9	62.5	48.1	
03/11/2019	23:15	50.7	53.6	47.8	
03/11/2019	23:20	50.1	53.5	47.8	
03/11/2019	23:25	50.8	53.5	48.4	49.9
03/11/2019	23:30	50.6	53.3	47.5	
03/11/2019	23:35	50.3	53.9	47.6	
03/11/2019	23:40	50.1	54.2	47.8	
03/11/2019	23:45	49.9	52.1	47.5	
03/11/2019	23:50	49.3	53.3	46.9	50.3
03/11/2019	23:55	48.9	51.3	47.7	
04/11/2019	0:00	49.9	53.4	47.5	
04/11/2019	0:05	51.2	55.7	48	
04/11/2019	0:10	49.7	52.9	47.8	
04/11/2019	0:15	51.5	53.3	47.7	50.4
04/11/2019	0:20	50.2	53.7	47.9	
04/11/2019	0:25	49	51.1	47.7	
04/11/2019	0:30	49.3	52.3	47.6	
04/11/2019	0:35	49.9	53.6	47.4	
04/11/2019	0:40	53.8	61.3	47.1	49.9
04/11/2019	0:45	49.2	51.3	47.6	
04/11/2019	0:50	48.6	50.6	47	
04/11/2019	0:55	49.3	52.8	47.2	
04/11/2019	1:00	50.6	53.8	47	
04/11/2019	1:05	50.9	54.6	47.1	47.9
04/11/2019	1:10	51.4	57.8	47.1	
04/11/2019	1:15	48.2	49.8	47.1	
04/11/2019	1:20	48.7	50.1	47.5	
04/11/2019	1:25	48.5	51.1	47.2	
04/11/2019	1:30	47.5	48.9	46.7	50.2
04/11/2019	1:35	48	50.7	46.9	
04/11/2019	1:40	47.4	48	46.9	
04/11/2019	1:45	48.7	52.4	47	
04/11/2019	1:50	47.9	50.5	46.8	
04/11/2019	1:55	47.6	49.4	46.7	47.1
04/11/2019	2:00	50.2	54.6	46.7	
04/11/2019	2:05	50.4	55.6	46.6	
04/11/2019	2:10	47.4	49.5	46.5	
04/11/2019	2:15	52.1	58.8	46.5	
04/11/2019	2:20	51.9	59	46.5	47.7
04/11/2019	2:25	46.9	47.7	46.4	
04/11/2019	2:30	47.6	49.9	46.8	
04/11/2019	2:35	47.1	48	46.5	
04/11/2019	2:40	47.1	47.6	46.6	
04/11/2019	2:45	46.7	47.2	46.2	47.8
04/11/2019	2:50	46.9	47.4	46.6	
04/11/2019	2:55	47.3	49.4	46.6	
04/11/2019	3:00	47.9	50.8	46.4	
04/11/2019	3:05	47.4	49.6	46.2	
04/11/2019	3:10	47.7	51.2	46.2	47.8
04/11/2019	3:15	48.4	52.7	46.7	
04/11/2019	3:20	47.1	47.7	46.6	
04/11/2019	3:25	47.4	47.7	46.6	
04/11/2019	3:30	47.2	47.8	46.7	
04/11/2019	3:35	48.1	52	46.9	49.9
04/11/2019	3:40	47.2	48.8	46.5	
04/11/2019	3:45	47.8	49.9	46.7	
04/11/2019	3:50	48.4	51.7	46.7	
04/11/2019	3:55	48	50.7	46.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
04/11/2019	4:00	46.9	47.8	46.4	47.2
04/11/2019	4:05	46.9	47.4	46.4	
04/11/2019	4:10	46.9	47.3	46.5	
04/11/2019	4:15	47.9	50.4	46.7	
04/11/2019	4:20	46.9	47.5	46.5	
04/11/2019	4:25	47.4	49.3	46.4	47.3
04/11/2019	4:30	47.3	48.6	46.3	
04/11/2019	4:35	47.7	50.2	46.5	
04/11/2019	4:40	46.8	47.2	46.5	
04/11/2019	4:45	47	47.8	46.4	
04/11/2019	4:50	46.8	47.2	46.5	47.0
04/11/2019	4:55	47.8	50	46.4	
04/11/2019	5:00	47.3	48.5	46.5	
04/11/2019	5:05	47	47.6	46.4	
04/11/2019	5:10	46.5	47	46.2	
04/11/2019	5:15	47	47.6	46.4	47.2
04/11/2019	5:20	46.8	47.5	46.3	
04/11/2019	5:25	47.5	48.8	46.6	
04/11/2019	5:30	47.5	49	46.6	
04/11/2019	5:35	46.9	47.6	46.3	
04/11/2019	5:40	47.7	48.6	46.9	47.3
04/11/2019	5:45	47.1	47.8	46.5	
04/11/2019	5:50	47.1	48	46.6	
04/11/2019	5:55	47.1	47.8	46.5	
04/11/2019	6:00	47.5	48.3	46.9	
04/11/2019	6:05	47.6	48.4	46.9	47.2
04/11/2019	6:10	47.3	48.3	46.5	
04/11/2019	6:15	47.1	47.7	46.6	
04/11/2019	6:20	46.9	47.7	46.3	
04/11/2019	6:25	47.2	48.1	46.6	
04/11/2019	6:30	47.7	49.6	46.6	51.8
04/11/2019	6:35	46.8	47.5	46.2	
04/11/2019	6:40	47	48	46.3	
04/11/2019	6:45	47.8	49.7	46.4	
04/11/2019	6:50	46.8	47.5	46.3	
04/11/2019	6:55	47.1	48	46.3	51.0
04/11/2019	23:00	51.2	56.1	48	
04/11/2019	23:05	50.6	53.3	48.4	
04/11/2019	23:10	50.6	53.5	48.8	
04/11/2019	23:15	51.4	54.1	49.2	
04/11/2019	23:20	52.9	58.5	48.6	54.1
04/11/2019	23:25	53.5	57.6	48.3	
04/11/2019	23:30	51.2	55	48.2	
04/11/2019	23:35	52.7	57.6	48.6	
04/11/2019	23:40	51.1	53.9	48.7	
04/11/2019	23:45	50	54	48.1	49.9
04/11/2019	23:50	49.7	52.2	48.1	
04/11/2019	23:55	50.5	53.5	48.6	
05/11/2019	0:00	55.2	60.2	48.8	
05/11/2019	0:05	59.3	64.6	48.2	
05/11/2019	0:10	50.1	53.2	48	49.9
05/11/2019	0:15	49.8	52.5	48.1	
05/11/2019	0:20	49	51.8	47.7	
05/11/2019	0:25	49.8	52.4	47.9	
05/11/2019	0:30	51.2	56	48	
05/11/2019	0:35	50.5	54.1	48.5	49.9
05/11/2019	0:40	49.7	53.9	47.6	
05/11/2019	0:45	49.6	52.6	47.7	
05/11/2019	0:50	49	51.3	47.8	
05/11/2019	0:55	49	51.9	47.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	1:00	49.3	53.3	47.6	49.8
05/11/2019	1:05	49.4	53.1	47.6	
05/11/2019	1:10	49.2	52	47.6	
05/11/2019	1:15	49.9	52	47.7	
05/11/2019	1:20	49.7	52.5	47.5	
05/11/2019	1:25	51.2	55.7	47.8	50.5
05/11/2019	1:30	52.1	54.3	49.9	
05/11/2019	1:35	53.5	57.2	49.7	
05/11/2019	1:40	48.4	50.6	46.8	
05/11/2019	1:45	47.2	48.2	46.5	
05/11/2019	1:50	49.3	52.7	47	47.5
05/11/2019	1:55	49	52.8	46.6	
05/11/2019	2:00	46.9	47.6	46.4	
05/11/2019	2:05	47.6	49.7	46.7	
05/11/2019	2:10	47.1	48.3	46.5	
05/11/2019	2:15	47.8	50.5	46.3	47.5
05/11/2019	2:20	48.2	52.8	46.2	
05/11/2019	2:25	47.1	48.8	46.2	
05/11/2019	2:30	47.1	48.9	46.3	
05/11/2019	2:35	47.1	48.6	46.3	
05/11/2019	2:40	47.5	50.3	46.3	47.5
05/11/2019	2:45	47.6	51.1	46.3	
05/11/2019	2:50	48	50.3	46.8	
05/11/2019	2:55	47.9	51.8	46.4	
05/11/2019	3:00	48.1	51.7	46.4	47.6
05/11/2019	3:05	47.5	49.9	46.4	
05/11/2019	3:10	47.5	48.7	46.7	
05/11/2019	3:15	48.4	52.1	46.7	
05/11/2019	3:20	46.9	47.5	46.3	
05/11/2019	3:25	47.1	47.8	46.5	48.5
05/11/2019	3:30	49.5	51.9	47.5	
05/11/2019	3:35	47.4	48.8	46.4	
05/11/2019	3:40	50.9	54.4	46.4	
05/11/2019	3:45	46.8	47.5	46.2	
05/11/2019	3:50	47.5	49.6	46.6	47.1
05/11/2019	3:55	47.4	49.9	46.4	
05/11/2019	4:00	47	48	46.3	
05/11/2019	4:05	47.2	50.1	46.1	
05/11/2019	4:10	46.9	48.5	46.1	
05/11/2019	4:15	46.8	48.2	46	46.8
05/11/2019	4:20	47.7	50	46.5	
05/11/2019	4:25	46.8	47.3	46.3	
05/11/2019	4:30	47.1	48.6	46.4	
05/11/2019	4:35	47	49	46.3	
05/11/2019	4:40	46.7	47.2	46.3	47.0
05/11/2019	4:45	46.3	47	45.7	
05/11/2019	4:50	46.7	47.2	46.4	
05/11/2019	4:55	46.7	47.5	46.1	
05/11/2019	5:00	46.4	46.9	46	
05/11/2019	5:05	46.6	47.3	46.1	46.7
05/11/2019	5:10	46.9	48.6	46.3	
05/11/2019	5:15	47.9	50.9	46.3	
05/11/2019	5:20	46.6	48.2	45.8	
05/11/2019	5:25	47.2	48.6	46.3	
05/11/2019	5:30	46.3	46.8	45.9	46.7
05/11/2019	5:35	46.8	47.3	46.4	
05/11/2019	5:40	46.6	47	46.2	
05/11/2019	5:45	46.9	47.7	46.4	
05/11/2019	5:50	46.8	47.5	46.3	
05/11/2019	5:55	46.8	47.3	46.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
05/11/2019	6:00	46.5	46.9	45.9	46.6
05/11/2019	6:05	46.6	47.2	46.3	
05/11/2019	6:10	46.8	47.3	46.5	
05/11/2019	6:15	46.7	47.1	46.1	
05/11/2019	6:20	46.5	47	46	
05/11/2019	6:25	46.6	47.1	46.2	47.2
05/11/2019	6:30	47.8	49.6	46	
05/11/2019	6:35	47.5	48.2	46.8	
05/11/2019	6:40	46.8	47.4	46.3	
05/11/2019	6:45	46.6	47.1	46.1	
05/11/2019	6:50	46.8	47.5	46.1	51.6
05/11/2019	6:55	47.7	49.5	46.4	
05/11/2019	23:00	50.9	53.6	48.8	
05/11/2019	23:05	50.9	53.7	48.7	
05/11/2019	23:10	49.4	51.6	48.2	
05/11/2019	23:15	52.6	57.9	48.5	51.1
05/11/2019	23:20	51.3	54.1	49.1	
05/11/2019	23:25	53.2	59.4	48.9	
05/11/2019	23:30	50.9	54.6	48.6	
05/11/2019	23:35	52.1	57.1	48.1	
05/11/2019	23:40	50.8	54	48.5	54.2
05/11/2019	23:45	50.7	54.7	48.1	
05/11/2019	23:50	52	55.3	48.6	
05/11/2019	23:55	49.6	51.6	48.5	
05/11/2019	0:00	55.5	61.2	49	
06/11/2019	0:05	50.7	54.2	48.4	51.4
06/11/2019	0:10	58.2	64.6	48.7	
06/11/2019	0:15	53.9	59.9	48.7	
06/11/2019	0:20	50.6	53.2	48.5	
06/11/2019	0:25	50.1	53.5	48.1	
06/11/2019	0:30	50.4	53.9	48.4	51.0
06/11/2019	0:35	50	53.9	48.3	
06/11/2019	0:40	52.9	58.4	48	
06/11/2019	0:45	50	53.2	48.2	
06/11/2019	0:50	54	61.1	48.1	
06/11/2019	0:55	48.5	49.4	47.9	51.3
06/11/2019	1:00	49.2	52.6	47.6	
06/11/2019	1:05	54.3	60.8	47.7	
06/11/2019	1:10	52.2	53.3	47.6	
06/11/2019	1:15	49	51.8	47.9	
06/11/2019	1:20	49	51.7	47.7	48.9
06/11/2019	1:25	48.5	50	47.8	
06/11/2019	1:30	56.2	64.2	47.5	
06/11/2019	1:35	48.7	52.3	47.5	
06/11/2019	1:40	48	49.3	47.3	
06/11/2019	1:45	48.9	50.3	47.8	48.5
06/11/2019	1:50	49.6	53	47.4	
06/11/2019	1:55	49.3	52.4	47.8	
06/11/2019	2:00	49.4	52.7	47.8	
06/11/2019	2:05	49.6	54	47.1	
06/11/2019	2:10	48.6	51.4	47.3	48.5
06/11/2019	2:15	48.7	50	47.6	
06/11/2019	2:20	48.6	50.3	47.4	
06/11/2019	2:25	48.2	49.5	47.2	
06/11/2019	2:30	48.2	49	47.5	
06/11/2019	2:35	48	48.8	47.3	48.5
06/11/2019	2:40	49.2	52.1	47.3	
06/11/2019	2:45	48.9	51.4	47.3	
06/11/2019	2:50	48.1	49.7	47.2	
06/11/2019	2:55	48.4	50.4	47.2	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	3:00	48.4	50.4	47	48.5
06/11/2019	3:05	49	50.4	47.9	
06/11/2019	3:10	48.6	50.2	47.6	
06/11/2019	3:15	47.8	48.7	47	
06/11/2019	3:20	47.9	48.8	47.1	
06/11/2019	3:25	49.3	50.9	47.6	48.1
06/11/2019	3:30	47.9	49.1	47.2	
06/11/2019	3:35	48.2	49.3	47.5	
06/11/2019	3:40	48.9	50.9	47.5	
06/11/2019	3:45	47.8	48.6	47.3	
06/11/2019	3:50	48.1	49.5	46.8	47.9
06/11/2019	3:55	47.4	48	46.9	
06/11/2019	4:00	48.1	49.5	47.2	
06/11/2019	4:05	47.5	48.2	46.7	
06/11/2019	4:10	47.6	48.2	47.1	
06/11/2019	4:15	48.4	50	47.2	47.8
06/11/2019	4:20	47.8	49.8	46.9	
06/11/2019	4:25	47.9	49.7	47.1	
06/11/2019	4:30	47.9	48.9	47.1	
06/11/2019	4:35	47.6	48.3	47.1	
06/11/2019	4:40	47.6	48.2	47.1	47.8
06/11/2019	4:45	48	49.1	47.2	
06/11/2019	4:50	47.9	49	47.2	
06/11/2019	4:55	47.9	49.4	46.8	
06/11/2019	5:00	47.6	49.7	46.9	
06/11/2019	5:05	47.9	50.8	46.8	47.8
06/11/2019	5:10	48.4	50.5	47	
06/11/2019	5:15	48.2	50.6	46.8	
06/11/2019	5:20	47.2	47.8	46.7	
06/11/2019	5:25	47.4	48.2	46.8	
06/11/2019	5:30	48.8	51.8	47.1	48.2
06/11/2019	5:35	48	49.2	47.1	
06/11/2019	5:40	48.5	49.7	47.7	
06/11/2019	5:45	48.3	49.8	47.3	
06/11/2019	5:50	47.4	48.1	46.8	
06/11/2019	5:55	48.3	49.5	47.3	47.6
06/11/2019	6:00	47.9	48.9	47.2	
06/11/2019	6:05	48	48.9	47.1	
06/11/2019	6:10	47.4	48.2	46.9	
06/11/2019	6:15	47.4	48.3	46.9	
06/11/2019	6:20	47.6	48.5	47	48.3
06/11/2019	6:25	47.5	48.2	46.8	
06/11/2019	6:30	47.4	48.5	46.7	
06/11/2019	6:35	49.2	53.2	47	
06/11/2019	6:40	48	49.1	47.1	
06/11/2019	6:45	47.5	48.5	46.7	58.2
06/11/2019	6:50	47.5	48.7	46.6	
06/11/2019	6:55	49.8	52.3	47.6	
06/11/2019	23:00	50.6	53.6	48.7	
06/11/2019	23:05	52.6	55.4	49.8	
06/11/2019	23:10	54.1	59.5	50.3	54.3
06/11/2019	23:15	50.9	53.5	49	
06/11/2019	23:20	58.3	65.4	48.5	
06/11/2019	23:25	64.2	69.5	48.5	
06/11/2019	23:30	60	66.9	48.4	
06/11/2019	23:35	51.6	55.8	48.6	47.9
06/11/2019	23:40	53.3	58.7	48.8	
06/11/2019	23:45	49.5	51.3	48.5	
06/11/2019	23:50	49.5	52.1	48.1	
06/11/2019	23:55	49.8	52	48.1	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
06/11/2019	0:00	58.7	65.6	48.1	55.8
07/11/2019	0:05	56.2	63	48.5	
07/11/2019	0:10	51.9	55.6	48.5	
07/11/2019	0:15	51.1	54.2	48.1	
07/11/2019	0:20	58.7	64.7	48.2	
07/11/2019	0:25	50.7	55.4	48	53.0
07/11/2019	0:30	49.7	52.8	47.8	
07/11/2019	0:35	50.8	55	47.8	
07/11/2019	0:40	50.3	54	47.8	
07/11/2019	0:45	54.9	60.9	47.8	
07/11/2019	0:50	56.6	63.2	47.9	50.3
07/11/2019	0:55	50	53.6	48.1	
07/11/2019	1:00	51.5	55.4	48	
07/11/2019	1:05	49.5	52.8	48	
07/11/2019	1:10	50.9	53.2	49	
07/11/2019	1:15	51.4	52.2	47.7	49.0
07/11/2019	1:20	49.4	52.7	47.6	
07/11/2019	1:25	48.2	49.2	47.5	
07/11/2019	1:30	50.6	55.1	47.5	
07/11/2019	1:35	49.7	54.1	47.7	
07/11/2019	1:40	48	48.6	47.5	48.2
07/11/2019	1:45	48.4	50.3	47.5	
07/11/2019	1:50	48.2	49.8	47.3	
07/11/2019	1:55	48.2	49	47.4	
07/11/2019	2:00	48.2	48.9	47.7	
07/11/2019	2:05	47.9	48.6	47.3	48.8
07/11/2019	2:10	47.9	48.5	47.3	
07/11/2019	2:15	49.3	52.4	47.8	
07/11/2019	2:20	48.1	49.1	47.5	
07/11/2019	2:25	47.8	48.5	47.2	
07/11/2019	2:30	48.1	49.1	47.4	48.3
07/11/2019	2:35	48.4	50.4	47.1	
07/11/2019	2:40	48.3	50	47.1	
07/11/2019	2:45	48.6	51.7	47.1	
07/11/2019	2:50	47.7	48.3	47.1	
07/11/2019	2:55	50.8	55.8	47.2	48.1
07/11/2019	3:00	49.7	53.8	47.2	
07/11/2019	3:05	48.4	50.5	47.4	
07/11/2019	3:10	47.7	48.6	47.1	
07/11/2019	3:15	47.7	48.4	47	
07/11/2019	3:20	47.9	48.6	47.3	47.9
07/11/2019	3:25	47.9	48.5	47.4	
07/11/2019	3:30	48	49.6	47.2	
07/11/2019	3:35	48.7	51.5	47.4	
07/11/2019	3:40	48.1	49.1	47.4	
07/11/2019	3:45	47.9	49.1	47.3	47.8
07/11/2019	3:50	47.7	48.2	47.2	
07/11/2019	3:55	48	49.7	47.1	
07/11/2019	4:00	47.6	48.7	47	
07/11/2019	4:05	47.9	49.7	47.1	
07/11/2019	4:10	47.7	48.5	47.1	47.8
07/11/2019	4:15	48	48.5	47.4	
07/11/2019	4:20	48.3	51.6	47.1	
07/11/2019	4:25	47.7	49.2	46.8	
07/11/2019	4:30	47.7	48.3	47.2	
07/11/2019	4:35	48.2	49.2	47.2	47.8
07/11/2019	4:40	47.8	48.8	47.1	
07/11/2019	4:45	47.4	48	46.8	
07/11/2019	4:50	47.7	48.6	47	
07/11/2019	4:55	47.8	48.5	47.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
07/11/2019	5:00	47.9	48.6	47.3	47.9
07/11/2019	5:05	47.6	48.5	47	
07/11/2019	5:10	47.9	49	47.2	
07/11/2019	5:15	47.6	48.4	46.9	
07/11/2019	5:20	47.6	48.4	47	
07/11/2019	5:25	48.6	49.9	47.3	47.7
07/11/2019	5:30	48.1	51.9	46.9	
07/11/2019	5:35	48	49.1	47.2	
07/11/2019	5:40	47.3	47.9	46.9	
07/11/2019	5:45	47.7	49.1	46.7	
07/11/2019	5:50	47.6	49.3	46.9	47.5
07/11/2019	5:55	47.5	48.7	46.9	
07/11/2019	6:00	47.6	48.3	46.9	
07/11/2019	6:05	47.1	47.6	46.7	
07/11/2019	6:10	48	50.7	46.7	
07/11/2019	6:15	47.2	47.9	46.6	47.5
07/11/2019	6:20	47.5	48	47.1	
07/11/2019	6:25	47.3	47.8	46.9	
07/11/2019	6:30	47	47.5	46.5	
07/11/2019	6:35	46.9	47.4	46.4	
07/11/2019	6:40	48.8	52.3	46.5	47.5
07/11/2019	6:45	47.2	47.8	46.6	
07/11/2019	6:50	47.5	48	47	
07/11/2019	6:55	47.4	48.2	46.8	
07/11/2019	23:00	50.9	53.4	48.6	51.2
07/11/2019	23:05	52.7	56.4	48.9	
07/11/2019	23:10	49.9	52.2	48.4	
07/11/2019	23:15	50.2	53.4	47.9	
07/11/2019	23:20	50.3	53.3	48.2	
07/11/2019	23:25	52.2	55.5	48.6	52.5
07/11/2019	23:30	56.3	61.6	48.6	
07/11/2019	23:35	51.7	55.1	48.9	
07/11/2019	23:40	49.8	52	48.3	
07/11/2019	23:45	51	54.7	48.6	
07/11/2019	23:50	51.1	53.9	49.1	50.8
07/11/2019	23:55	51.5	54.3	49	
07/11/2019	0:00	52.9	56.3	50	
08/11/2019	0:05	50.8	54	48.6	
08/11/2019	0:10	49.1	50.5	48.3	
08/11/2019	0:15	50.9	54.7	48.3	50.2
08/11/2019	0:20	50.1	53.1	48.2	
08/11/2019	0:25	49.8	53.6	48	
08/11/2019	0:30	49.3	53.3	47.9	
08/11/2019	0:35	49.3	51.5	47.7	
08/11/2019	0:40	49	50.7	48	48.9
08/11/2019	0:45	48.9	49.9	48.1	
08/11/2019	0:50	52.5	56.2	49	
08/11/2019	0:55	50.9	58	47.5	
08/11/2019	1:00	50	53.9	47.7	
08/11/2019	1:05	48.5	49.7	47.6	48.3
08/11/2019	1:10	48.4	50.3	47.5	
08/11/2019	1:15	48.3	49.7	47.5	
08/11/2019	1:20	49.6	53.2	47.7	
08/11/2019	1:25	48.3	49.4	47.6	
08/11/2019	1:30	48.8	51	47.5	48.3
08/11/2019	1:35	48.1	48.9	47.5	
08/11/2019	1:40	48	48.8	47.5	
08/11/2019	1:45	48	48.5	47.5	
08/11/2019	1:50	48.4	49.7	47.9	
08/11/2019	1:55	48.4	49.5	47.7	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	2:00	48.7	50.6	47.1	48.6
08/11/2019	2:05	50.3	51.1	47.6	
08/11/2019	2:10	48	48.8	47.3	
08/11/2019	2:15	48.2	49.6	47.3	
08/11/2019	2:20	47.7	48.5	47	
08/11/2019	2:25	48.2	50.1	47.2	48.9
08/11/2019	2:30	49.5	52.5	47.7	
08/11/2019	2:35	48.9	52.2	47.4	
08/11/2019	2:40	48.3	50.2	47.3	
08/11/2019	2:45	48.4	50.2	47.4	
08/11/2019	2:50	50	53.5	47.6	48.9
08/11/2019	2:55	48.1	49.2	47.2	
08/11/2019	3:00	48.4	50.1	47.3	
08/11/2019	3:05	48.4	49.7	47.4	
08/11/2019	3:10	49.1	51.7	47.4	
08/11/2019	3:15	48.8	51.5	47.3	48.0
08/11/2019	3:20	49.8	53.8	47.2	
08/11/2019	3:25	49	51.5	47	
08/11/2019	3:30	47.8	48.6	47	
08/11/2019	3:35	47.8	49.7	47	
08/11/2019	3:40	48.2	49.1	47.2	48.7
08/11/2019	3:45	47.7	48.8	47	
08/11/2019	3:50	47.9	49	47.3	
08/11/2019	3:55	48.4	50	47.4	
08/11/2019	4:00	51.1	55.6	47.4	
08/11/2019	4:05	48.4	51.6	47.1	47.8
08/11/2019	4:10	47.6	48.4	47	
08/11/2019	4:15	47.4	48.3	46.7	
08/11/2019	4:20	48.9	52.9	47	
08/11/2019	4:25	47.7	48.4	47.1	
08/11/2019	4:30	48	50.3	46.7	47.7
08/11/2019	4:35	48.2	50.7	46.8	
08/11/2019	4:40	47.7	49.3	47	
08/11/2019	4:45	47.3	48.1	46.7	
08/11/2019	4:50	47.9	50.2	47	
08/11/2019	4:55	47.8	49.4	46.7	47.4
08/11/2019	5:00	47.9	48.8	47.1	
08/11/2019	5:05	47.8	49	46.8	
08/11/2019	5:10	47.7	48.5	46.9	
08/11/2019	5:15	47.7	48.6	46.8	
08/11/2019	5:20	47.6	48.3	46.9	47.2
08/11/2019	5:25	47.5	48.5	46.9	
08/11/2019	5:30	47.8	49	46.9	
08/11/2019	5:35	47.5	48.3	47	
08/11/2019	5:40	47.6	48.6	46.9	
08/11/2019	5:45	47.2	48	46.4	48.1
08/11/2019	5:50	47.2	47.6	46.8	
08/11/2019	5:55	47.2	48.2	46.6	
08/11/2019	6:00	47.3	48.4	46.6	
08/11/2019	6:05	46.9	47.6	46.5	
08/11/2019	6:10	47	47.8	46.3	48.1
08/11/2019	6:15	47.2	47.7	46.7	
08/11/2019	6:20	47.4	48.3	46.3	
08/11/2019	6:25	47.2	47.9	46.5	
08/11/2019	6:30	47.5	48.1	47	
08/11/2019	6:35	49.2	53	47	48.1
08/11/2019	6:40	47.4	48	46.9	
08/11/2019	6:45	48.1	49.1	47.2	
08/11/2019	6:50	48.2	49.1	47.5	
08/11/2019	6:55	48.1	48.8	47.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
08/11/2019	23:00	50.6	52.8	49.3	53.2
08/11/2019	23:05	51.7	55.1	49.2	
08/11/2019	23:10	53.2	55.6	49.4	
08/11/2019	23:15	56	61.6	50.1	
08/11/2019	23:20	53.5	59.2	49.1	
08/11/2019	23:25	51.9	56.4	48.9	
08/11/2019	23:30	52.2	55.8	49.4	52.2
08/11/2019	23:35	53.7	55.3	49.8	
08/11/2019	23:40	51.1	53.6	48.7	
08/11/2019	23:45	51.3	54.8	48.9	
08/11/2019	23:50	50.8	53.4	49.1	
08/11/2019	23:55	53.2	58.1	49.4	
08/11/2019	0:00	50.6	53.1	49.2	53.7
09/11/2019	0:05	53.2	57.4	49.5	
09/11/2019	0:10	52.4	56.8	49.1	
09/11/2019	0:15	50.7	54	48.6	
09/11/2019	0:20	58.1	64.3	49	
09/11/2019	0:25	51.5	55.1	48.5	
09/11/2019	0:30	52.5	56.7	48.6	51.0
09/11/2019	0:35	50.8	55.1	48.7	
09/11/2019	0:40	50.7	53	48.9	
09/11/2019	0:45	50.9	55	48.4	
09/11/2019	0:50	50.7	54.1	48.7	
09/11/2019	0:55	49.9	51.8	48.7	
09/11/2019	1:00	49.9	53	48.6	49.8
09/11/2019	1:05	51.2	55.7	48.7	
09/11/2019	1:10	49.9	52.2	48.5	
09/11/2019	1:15	48.9	49.9	48	
09/11/2019	1:20	49.4	52.5	48.1	
09/11/2019	1:25	49.2	51.5	48.1	
09/11/2019	1:30	58.2	63.9	48.9	53.8
09/11/2019	1:35	52.8	57.3	48.9	
09/11/2019	1:40	49.6	52	48.1	
09/11/2019	1:45	52.7	56.3	48.5	
09/11/2019	1:50	48.7	50	47.9	
09/11/2019	1:55	54	59.5	48.1	
09/11/2019	2:00	50.7	54.5	48.4	49.6
09/11/2019	2:05	49.6	53.7	48.1	
09/11/2019	2:10	49	51	48	
09/11/2019	2:15	49.5	51.6	48	
09/11/2019	2:20	48.8	50.8	48	
09/11/2019	2:25	49.9	54.9	47.9	
09/11/2019	2:30	49.5	53.6	47.9	50.8
09/11/2019	2:35	54.9	59.2	47.9	
09/11/2019	2:40	48.7	50.4	47.9	
09/11/2019	2:45	49.3	52.5	47.8	
09/11/2019	2:50	48.6	49.7	48	
09/11/2019	2:55	49.4	51.5	48.3	
09/11/2019	3:00	48.3	48.9	47.8	48.4
09/11/2019	3:05	48.9	50.6	48	
09/11/2019	3:10	48.8	50	48.1	
09/11/2019	3:15	48	48.8	47.6	
09/11/2019	3:20	48	48.5	47.6	
09/11/2019	3:25	48.1	48.8	47.7	
09/11/2019	3:30	48.7	50.4	47.9	48.9
09/11/2019	3:35	50.1	54.2	48.1	
09/11/2019	3:40	48.4	50.1	47.7	
09/11/2019	3:45	48.5	49.9	47.9	
09/11/2019	3:50	48.6	50.1	47.9	
09/11/2019	3:55	48.7	51	47.8	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
09/11/2019	4:00	48.4	49.7	47.6	48.4
09/11/2019	4:05	48.2	49.2	47.5	
09/11/2019	4:10	48.3	49.3	47.5	
09/11/2019	4:15	48.3	49	47.7	
09/11/2019	4:20	48.3	48.9	47.6	
09/11/2019	4:25	48.8	50.2	47.8	
09/11/2019	4:30	48.5	49.5	47.7	48.6
09/11/2019	4:35	49	51.5	47.8	
09/11/2019	4:40	48.4	49.4	47.7	
09/11/2019	4:45	48.5	49.5	47.5	
09/11/2019	4:50	48.7	49.9	47.7	
09/11/2019	4:55	48.2	49	47.7	
09/11/2019	5:00	48.6	49.6	47.8	48.9
09/11/2019	5:05	48.5	49.5	47.7	
09/11/2019	5:10	48.5	49.3	47.8	
09/11/2019	5:15	48.9	49.8	48.1	
09/11/2019	5:20	50.3	52.7	48.7	
09/11/2019	5:25	48.4	49.4	47.5	
09/11/2019	5:30	48.3	49.2	47.6	48.6
09/11/2019	5:35	48.6	49.8	47.8	
09/11/2019	5:40	48.4	49.1	47.8	
09/11/2019	5:45	48.7	49.5	48	
09/11/2019	5:50	48.5	49.4	47.8	
09/11/2019	5:55	49.2	50.6	48	
09/11/2019	6:00	48.9	50.8	47.9	49.3
09/11/2019	6:05	48.5	49.6	47.7	
09/11/2019	6:10	48.8	50.3	47.8	
09/11/2019	6:15	50.1	53	48.2	
09/11/2019	6:20	49.5	51.8	48.1	
09/11/2019	6:25	49.9	52.8	48.1	
09/11/2019	6:30	50.5	53.2	48.4	50.1
09/11/2019	6:35	50.2	53.2	48	
09/11/2019	6:40	49.3	51	48	
09/11/2019	6:45	48.8	50.2	47.9	
09/11/2019	6:50	52	54.9	47.8	
09/11/2019	6:55	48.8	51.3	47.7	
09/11/2019	23:00	52.6	56.1	48.8	51.8
09/11/2019	23:05	51.3	54.2	48.8	
09/11/2019	23:10	54.2	59.1	49.3	
09/11/2019	23:15	51	53.8	48.6	
09/11/2019	23:20	50	53.1	48.3	
09/11/2019	23:25	50.5	54.1	48.3	
09/11/2019	23:30	52.3	56	49.3	52.0
09/11/2019	23:35	51.6	56	48.2	
09/11/2019	23:40	51.9	54.8	49.1	
09/11/2019	23:45	50.9	53.8	48.5	
09/11/2019	23:50	49.9	53	48.1	
09/11/2019	23:55	54.1	61.1	48.6	
09/11/2019	0:00	54.1	60.2	48.6	52.4
10/11/2019	0:05	52.3	55.4	49.7	
10/11/2019	0:10	51.1	54.2	48.6	
10/11/2019	0:15	49.4	51.2	48.2	
10/11/2019	0:20	54.7	60.4	49.1	
10/11/2019	0:25	50.1	52.8	48.8	
10/11/2019	0:30	51.9	56	48.8	52.8
10/11/2019	0:35	50.8	54.1	48.9	
10/11/2019	0:40	51.5	54.8	49	
10/11/2019	0:45	50.2	53.1	48.9	
10/11/2019	0:50	57.1	63.8	48.4	
10/11/2019	0:55	49.9	52.4	48.7	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	1:00	51.4	56	48.8	50.3
10/11/2019	1:05	50	53	48.5	
10/11/2019	1:10	49.4	51.7	48.3	
10/11/2019	1:15	50	53.4	48.2	
10/11/2019	1:20	49.3	50.9	48.5	
10/11/2019	1:25	51	54.1	48.8	
10/11/2019	1:30	51.3	56.1	48.3	49.8
10/11/2019	1:35	48.6	49.5	47.9	
10/11/2019	1:40	48.9	52.4	47.8	
10/11/2019	1:45	50.3	53.8	48.3	
10/11/2019	1:50	49	51	47.9	
10/11/2019	1:55	49.9	53	48.1	
10/11/2019	2:00	48.9	49.9	48.1	49.3
10/11/2019	2:05	49	51.8	47.4	
10/11/2019	2:10	49.3	52.7	47.8	
10/11/2019	2:15	48.8	50.8	47.9	
10/11/2019	2:20	50.8	56.3	47.9	
10/11/2019	2:25	48.9	50.3	47.9	
10/11/2019	2:30	49.5	52.3	47.8	49.2
10/11/2019	2:35	49	50.8	48	
10/11/2019	2:40	49.1	50.8	47.9	
10/11/2019	2:45	49.3	50.9	48.2	
10/11/2019	2:50	50	52.9	47.7	
10/11/2019	2:55	48.2	48.9	47.6	
10/11/2019	3:00	48.4	49.3	47.8	48.5
10/11/2019	3:05	48.6	49.4	47.7	
10/11/2019	3:10	48.3	49.2	47.5	
10/11/2019	3:15	48	49.5	47.2	
10/11/2019	3:20	47.8	48.6	47.2	
10/11/2019	3:25	49.5	54.1	47.4	
10/11/2019	3:30	47.8	48.4	47.4	48.0
10/11/2019	3:35	48.9	51.6	47.3	
10/11/2019	3:40	47.4	48	47	
10/11/2019	3:45	48.2	49.8	47.3	
10/11/2019	3:50	47.7	48.6	47.2	
10/11/2019	3:55	47.9	48.7	47.4	
10/11/2019	4:00	49.1	51.5	47.4	48.2
10/11/2019	4:05	48	48.9	47.4	
10/11/2019	4:10	48.8	52	47.1	
10/11/2019	4:15	47.6	48.2	47.1	
10/11/2019	4:20	47.7	48.4	47.3	
10/11/2019	4:25	47.7	48.8	47	
10/11/2019	4:30	47.5	48.4	47	48.2
10/11/2019	4:35	48.2	49.9	47.2	
10/11/2019	4:40	47.8	48.6	47.2	
10/11/2019	4:45	48.5	50.6	47.2	
10/11/2019	4:50	47.8	48.8	47.1	
10/11/2019	4:55	49.3	52.5	47.3	
10/11/2019	5:00	47.9	48.8	47.2	47.9
10/11/2019	5:05	47.9	49	47.1	
10/11/2019	5:10	47.7	48.5	47	
10/11/2019	5:15	47.8	48.8	47.2	
10/11/2019	5:20	47.8	48.5	47.3	
10/11/2019	5:25	48	48.8	47.3	
10/11/2019	5:30	48.8	51.2	47.5	48.2
10/11/2019	5:35	48.4	49.1	47.9	
10/11/2019	5:40	48.4	49.2	47.8	
10/11/2019	5:45	48	48.9	47.3	
10/11/2019	5:50	47.8	48.6	47.2	
10/11/2019	5:55	47.8	48.4	47.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L _{Aeq} (5-min)	L _{A10} (5-min)	L _{A90} (5-min)	L _{Aeq} (30-min)
10/11/2019	6:00	47.9	48.6	47.3	48.7
10/11/2019	6:05	48.9	51.1	47.8	
10/11/2019	6:10	48.4	49.7	47.6	
10/11/2019	6:15	49.6	51.8	47.5	
10/11/2019	6:20	48.5	49.9	47.8	
10/11/2019	6:25	48.5	49.4	48	
10/11/2019	6:30	48.4	49.4	47.8	48.3
10/11/2019	6:35	48.3	49.2	47.6	
10/11/2019	6:40	48.5	49.3	47.8	
10/11/2019	6:45	48.4	49.5	47.7	
10/11/2019	6:50	48.1	48.7	47.6	
10/11/2019	6:55	48.3	49.4	47.5	
10/11/2019	23:00	50.9	54.2	48.5	51.3
10/11/2019	23:05	49.1	52.1	47.6	
10/11/2019	23:10	53.4	54.7	48	
10/11/2019	23:15	52	57	48.1	
10/11/2019	23:20	50.7	54.1	47.5	
10/11/2019	23:25	50.3	53.8	47.5	
10/11/2019	23:30	49.4	52.6	47.7	50.2
10/11/2019	23:35	50.2	52.6	47.8	
10/11/2019	23:40	50.3	54.1	47.9	
10/11/2019	23:45	49	52.2	47.8	
10/11/2019	23:50	49.4	51.9	47.7	
10/11/2019	23:55	52.3	56	48.5	
Average		54.4			54.4
Max		74.6	76.8	62.7	67.6
Min		46.3	46.8	45.6	46.6